



**SYSTEM ADMINISTRATION GUIDE**  
**VERSION 15**

Copyright © 2016 FileHold Systems Inc. All rights reserved.

For further information about this manual or other FileHold Systems products, contact us at Suite 250 - 4664 Lougheed Highway Burnaby, BC, Canada V5C5T5, via email [sales@filehold.com](mailto:sales@filehold.com), our website <http://www.filehold.com>, or call 604-734-5653.

FileHold is a trademark of FileHold Systems. All other products are trademarks or registered trademarks of their respective holders, all rights reserved. Reference to these products is not intended to imply affiliation with or sponsorship of FileHold Systems.

#### **Proprietary Notice**

This document contains confidential and trade secret information, which is proprietary to FileHold Systems, and is protected by laws pertaining to such materials. This document, the information in this document, and all rights thereto are the sole and exclusive property of FileHold Systems, are intended for use by customers and employees of FileHold Systems, and are not to be copied, used, or disclosed to anyone, in whole or in part, without the express written permission of FileHold Systems. For authorization to copy this information, please call FileHold Systems Product Support at 604-734-5653 or email [support@filehold.com](mailto:support@filehold.com).

**TABLE OF CONTENTS**

<b>1. OVERVIEW .....</b>	<b>1</b>
1.1. SKILLS REQUIRED TO ADMINISTER THE SYSTEM.....	1
1.2. RESPONSIBILITIES OF THE SYSTEM ADMINISTRATOR .....	2
1.3. SETTING UP FILEHOLD SECURITY.....	3
<b>2. LOG IN .....</b>	<b>4</b>
<b>3. WEB CLIENT ADMINISTRATION PANEL.....</b>	<b>5</b>
<b>4. USERS AND GROUP PERMISSIONS .....</b>	<b>7</b>
4.1. MANAGING ACCESS TO THE SYSTEM.....	8
4.2. CREATING USERS.....	8
4.2.1. USERS LIST .....	11
4.2.2. CREATING LOCALLY MANAGED USERS .....	13
4.2.3. SYNCHRONIZING MICROSOFT ACTIVE DIRECTORY) USERS AND GROUPS (DOMAIN) .....	15
4.3. CREATING FILEHOLD GROUPS.....	16
4.3.1. USER ROLES AND ACCESSING THE LIBRARY .....	18
4.4. ADDING USERS TO GROUPS .....	22
4.5. VIEWING USER PROPERTIES .....	25
4.6. VIEWING GROUP PROPERTIES.....	25
4.7. SEARCHING FOR USERS .....	26
4.8. DELETING USERS .....	27
4.9. DELETING GROUPS.....	27
4.10. GUARANTEED USER ACCESS .....	28
4.11. RESETTING USER PASSWORDS .....	29
4.12. SET VIEWER LICENSE .....	30
4.13. ENABLING AND DISABLING ACCOUNTS .....	31
<b>5. MICROSOFT SQL REPORT PERMISSIONS.....</b>	<b>33</b>
<b>6. LICENSING.....</b>	<b>34</b>
6.1. LICENSE EXPIRATION GRACE PERIOD.....	39
6.2. ONE-TIME LICENSES FOR COURIER .....	39
<b>7. ADMINISTRATION REPORTS.....</b>	<b>44</b>
7.1. USER ACTIVITY LOG.....	44
7.2. SYSTEM AUDIT LOG.....	45
7.3. INSUFFICIENT CONCURRENT SESSIONS LOG .....	46

7.4. EFFECTIVE PERMISSIONS REPORT.....	46
7.4.1. DETERMINING EFFECTIVE ROLE .....	48
7.4.2. DETERMINING THE HIGHEST IMPLIED ROLE.....	49
7.4.3. DETERMINING A MODIFIED ROLE.....	49
7.4.4. DETERMINING THE HIGHEST ASSIGNED ROLE .....	49
7.4.5. ROLE ORIGIN .....	49
7.4.6. GROUP EFFECTIVE ROLE .....	50
7.5. SEARCH PERFORMANCE LOG .....	50
7.6. ONE-TIME USAGE LOG .....	54
<b>8. SYSTEM CONFIGURATION: GENERAL SETTINGS .....</b>	<b>57</b>
8.1. SETTING THE DEFAULT DOMAIN .....	57
8.2. REMOVING LICENSES FROM DISABLED USERS IN THE DOMAIN.....	57
8.3. SETTING OUTBOUND EMAIL SETTINGS .....	58
8.4. ENABLING COURIER .....	59
8.5. ENABLING THE DASHBOARD .....	59
8.6. ENABLING THE DOCUMENT AND VERSION CONTROL FIELDS .....	59
8.7. DOCUMENT SHORTCUTS .....	60
8.8. ENABLING THE PERMISSION SETTINGS .....	60
8.9. EVENT SCHEDULE SETTINGS .....	61
8.10. INSUFFICIENT CAL NOTIFICATION SETTINGS.....	62
8.11. CENTRALIZED OPTIONS MANAGEMENT .....	62
8.12. SERVER SIDE OCR .....	62
<b>9. SYSTEM CONFIGURATION: SECURITY.....</b>	<b>64</b>
9.1. LOGON SECURITY .....	64
9.2. SELF-REGISTRATION .....	66
9.3. SEARCH ENGINE SETTINGS .....	67
9.3.1. REBUILDING THE FULL TEXT SEARCH INDEX.....	70
<b>10. DOCUMENT VIEWER CONFIGURATION .....</b>	<b>70</b>
<b>11. DOCUMENT REPOSITORY LOCATIONS .....</b>	<b>71</b>
<b>12. CENTRALIZED OPTIONS MANAGEMENT.....</b>	<b>73</b>
12.1. ALERT PREFERENCES .....	74
12.2. WORKFLOW PREFERENCES .....	75
12.3. FASTFIND PREFERENCES.....	76
12.4. MISCELLANEOUS PREFERENCES .....	77

12.5. FDA ADVANCED SETTINGS..... 78

12.6. ADVANCED SEARCH OPTIONS ..... 80

**13. SYSTEM ADMINISTRATION DASHBOARD ..... 82**

## 1. OVERVIEW

System administrators have full control over the entire document management system. The system administrator needs to have an understanding of not just the technical systems but also how the organization is structured so that they are able to set up system functionality and content for the various users, teams, groups, departments or other groups that may need to access the files. Optional qualifications for this role would include knowledge of Microsoft technologies like Active Directory.

The system administrator provides for the creation and management of user groups, system permissions, individual user accounts, system security settings, as well as the management of the optional synchronization with Active Directory. This is in contrast to the library administrators who define and manage the files that are stored in document management system.

**NOTE:** The system administrator may be the same person as the library administrator; however, we recommend that more than one individual take on these roles in order to cover vacations or other leaves of absences.

This guide describes the steps required to use the system administration area of FileHold including:

- [Log in](#)
- Set up [locally managed](#) and [domain users](#)
- Set up [groups](#)
- Manage [logon and password security](#)
- Set up [user self-registration](#)
- Configure the [global settings](#)
- Manage [FileHold licenses](#)
- View logs and [activity reports](#)
- [Manage centralized options](#)
- Enable [viewer features](#)
- Set [Microsoft® SQL Report permissions](#)
- View the [document repository](#)
- View the [dashboard](#)

### 1.1. SKILLS REQUIRED TO ADMINISTER THE SYSTEM

Administering FileHold is not complex. The system is designed to be administered by fairly non-technical users who have a firm understanding of how their organization requires documents, records and other important files to be stored, organized, categorized and protected from unauthorized access.

A member of the IT team is often the system administrator and provides IT expertise to assist the library administrator configure the document management system as well as more specific tasks such as synchronizing Active Directory users, the creation of managed users, and defining roles and groups.

It is important for system administrators to understand their role and work together with the library administrator to organize the document management system so that users can find, search, browse for, update, and manage their files in an efficient and straightforward manner.

## 1.2. RESPONSIBILITIES OF THE SYSTEM ADMINISTRATOR

System administrators create the roles, groups and security settings that define the system in terms of permissions, access, and user rights. Library administrators use these foundational settings to build the file structure and document categorization system that provides users with highly configurable schemas for different types of documents.

In other words, system administrators take care of the system security and provision users while library administrators are responsible for the management and security of the content held in the document management system.

In order to effectively accomplish this, the system administrator should:

- Understand the document management system's system administration by reading the [System Administration Guide](#) and [Knowledge Base](#).
- Work with the library administrators on the creation of groups and permissions and roles these groups are assigned. Keep things simple at first. Remember it is easier to give users the minimum role required rather than retracting permissions in the future.

**NOTE:** The system administrator may be the same person as the library administrator; however, we recommend that several trusted individuals take on these roles in order to cover vacations or other leaves of absences.

- Examine the list of users / employees that will be accessing the document management system, group these users into logical groups, and provide a descriptive name for the groups. A descriptive group name will make more sense to you or to other administrators months or years from now when they are adding new users or thinking of creating new groups.
- Security considerations:
  - What level of access (permissions) do the various groups need?
  - What roles do the various groups need to do their work in the system?
  - Are there places in the file structure that require a group to have their normal access restricted?

In some organizations (especially larger ones) there may be a desire or requirement to have different individuals acting as system and library administrators. In this case the IT group will be responsible for system administration, while a separate group from either the records management department, information department or some other central department spearheads library administration management.

System administrators create and manage user accounts and therefore controls who gets access to the document management system. FileHold supports two types of user accounts:

- Locally Managed User Accounts — User accounts (that are added directly to the document management system and are independent of any type of directory server (including Active Directory))
- Domain User Accounts — User accounts that are synchronized with a Microsoft Active Directory. These accounts definitely require the support of the organizations IT department

System administrators also create user groups which are typically users that work together and require a specific type of access permission (role) in the Library. These groups are then used

by the library administrator for both system permissions and membership of the cabinet, folder, and schema level.

### 1.3. SETTING UP FILEHOLD SECURITY

You will need to evaluate the users of the system and group them into logical groups, such as Accounting, Marketing, Sales, and so on. You will also need to decide what level of access that each group requires and assign the appropriate role to the group. For the list of security roles, see [User Roles and Accessing the Library](#).

FileHold has three levels of security:

- At the cabinet level.
- At the folder level.
- At the schema level.

Once you have created the users and groups in the system, the library administrator can apply group membership to the cabinets, folders, and schemas. This allows users to use the documents they need and restrict them from the ones they don't need access.

If a user is having problems accessing cabinets, folders, or documents, make sure that they are members of the security groups that are set for that level. For more information on cabinets, folders, and schemas, see the [Library Administration Guide](#).



## 2. LOG IN

You can perform system administration functions in both the FileHold Desktop Application (FDA) and the Web Client. The FDA has very limited system administration functions whereas you can access all system administration functions through the Web Client in the [Administration panel](#).

The system administration features in FDA include:

- Users
- FileHold Groups

You will need to log in through the Web Client in order to gain access to all other system administrator functions. All of the administration functions in FDA are performed almost exactly as they are in the Web Client.

### TO LOGIN TO SYSTEM ADMINISTRATOR VIA THE WEB CLIENT

1. Open a Web Browser (Firefox and Internet Explorer are supported) and enter the path to the FileHold server. This may be set up as link on your desktop.
2. Enter your Login, Password, and select the domain (if required) and click **Log In**.
3. Click the **Administration Panel** link at the top of the screen. Once logged in, the different areas of the system administration and Library Administration features will appear in the left panel.

### TO LOGIN AS SYSTEM ADMINISTRATOR VIA THE FDA

1. Log into FDA using a system administrator username and password.
2. Go to **Administration** menu in the menu bar.

### TO LOG OUT FROM THE WEB CLIENT

1. Click **Log Out** in the top right hand of the screen.

### TO LOG OUT FROM THE FDA

1. Go to **File > Exit**.

### 3. WEB CLIENT ADMINISTRATION PANEL

The system administration and library administration areas can be found combined in the area called the Administration panel. Some end user preferences and settings (user, view, alert) are also available in the Administration panel. This is in addition to the FileHold library area where end user preferences can also be set.

Depending upon the role used to log into the Web Client, only the functionality that the user is able to access is shown. As a system administrator, you have access to everything in the Administration panel.

If Solo Mode is enabled, then only one section of the Administration Panel will expand at a time. If Solo Mode is disabled, then all of the sections can be expanded and the Collapse All button is available.



The following list describes the areas that are available to only system administrators in the Administration panel:

- Administration reports > [Effective permissions](#)
- Administration reports > [Insufficient sessions](#)
- Administration reports > [System audit log](#)
- Administration reports > [User activity](#)
- Centralized options management > [Advanced search preferences](#)
- Centralized options management > [Alert preferences](#)
- Centralized options management > [FastFind preferences](#)
- Centralized options management > [FDA preferences](#)
- Centralized options management > [Miscellaneous preferences](#)
- Centralized options management > [Workflow preferences](#)
- System configuration > [Document repository locations](#)
- System configuration > [General](#)
- System configuration > Security > [Logon](#)
- System configuration > Security > [Self registration](#)

- System configuration > [Document viewers \(FDA\)](#)
- System configuration > [Search settings](#)
- System management > [License information](#)
- System management > Permissions > [Group](#)
- System management > Permissions > [User](#)
- System management > Permissions > [Custom reports](#)

## 4. USERS AND GROUP PERMISSIONS

System administrators are responsible for the setting up and configuring of the FileHold users and group memberships. They create the roles, groups and security settings that define the document management system in terms of permissions, access and user rights. Library administrators use these foundational settings to build the file structure and document categorization system that provides users with highly configurable schemas for different types of document.

The system administrator should:

- Design and map out the user groups and permissions on a whiteboard or a spreadsheet. It is recommended that everything be considered up front before configuring the system.
- Create groups and assign permissions (roles) for each group.
- Create users or import users from active directory (if required).
- Assign users to groups.
- Document your planning work. It is suggested that you save this work to a folder restricted to administrator access within FileHold.

Here is an example of how you can set up a spreadsheet that contains all of the user groups and roles for your organization.

FileHold Group	Membership	Role
Call Center Team	Entire call center team	Document Publisher
Collections Team	Entire collections team	Document Publisher
Contracts	Entire Contracts Team	Document Publisher
HR (doc pubs)	HR team except for HR Director and HR Manager	Document Publisher
HR (admins)	HR Director and HR Manager	Library Administrator
IT Team	Entire IT team	system administrators
Library Administrators	FileHold operations team. It might be desirable to setup library administrators for each operations team.	Senior Library Administrator
Risk Team - Admins	Entire risk team	Library Administrator
Risk Team - Read Only	Entire risk team	Document Publisher
Sales and Marketing Team	Entire sales and marketing operations team. Does not include F & I, area, or regional F & I managers.	Read Only
Settlement Team	Entire settlement team	Document Publisher
system administrators	FileHold operations team	Document Publisher


**WARNING:** System administrators should be very careful about which users/groups will receive delete permissions. Remember that it is easier to mark or flag files for deletion than it is to recover and restore them from the IT Enterprise backup system.

## 4.1. MANAGING ACCESS TO THE SYSTEM

Users are placed within FileHold Groups. FileHold Groups are created by system administrators and given a specific name and permissions (roles) to system functionality. Roles give users specific functionality throughout the system, however, groups can have their roles restricted at the cabinet and folder levels.

Groups and users are given access via membership to FileHold cabinets, folders and schemas. These permissions provide control down to the document level. The degree of access users have to content is determined by their role.

The following flowchart depicts how security is set up in the system.



## 4.2. CREATING USERS


FileHold has multiple ways of ensuring user authentication and authorization of resources:

- Authentication identifies a user based on username and password.
- Authorization uses the authentication information to grant the appropriate level of access control to the content and other tools.

Granular roles-based security allows the system administrator to quickly control the exact level of access a group of users will have to FileHold. For example, a group of users may be restricted to 'Read Only' access for one type of file yet have full access to another document schema. Security can be configured at multiple levels so documents can even be stored in the same folder yet carry differing permissions of access.

There are two types of user accounts: Locally Managed Users and Active Directory Synchronized Users. Both types of accounts can co-exist on the same FileHold Server.












- A locally managed user is an account that does not authenticate or synchronize against Microsoft Active Directory systems. This allows system administrators to setup and manage users without involving complex IT deployment scenarios. This is suited for a non-technical system administrator in a smaller organizational environment. Administrators can quickly create user accounts in mere minutes OR activate [user self-registration](#).
- Microsoft Active Directory Synchronized Users are users that called FileHold Domain Users. Groups synchronized with Microsoft Active Directory are called FileHold Domain Groups. The users and groups behave the same way as locally managed users when interacting FileHold. The difference is that the properties (contact information, passwords etc.) associated with domain user/groups are managed externally in Active Directory and not through the user properties of the document management system. When importing Active Directory groups into FileHold, you have the option to bring just the group name or all the users within the group. Benefits of using Active Directory are: single sign-on, synchronization of FileHold with the domain, and the use of Active Directory groups with FileHold Groups. See the following diagram for a high level overview of the process.



### 4.2.1. Users list

The list of users is accessible in the Administration Panel in the Web Client under System Management > Permissions > Users. The Users list includes a toolbar, the remaining licenses panel, and a filter panel.

The following functions are available from the toolbar in the Users list:

Function	Description
 Add	<a href="#">Add a registered user.</a>
 Add to group	Add currently selected users to a <a href="#">group</a> .
 Delete	<a href="#">Delete</a> currently selected users from the system (not recommended). See <a href="#">Disabling Users</a> instead.
 Set viewer license	Set a <a href="#">viewer license</a> for the currently selected users.
 Enable user	<a href="#">Enable</a> a currently disabled user.
 Disable user	<a href="#">Disable</a> a currently enabled user.
 Reset password (Web Client only)	Send a notification email to the selected users to <a href="#">reset their password</a> .
 Add web scanning license	Set a <a href="#">web scanning license</a> for currently selected users.
 Remove web scanning license	Remove a <a href="#">web scanning license</a> for currently selected users.
 Add web viewer license	Set a <a href="#">web viewer license</a> for currently selected users.
 Remove web viewer license	Remove a <a href="#">web viewer license</a> for currently selected users.

The [Remaining Licenses](#) area contains a summary of the purchased licenses: registered users, concurrent sessions, viewers, WebCap scanning licenses, and web viewers, SharePoint sessions and guest portal sessions. The various licensing options can be expanded or collapsed by clicking on the + or -. The number of licenses remaining is shown in brackets.






A **Registered User** is someone who has a FileHold account can access the system if the account is enabled. Concurrent sessions are the total number of people allowed to use FileHold at the same time. For example, you may have purchased 250 registered user licenses and 100 concurrent sessions. This means that only 100 out of the 250 registered users can log into FileHold at the same time. The number of concurrent sessions in use is shown.




The **Filter** area can be used to narrow down the users displayed in the search results below. Enabled users, local users (non-Active Directory users) first or last name, company, department, email address, group name, and logged in dates are the filter criteria that can be used. Search results can be exported as a csv file. If no filter criteria are used then all users are displayed in the search results.

The number of users is shown in the search results list. The number of rows that are displayed in the report view can be adjusted to show 15, 30, or 60 rows at a time. Click on the column to sort in ascending or descending order.



A unique ID number is given to each user. In the event that users have exactly the same name, the unique ID number can be used to differentiate between the same named users. This unique ID is used in the various logs and reports.

The information displayed in the results is:

Icon	Column Header	Description
		FileHold local or domain user. Account may be enabled or disabled.
		A domain user that has been disabled in the domain.
		Domain group. This is used as a placeholder when creating <a href="#">FileHold groups</a> .
	Full name	First and last name of the user.
	User login name	The login name of the user.
	User status	Enabled or disabled.
	Guaranteed access	A concurrent session is dedicated to a user Yes or No
	Desktop viewer	A PDF/Image or Brava viewer or None.
	Web viewer	Web client viewer is assigned Yes/No.
	Web scanning	WebCap scanning license is assigned Yes/No.
	User type	Local or domain user.
	Domain	The domain that the user belongs to if a domain user. If a local user, the domain is blank.
	Group(s)	The name of the groups the user is assigned to.
	Last login	The last time the user logged in.
	Last modified date	The last time the user profile was updated.

#### 4.2.2. Creating Locally Managed Users

A locally managed user is a user account that is created and managed directly in FileHold. This is in contrast to a domain user. A domain user is a user account obtained through synchronization of FileHold with Active Directory server. For more information on domain users, see [Synchronizing Domain \(Active Directory\) Users and Groups](#).

##### TO CREATE A LOCALLY MANAGED USER

- From the Web Client, go to **Administration Panel > System Management > Permissions > Users**.
  - Alternatively, in FDA, log in with system administrator rights and go to **Administration > User & Group Management > Users**.
- Click **Add Users**.
- Select **Locally Managed User** and click **Next**.
- Fill in the following information and click **OK**:
  - First Name
  - Last Name
  - User Logon Name

- Email
- Default Language
- Source — Locally managed user account
- Initials

The screenshot shows a dialog box titled "Add Locally Managed User". On the left, there is a sidebar with categories: "General", "Account Settings", "Member Of", and "Contact Information". The "General" category is selected. The main area contains the following fields:

- First Name \*: Deborah
- Last Name \*: Dixon
- User Logon Name \*: ddixon
- E-mail \*: ddixon@filehold.com
- Default Language: English (dropdown menu)
- Source: This is a locally managed user account.
- Initials: DD

At the bottom right, there are "OK" and "Cancel" buttons.

5. Enter the password for the user twice and click **OK**.
6. Select **Account Settings** and enter the following information under FileHold Account Options:
  - FileHold account is enabled for this user — Select this check box if the user account should be enabled.
  - User has guaranteed system access — Select this check box if the user should have access to the system at all times. See [Access](#) for more information.
  - User must change password at next logon — Select this option if the user is to set their own password the next time they log into the system. This option is recommended.
  - Send activation email — Select this check box in order to send the new user an email containing a link to activate their user account. Enter an additional information for the user in the text box. If this option is enabled, the “User must change password at next logon option” is disabled. This option is not available after a user account has been created. For additional configuration for the subject line and contact email address on the notification email, see [Logon Security](#).
7. In the FileHold Desktop Application Viewer Options area, select the viewer license (if purchased) for the user. For detailed information about the viewers, see the [FileHold Knowledge Base](#).
  - A viewer is not licensed for this user.
  - PDF/Image Viewer
  - Brava Office Viewer
  - Brava Office Viewer, CAD (includes PDF/Image Viewer)
  - Brava Office Viewer, Engineering (includes PDF/Image Viewer)
8. In the FileHold Scanning Inbox License area, select the **Scanning Inbox License Assigned** check box if the user is to be assigned a WebCap scanning license. For more information about WebCap, see the [Knowledge Base](#).
9. In the Web Viewer License Association area, select the Web Viewer License Assigned check box if the user is to be assigned a web viewer license.

10. In the Account Expiration area, select a date for the user account to expire or leave the default **Never** for the account to remain active indefinitely. An account expiration date is good to use when you have contractors or temporary workers.
11. Click **OK**.
12. In the Member Of window, you will need to add the user to a group. See [Adding Users to Groups](#) for more information.
13. Select Contact Information and enter the user's contact information such as addresses, phone numbers, and company information. This information is optional.
14. Click **OK**. The user is added to the list of registered users.

#### 4.2.3. Synchronizing Microsoft Active Directory) Users and Groups (Domain)

With the optional Microsoft Active Directory Toolkit, FileHold can synchronize domain users and groups that reside in Active Directory with the FileHold users. The benefits of synchronization of user / group objects with Active Directory include: centralized control of system users, single sign on authentication support, and the ability to quickly rollout new users to FileHold from Active Directory.

Active Directory synchronized users are called FileHold Domain Users within the FileHold system. Groups synchronized with Active Directory are called FileHold Domain Groups. The users and groups behave the same way as locally managed users when interacting FileHold. The difference is that the properties (contact information, passwords etc.) associated with domain user/groups are managed externally in Active Directory and not in FileHold.

When adding domain groups, the group names can be viewed in the Users List; however, they are not using up a registered user license account. Domain groups are simply placeholders that allow you to assign them to FileHold groups.

Domain groups can be assigned to FileHold groups that can in turn be given access (membership) to specific content located throughout the library. Synchronization of a domain group will allow a new user added to the domain group at the Active Directory level to be automatically provisioned to all areas of FileHold based on the pre-defined permissions of their FileHold groups.

**NOTE:** It is important to keep in mind that some Active Directory deployments can be complex as they employ custom schemas and objects that may not be industry standard and can require additional effort to synchronize.


If you did not purchase the Active Directory option, you will need to create [locally managed users](#). You will not be able to synchronize FileHold with Active Directory. To purchase the Active Directory synchronization module, contact [sales@filehold.com](mailto:sales@filehold.com). This toolkit includes additional support resources to ensure a successful synchronization.

**WARNING:** You must ensure that FileHold has been successfully synchronized with Microsoft Active Directory prior to completing these steps. If you have purchased the Active Directory module, please contact [support@filehold.com](mailto:support@filehold.com) to start the process of domain synchronization.

#### TO ADD A DOMAIN USER OR GROUP TO FILEHOLD

1. In the Web Client, go to **Administration Panel > System Management > Permissions > Users** and click **Add User(s)**.
  - Alternatively, in FDA, log in with system administrator rights and go to **Administration > User & Group Management > Users**.
2. Click **Add User(s)**.

3. Select **Add a user(s) or group(s) from a domain/directory server** and select the domain name from the list.
4. Click **Next**.
5. Select the check boxes for the users or groups you want to add and click **Add**.
6. To search for a domain user or group in the list, enter the name in the search field and click **Search**.



7. In the Add Domain Group Options, select one of the following and click **OK**:
  - Add the group and the group members. Keep both synchronized with the domain.
  - Add just the group members and do not add the group. Only the user accounts will still be synchronized with the domain.
8. At the Add User(s) and Group(s) Confirmation, click **OK**.
9. Continue to add more users and groups to FileHold.
10. To return to the user list, click **Back to the User List**.
11. To set viewer, guaranteed access, and scanning inbox (Web Cap) licenses, select Properties next to the user name and go to Account Settings. See [Creating Locally Managed users](#) for more information.

#### 4.3. CREATING FILEHOLD GROUPS

A FileHold Group is a collection of users that share specific membership and permissions for the purposes of providing an appropriate level of access to the system and its functionality.

Groups are created by the system administrator. It is highly recommended that the library administrator help with the planning of FileHold groups since access to the documents via the groups is set by the library administrator and not the system administrator.

Groups are assigned a role from the set list of [user roles](#) in FileHold. In many organizations, groups are associated by department or function within the organization. These groups typically have entire cabinets in the Library for their documents. For more information on

assigning group membership to cabinets, folders, and schemas, see the [Library Administration Guide](#).

Groups can be restricted from performing certain functions such as emailing and initiating a Courier process. Groups with read only or guest roles assigned to them can have the ability to print or documents disabled which includes the functionality in the viewers.

#### TO CREATE A FILEHOLD GROUP

1. In the Web Client, go to **Administration Panel > System Management > Permissions > Groups**.
  - Alternatively, in FDA, log in with system administrator rights and go to **Administration > User & Group Management > FileHold Groups**.
2. Click **Add Group**. The list of FileHold groups that come standard with the product are shown. See the [table below](#) for a list of user roles and descriptions. It is recommended that you create your own groups that are meaningful to your organization, such as Accounting Group, Engineering Group, HR Group, and so on. The standard FileHold groups can be renamed or deleted once your own groups are created.
3. Enter the following information:
  - Group Name — Enter a name for the group.
  - Description — Enter a description for the group.
  - Role — Select a role from the list. See [User Roles and Accessing the Library](#) for descriptions.
  - Notes — Enter any additional information about the group.
  - FileHold Group Members — Select **Display all members on one page** check box to display all the members on a single page. Click **Add Members** to add user to the group. See [Adding Users to Groups](#) for more information.
  - Restrictions:
    - Select the **Disable emailing documents** check box if users will not be able to email documents from FileHold.
    - Select the **Disable sending to Courier** check box to prevent users from initiating a Courier process on documents. This option is enabled by default when a group is created. This option is not available for guest and read-only groups.
    - For read only or guest role groups, select the **Disable download and print functions** in order to prevent them from getting a copy or printing documents. If the guest or read only user has been assigned a viewer license, the download and print functionality is also disabled in the viewer.
4. Click **OK**. The group is added to the list.

#### TO FILTER THE GROUP LIST

1. Select the **Role** check box and select a role from the drop down list.
2. Click **Apply**. The number of results is shown below. The number of rows that are displayed in the report view can be adjusted to show 15, 30, or 60 rows at a time. Click on the column to sort in ascending or descending order.
3. Click **Export to CSV** to export to a CSV file.

Name	Role	Description	Last modified
Accounting ▶	Document Publisher		10/16/2014 11:42:34 AM GMT
Document Publishers ▶	Document Publisher		10/14/2014 3:29:39 PM GMT
Human Resources ▶	Document Publisher		10/16/2014 11:42:35 AM GMT
Marketing ▶	Document Publisher		10/16/2014 11:42:35 AM GMT
Sales ▶	Document Publisher		10/16/2014 11:42:35 AM GMT

#### 4.3.1. User Roles and Accessing the Library

Only users with the correct role can manage certain parts of the Library structure. The following user roles are shown in the order of least permission to most permission.

All roles provide document emailing capability. Roles higher than Document Publisher have the Courier functionality. These functions can be disabled on a role by role basis by a System Administrator in the FileHold Groups area. Guest and read-only group roles can have the viewing and printing abilities restricted. See [Creating FileHold Groups](#) for more information.

**NOTE:** You can be logged into FDA and the Web Client at the same time but you cannot be logged into two FDAs or two web clients at a time. Only one user account can log into FileHold at a time.

Role Name	Description
Guest User	<p>A Guest User has read-only rights, meaning they can only get a copy or view documents. Unlike all other roles, many users with the guest user role can log into FileHold at once using a single guest username and password. If multiple people log into FileHold with the same guest user name, the log files records the same user regardless of the actual person that logged into the system. You can purchase low cost packs of guest user connection licenses in groups of 50 to be used with the portal. You will need at least one named user regardless of how many connection licenses are purchased.</p> <p>Guest users may be restricted from downloading or printing documents.</p> <p>With the guest user role you can optionally bypass the login process entirely by setting up a <a href="#">Self-Service Portal</a> with a guest user account. The Self-Service Portal is an optional module that allows users to access FileHold with a special URL. The portal does not require a login as this is done programmatically. The user simply visits the URL and the portal page appears. For more information about guest user licenses, contact <a href="mailto:sales@filehold.com">sales@filehold.com</a>.</p>
Read Only	<p>A Read-Only user role may only download or open and read documents from FileHold. They cannot edit, delete, or create documents. They can email documents if given this functionality by system administrators.</p> <p>Read-only users may be restricted from downloading or printing documents.</p> <p>Read-only users can participate in workflows but cannot initiate workflows.</p>
Document Publisher	<p>Document Publisher user role can read, get a copy, add, check-in/check-out, edit documents, and metadata. They can move documents that are owned by them. They cannot delete any documents including those which they have added to the system.</p> <p>Document publishers can initiate workflows, participate in workflows, and initiate Courier transmissions.</p>
Document Publisher + Delete	<p>Document Publisher Plus Delete user role can do everything a Document Publisher can do and delete their own documents. They must be the owner of the document in order to delete it. To see the owner of a document, you can look at the version properties in the <a href="#">metadata pane</a>.</p>
Publisher	<p>Publisher user role can do everything a Document Publisher can do plus:</p> <ul style="list-style-type: none"> <li>• Create new folders and folder groups.</li> <li>• Copy or move folders that they have already created.</li> <li>• Clone folders and folder groups created by other users and become the owners of the folders / folder groups.</li> <li>• Publishers cannot delete existing documents, folders or folder groups including those which they have added /created. All documents and folders created by the Publisher will be owned by them and they cannot change the ownership.</li> </ul>
Publisher + Delete	<p>Publisher plus Delete user role can do everything that a Publisher can do plus delete documents, folders and folders group owned (created) by them.</p>



Organizer	<p>The Organizer role is for users who are responsible for organizing documents that are scanned or imported into the system or who are assigned to organize documents added by other users. For example, organizers would move the documents generated by scanner operators to their correct folder in the library. Only trusted personnel should be given this role. Organizer role user can:</p> <ul style="list-style-type: none"> <li>• Move all documents (which they have an access to) in other places in the library including documents which they do not own. In other words, they can move documents that are owned by other users.</li> <li>• Move, copy or clone all folders and folder groups regardless of their ownership. In case of cloning they will become the owners of folder / folder groups. In case of copying and moving the original ownership of folders / folder groups is preserved.</li> <li>• Change folder properties regardless of ownership.</li> <li>• Add folders / folder groups (in which case they will become their owners) and rename folders and folder groups.</li> <li>• Delete documents that they own.</li> <li>• Change document owner regardless of ownership</li> <li>• Convert offline documents to electronic documents</li> <li>• Export documents</li> </ul>
Organizer + Delete	<p>Organizer plus Delete role can do everything that Organizers can do plus delete all documents, folders and folder groups regardless of their ownership. This organizer and delete role can only do this within Cabinets, Folders and Schemas that they are a member of.</p> <p>This role should be used by trusted personnel only.</p>

Cabinet Administration	<p>Cabinet Administrators can only administer the cabinets that they own; they cannot create cabinets for themselves. They can:</p> <ul style="list-style-type: none"> <li>• Create, edit, and delete drawers, folder groups and folders and manage their properties (i.e. membership structure).</li> <li>• Access all documents (in Publisher and Delete capacity) from anywhere in the library structure unless they are restricted from that area of the library structure. If they do not have access to the Cabinet and Folder they will not be able to access the documents.</li> <li>• Delete and move electronic records as long they are owners of the cabinet. Electronic records can only be moved to another Cabinet in which they own.</li> <li>• Move documents between cabinets as long as they are owners of the Cabinet. If users need to move documents between Cabinets that they do not own, then use an organizer role instead.</li> <li>• Have access to all document schemas.</li> <li>• Change document owner for documents in the cabinets that they own.</li> <li>• Convert electronic documents to electronic records and vice versa for cabinets that they own.</li> <li>• Convert electronic documents to offline documents for cabinets that they own.</li> <li>• Manually move document to and from the library archive as long as they are the Cabinet owner in the library archive.</li> </ul>
Library Administration	<p>Library administrators can perform, within their cabinets, the same functions as Cabinet Administrators plus:</p> <ul style="list-style-type: none"> <li>• Create cabinets for which they will be the owner of and manage them in the Library.</li> <li>• Access to Library Administration functionality where they can manage metadata fields, schemas, events, set up workflow templates, manage numerous global settings (i.e. viewer permissions, search engine settings, reporting services permissions and more), perform various managerial functions such (as check-in for user, change document owner, recover deleted document etc.) and access many useful reports and usage logs for the cabinets that they own.</li> <li>• Library administrators cannot create cabinets for Cabinet Administrators to own. If a library administrator creates a cabinet, then they are the owners.</li> </ul>
Senior Library Administration	<p>Senior library administrators have full control of the FileHold library itself and library administration area. Senior library administrators can create cabinets to be managed by any Library Administrator or Cabinet Administrator.</p>

System Administration	System administrators have complete control of the system. They can perform all of the functions of all other roles. However, the main tasks of the system administrators are to add users to the system (including assigning the initial password and setting requirements for all new passwords and ability to self-register), assign users to their appropriate groups, enable document control numbers and version control numbers, manage user accounts, user groups and the system license pool. The system administrator also has access to various global settings (outbound e-mail, system wide configurations for managing the various documents format conversion permissions etc.) and as well as user activity reports.
-----------------------	--

#### 4.4. ADDING USERS TO GROUPS


Once the users are in the system, you can add them to FileHold groups. Users can be assigned to an unlimited number of groups and groups can contain one or more users.

It is recommended that users access the Library as a member of a group instead of an individual user. This makes it easier to control access and maintain security. For example, you should add groups to Cabinet, Folder, and Schema memberships instead of users because it is easier to add and remove users from groups than it is to locate the Cabinets, Folders, and Schemas of individual users.

There are several ways that users can be added to groups:


- [Selecting a user from the User list and clicking Add to FileHold Group.](#)
- [Selecting a user from the Users list and selecting Properties > Member of.](#)
- [Selecting a group from the FileHold Group list and selecting Add Members.](#)
- [Selecting a group from the FileHold Group list and selecting Properties > Add Members.](#)


When users belong to more than one FileHold group they will inherit the access level of the highest group of which they are a member. For example if a user is assigned to the Marketing group (associated with a read-only role) and the Sales group (associated with the publisher role) they will have full publisher rights if both groups are assigned to a cabinet, folder, or schema. If only the Marketing group is assigned to a folder, then the user will have only read-only rights. If only the Sales group is assigned to folder, then the user will have publisher rights. See the diagram below.



Effective permissions for a user in a particular area of the library or schema can be viewed in the [Effective permissions report](#).


**TO ADD A USER TO A GROUP FROM THE USER LIST USING ADD TO FILEHOLD GROUP BUTTON**

1. In the Web Client, go to **Administration Panel > System Management > Permissions > Users** and select the check box of one or more user names.
2. Click **Add to FileHold Group** .
3. Select the check box of the group you want to add the user(s) to and click **Add**. The user is now a part of the group.



### TO ADD A USER TO A GROUP FROM THE USER LIST USING THE USER PROPERTIES

1. In the Web Client, go to **Administration Panel > System Management > Permissions > Users** and select **Properties** from the drop-down menu on a user name.
2. In the User Properties, click **Member Of**.
3. In the FileHold Groups this user is a member of list, click **Add User to Group**.



4. Select the check box of the group you want to add the user(s) to and click **Add**. The user is now a part of the group.

### TO ADD USERS TO A GROUP FROM THE GROUP LIST


1. Go to **Administration Panel > System Management > Permissions > Groups** and select **Add Members** from the drop-down menu on the group name.
  - In FDA, go to **Administration > User & Group Management > Groups** and right-click on a group name and select **Add Member**.



2. In the Find People window, enter the first or last name of the user and/or the email address and click **Find Now**.
3. In the Results of People Search area, select the check box next to the user name(s) and click **Select User(s)**. The user is added to the group.

### TO ADD USERS TO GROUP USING THE GROUP PROPERTIES


1. In the Web Client, go to **Administration Panel > System Management > Permissions > Groups** and select **Properties** from the drop-down menu on the group name.
  - In FDA, go to **Administration > User & Group Management > Groups** and click the **Group Name** in the list.
2. In the FileHold Group Members area, click **Add Members**.
3. In the Find People window, enter the first or last name of the user and/or the email address and click **Find Now**.
4. In the Results of People Search area, select the check box next to the user name(s) and click **Select User(s)**. The user is added to the group.



Find People

First or Last Name

E-mail Address




Results of People Search				
	Name	User Name	Email Address	Phone
<input checked="" type="checkbox"/>	Marie, Sabine	sabine	sabine@filehold.com	

#### 4.5. VIEWING USER PROPERTIES

You can view and edit user properties such as email addresses, account settings, group membership, and contact information.

##### TO VIEW USER PROPERTIES

- In the Web Client, go to **Administration Panel > System Management > Permissions > Users** and click on a user name.
  - Alternatively, you can select **Properties** from the context-sensitive menu next to the user name. Click on the arrow next to the user name for the context sensitive menu to appear.
  - Alternatively, in FDA, log in with system administrator rights and go to **Administration > User & Group Management > Users**.



- Update or view the General, Account Settings, Member Of, or Contact Information for the user and click **OK**.

#### 4.6. VIEWING GROUP PROPERTIES

You can view and edit group properties such as the group name, role, and group members.


##### TO VIEW GROUP PROPERTIES

- In the Web Client, go to **Administration Panel > System Management > Permissions > Groups** and click on a group name.
  - Alternatively, you can select **Properties** from the context-sensitive menu next to the group name. Click on the arrow next to the group name for the context sensitive menu to appear.

- Alternatively, in FDA, log in with system administrator rights and go to **Administration > User & Group Management > Groups**.
2. Update or view the group name, description, role, notes, group members and restrictions for the user and click **OK**.

#### 4.7. SEARCHING FOR USERS

You can search for users in the Filter area by enabled users, local users, company first or last name, department, group, log in dates or by email. After you have found the user you are searching for, you can modify their properties, group membership, licenses, and accounts.



The screenshot shows the 'List of Users' interface. At the top, there are icons for adding, deleting, and other user management actions. Below that is a 'Remaining Licenses' section. The main area is a 'Filter' section with several checkboxes and input fields:
 

- Enabled Users only
- Local Users only
- First or last name starts with [input field]
- Company starts with [input field]
- Department starts with [input field]
- Email address contains [input field]
- Group [dropdown menu showing 'Accounting']
- Last logged on from [input field] To [input field]

 Below the filter section are 'Apply' and 'Export as CSV' buttons. The search results are displayed in a table with the following columns: Full name, User login name, User status, Guaranteed Access, Desktop viewer, Web viewer, Web scanning, User type, Domain Group(s), Last login, and Last modified. The first row shows a user named 'Basie Pie' with the following details:
 

Full name	User login name	User status	Guaranteed Access	Desktop viewer	Web viewer	Web scanning	User type	Domain Group(s)	Last login	Last modified
Basie Pie	Basie	Enabled	No	Brava Office Viewer	No	No	Local	Editors, Human Resources	6/2/2015 9:48:15 AM	5/28/2015 3:48:48 PM GMT

#### TO SEARCH FOR A USER

1. Go to **Administration Panel > System Management > Permissions > Users**.
2. In the Filter area, use any of the following filters:
  - Enabled users only
  - Local users only
  - First or last name starts with
  - Company starts with
  - Department starts with
  - Email address contains
  - Group
  - Last logged on from <date> to <date>
3. Click **Apply Filter**. The number of results and the report are shown below. The number of rows that are displayed in the report view can be adjusted to show 15, 30, or 60 rows at a time. Click on the column to sort in ascending or descending order.
4. To export the results, click **Export as CSV**.

In the List of Users, you can add, modify, disable, guarantee access, set a viewer license and many more functions. See the following sections for more information.

## 4.8. DELETING USERS

Deleting a user from the system removes any ownership of the deleted user's documents, folders or cabinet ownership. It is recommended to not delete a user if you wish to maintain the account in case the user ever will need access to FileHold again. Instead, you should [disable](#) a user account. This way the account can be re-enabled in the future. The actual user account is never deleted - the user name is internally represented by a GUID that exists perpetually in the system.

Deleting a user action cannot be undone. It is recommended that you [disable](#) user accounts instead of deleting them.

If you must delete the user account, be sure to use the Change Document Owner and Change Cabinet/Folder Owner features in the library administration area to give the cabinets, folders, and documents a new owner. See the [Library Administration Guide](#) for more information.

### TO DELETE A USER ACCOUNT

1. Go to [Administration Panel > System Management > Permissions > Users](#) and select the check box for user account you want to delete. You can use the Filter feature to find a user.
2. Click **Delete**.
3. You will receive a warning message that you are about to delete a user and it will specifically warn that *"All previous associations with documents added by this user shall be lost and are not recoverable"*.
  - This message means that the user account and its associations cannot be recovered if you delete the account, and the cabinets, folders, and documents created by this user will no longer have an owner, as the user has been permanently deleted. Deleting a user does not delete the cabinets, folders, and documents - it removes the user's ownership of those items. If you wish to maintain these ownership associations, then simply disable the account.
4. Click **OK** to delete the user. The user account is removed from the list of FileHold users. **There is no way to recover this account.**
5. Change ownership using the Change Document Owner and Change Cabinet/Folder Owner features in the library administration area to give the cabinets, folders, and documents created/owned by this user to a new owner. See the [Library Administration Guide](#) or the FileHold Knowledge Base for details.

## 4.9. DELETING GROUPS

Deleting a group will delete the group from all cabinet, folder, and document schema memberships. This action cannot be undone.

### TO DELETE A GROUP

1. Go to [Administration Panel > System Management > Permissions > Groups](#) and click the arrow next to the group name.
2. In the Web Client, click the arrow ► next to the group name and select **Delete**.
  - Alternatively, in FDA, right-click on the group name and select **Delete**.
3. You will receive a warning message about deleting the group. Click **OK** to delete the group.



#### 4.10. GUARANTEED USER ACCESS

A guaranteed user has guaranteed access to FileHold regardless of how many other users are logged onto the system. Normally, a user can only connect when a concurrent user license is available. This setting is usually reserved for users like library administrators that frequently access the server.

For example, a company with 40 total (named) users and 20 concurrent licenses means that all 40 people share the same pool of 20 concurrent connections. If two of the named users are given guaranteed access then they will each have a dedicated concurrent license ensuring they always be able to get into the document management system. This means that the other 38 named users now draw from a pool of 18 concurrent user licenses.

##### TO GUARANTEE A USER ACCOUNT

- In the Web Client, go to **Administration Panel > System Management > Permissions > Users** and click the ► next to the user name.
  - In FDA, go to **Administration > User and Group Management > Users**.
- Select **Guarantee User Access**. The Guaranteed Access status is now set to Yes.

Name	FileHold Account	Guaranteed Access
Administrator ►	Enabled	No
Basie McMarvin ►	Enabled	No
Cabinet Administrator ►	Enabled	No
Cameron Siguenza ►	Enabled	No
Deborah Dixon ►	Enabled	No
Guest Portal ►	Enabled	No
Guest Read Only ►	Enabled	No
Joey Siopongco ►	Enabled	No
Leszek Brykajlo ►	Enabled	No

Disabling FileHold Account: No  
 Guarantee User Access: No  
 Reset Password: No  
 Properties: No

Status will change to Yes

- In FDA, right-click on a user name and select **Guarantee User Access**.

Users Management

List of all FileHold users

Registered Users: Enabled: 34 Remaining: 66 Total: 100

Concurrent Sessions: Guaranteed: 8 Shared: 27 Total: 35

Insufficient CALs Events: Occurred: 0

Enterprise Office Viewer Licenses: Assigned: 1 Remaining: 4 Total: 5

Enterprise Office Viewer With CAD Support Licenses: Assigned: 0 Remaining: 5 Total: 5

Enterprise Office Viewer (Engineering Edition) Licenses: Assigned: 2 Remaining: 3 Total: 5

PDF/Image Viewer Licenses: Assigned: 4 Remaining: 1 Total: 5

Guest User Sessions: Available: 5


FileHold SP Client Sessions: Available: 0

Name	FileHold Account	Guaranteed Access	Viewer License	So
alfonso	Enabled	No	No Viewer	Loc
alfonso	Enabled	No	No Viewer	Loc
Alfonso	Enabled	No	No Viewer	Loc
Alfonso	Enabled	No	No Viewer	Loc
Basie Pie	Enabled	No	No Viewer	Loc

Disable FileHold Account  
 Guarantee User Access  
 Reset Password  
 Properties

### TO REMOVE GUARANTEED USER ACCOUNT ACCESS

- In the Web Client, go to **Administration Panel > System Management > Permissions > Users** and click the ► next to the user name.
  - In FDA, go to **Administration > User & Group Management > Users** and right-click on the user name.
- Select **Set Access to Not Guaranteed**. The Guaranteed Access status is now set to No.




### 4.11. RESETTING USER PASSWORDS

This is only for locally managed users. You cannot reset a password for a domain user in FileHold.

You can reset a user password for:

- Individual users if they have lost or forgotten it.
- Many users. This option sends a notification email to the selected users which contains a link that allows them to change their password. This option can be used in such situations such as after an upgrade or migration and you need to reset all local users' passwords. You can use the [filter](#) options to get the list of users whose passwords need to be reset. The time out settings for the notification email can be configured as well as a partial subject name and contact email. See [Logon Security](#) for more information. The following is a sample email notification for users to reset their passwords. The users will click on the link provided to reset their password in the FileHold Web Client.




### TO RESET A LOCAL USER PASSWORD FOR AN INDIVIDUAL

- Go to **Administration Panel > System Management > Permissions > Users** and click the ► next to the user name.
  - In FDA, go to **Administration > User & Group Management > Users** and right-click on the user name.
- Select **Reset Password**.


- In the Reset Password for User Name window, enter the password twice and click **Update**. Reusing the same password may not be allowed. See [Logon and Password Security](#) for more information about the **Allow password re-use** option.

#### TO RESET A PASSWORD FOR MANY USERS

- Go to **Administration Panel > System Management > Permissions > Users** and select the check boxes for those users whose passwords needs to be changed. You can use the filter to search for the set of users. Alternatively, to reset the password for all users, click the top level check box.



<input checked="" type="checkbox"/>	Full name	User login	User status	Guaranteed Access	Desktop viewer	Web viewer	Web scanning	User type	Domain	Group(s)	Last login	Last modified
<input checked="" type="checkbox"/>	Basic Ple...		abled	No	Brava Office Viewer	No	Yes	Local		Human Resources, Editors		8/24/2015 3:19:51 PM GMT
<input checked="" type="checkbox"/>	Chad Haff...		abled	No	Brava Office Viewer (Engineering Edition)	No	No	Local		Library Administrators		8/24/2015 3:43:08 PM GMT
<input checked="" type="checkbox"/>	Deborah Dixon	Deborah	Enabled	No	Brava Office Viewer	No	Yes	Local		Cabinet Administrators, Accounting	8/25/2015 1:26:18 PM	8/24/2015 3:19:50 PM GMT
<input checked="" type="checkbox"/>	Guest User	guest	Enabled	No	Brava Office Viewer With CAD Support	No	No	Local		Guest Users		8/24/2015 3:19:51 PM GMT
<input checked="" type="checkbox"/>	Joey Slopogco	joey	Enabled	No	None	No	No	Local		System Administrators, Accounting		8/24/2015 3:19:51 PM GMT
<input checked="" type="checkbox"/>	Library Admin	libadm	Enabled	Yes	PDF/Image Viewer	No	No	Local		Library Administrators		8/24/2015 3:19:51 PM GMT
<input checked="" type="checkbox"/>	Marvin Muffins	Marvin	Enabled	Yes	Brava Office Viewer	No	Yes	Local		Organizers & Delete, Organizers, Accounting - Senior		8/24/2015 3:19:51 PM GMT
<input checked="" type="checkbox"/>	Renee Sauve	renee	Enabled	Yes	Brava Office Viewer	No	Yes	Local		System Administrators, Document Publishers		8/24/2015 3:19:51 PM GMT
<input checked="" type="checkbox"/>	Sabine Sauve	sabine	Enabled	No	None	No	Yes	Local		Editors, Accounting		8/24/2015 3:19:51 PM GMT
<input checked="" type="checkbox"/>	sysadm sysadm	sysadm	Enabled	Yes	None	No	No	Local		System Administrators	8/25/2015 1:30:20 PM	8/24/2015 1:16:00 PM GMT
<input checked="" type="checkbox"/>	Web Portal Guest	WebPortal	Enabled	No	None	No	No	Local		Guest Users		8/24/2015 3:43:08 PM GMT

- Click **Automatic Password Reset** .
- The message “*You have selected x user(s) for a password reset. Selected user(s) will be notified via email and will have 1 hours to complete the password reset. Do you want to continue?*” appears. Click **OK**.
- An email with a link to reset their password is sent to the selected users. Once the link is clicked, they are taken to the web client to reset their password. The link must be clicked within the specified time limit or it will expire. If the email timeout expires, they will need to be resent the email to reset their password.

#### 4.12. SET VIEWER LICENSE

Viewers have many user features and many benefits that increase productivity and save companies money. Viewers are purchased on a per user basis and assigned to registered users by the system administrator. Two different viewers are available for purchase to use with the FileHold Desktop Application (FDA):

- Brava Viewer (3 levels)
- PDF/Image Viewer

The Brava viewer and the PDF/Image viewer do not support viewing documents via the web browser (Web Client). However, there is a [Web Viewer](#) or a wide variety of [free viewers](#) that can be used with the web client if the native application is not available. These viewers can be installed on the computer running the Web Client to view files downloaded from the document management system.

If the Brava viewer is purchased (any level), customers receive the PDF/Image viewer at no additional cost. If a user is assigned a Brava viewer license, they can also use the PDF/Image viewer with the Brava viewer, with the Brava viewer being the default viewer. The Brava viewer has three levels of viewers available:

- Brava Viewer
- Brava with CAD support
- Brava Engineering Edition



See the [complete list of file formats that are supported by the Brava viewer](#).

The PDF/Image Viewer supports the following file formats only:

- PDF
- TIFF (single or multi-page)
- Image files (jpg, png, gif, bmp)

**CAUTION:** The Brava Viewer MUST be installed when installing the FileHold Desktop Application in order to use the viewer.

#### TO SET A VIEWER LICENSE FOR A USER

1. In Web Client, go to **Administration Panel > System Management > Permissions > Users** and do one of the following:
  - Click the ► next to the user name and select **Properties > Account Settings**.
  - Select the check box next to a user name and click **Set Viewer License** .
2. In FDA, go to **Administration > User & Group Management > Users**. Select the check box next to the user name and click **Set Viewer License** .
3. Select one of the license options from the list:
  - A viewer is not licensed for this user.
  - PDF/Image Viewer
  - Enterprise Office Viewer
  - Enterprise Office Viewer, CAD
  - Enterprise Office Viewer, Engineering
4. Click **OK**.

### 4.13. ENABLING AND DISABLING ACCOUNTS



When an employee joins or leaves an organization they will need to have a user account enabled or disabled. In other situations, users may continue to work for an organization but simply no longer need access to FileHold. Enabling and disabling user accounts lets the Systems Administrator create and disable user access to the system without having to [delete user accounts](#).

When a user no longer requires access to the system the user account can be easily disabled. Disabling idle user accounts frees up a license for another user.



By default, when a user is created in the system, the account is enabled. You will need to enable a user account if they have [exceeded the number of login attempts](#) set in FileHold.

**NOTE:** If you need to [delete the user account](#), be sure to use the Change Document Owner and Change Cabinet/Folder Owner features in the library administration area to give the cabinets, folders, and documents a new owner. See the [Library Administration Guide](#) for more information.

#### TO ENABLE A USER ACCOUNT

1. In the Web Client, go to **Administration Panel > System Management > Permissions > Users** and do one of the following:
  - Click the ► next to the disabled user name and select **Enable FileHold account**.OR
  - Select the check box next to a disabled user name and click **Enable Account** .
2. FDA, go to **Administration > User & Group Management > Users** and do one of the following:
  - Select the check box next to the user name and click **Enable Account** .OR
  - Right-click on a user name and select **Enable Account**.
3. The FileHold account status changes to Enabled.

#### TO DISABLE USER ACCOUNT

1. In the Web Client, go to **Administration Panel > System Management > Permissions > Users** and do one of the following:
  - Click the ► next to the enabled user name and select **Disable FileHold account**.OR
  - Select the check box next to an enabled user name and click **Disable Account** .
2. In FDA, go to **Administration > User & Group Management > Users** and do one of the following:
  - Right-click on a user name and select **Disable Account**.OR
  - Select the check box next to a disabled user name and click **Disable Account** .
3. The FileHold account status changes to Disabled.

## 5. MICROSOFT SQL REPORT PERMISSIONS

FileHold comes with some out-of-the-box standard reports. However, FileHold uses the Microsoft® SQL Server Reporting Services reporting tools that come standard with Microsoft SQL. This tool allows FileHold customers to generate their own reports using a standard supported reporting platform.

Customers are responsible for configuring, setting up, and maintaining SQL Reporting Services and integrating it with FileHold. FileHold technical support will only provide documentation on how to integrate them. Customers report that setting up this takes between 20 and 60 minutes. FileHold Systems limits support on this because this can be a very open ended process that involves creating custom reports and many things that are not part of product technical support. FileHold professional services can help write custom reports for customers requiring Microsoft SQL reports for a fee. Contact [support@filehold.com](mailto:support@filehold.com) for more information.

Microsoft® SQL Server™ Reporting Services is a complete platform for creating, managing, and delivering reports from a variety of data sources. Once the report is developed and tested, it can be deployed to the Microsoft® SQL Report Server and be viewed in the following different ways:

- In the FileHold Library under Reports.
- As a custom web page integrated into a web application.
- Via the SQL Server Reporting Services Home Page. Once on the home page users can navigate to the FH Reports folder and select a report to view.



System administrators can configure and reassign the security (group and user access) to system reports. To use this feature you must first install, enable, and configure [SQL Reporting Services](#).

### TO SET REPORT SECURITY

1. Go to **Administration Panel > System Management > Permissions > Custom Reports**.
2. In the Reporting Services Authorization window, click **Security**.
3. Select the Groups or Users that you want to allow access to the reports in the Library and click **Add Groups** or **Add Users**. The groups or users are added to the Current Members list.
4. Click **Save**.

## 6. LICENSING

The license information area displays a summary of all the enabled features, number of registered user licenses, number of concurrent sessions, number of viewers, the software version, hardware key, and other information pertaining to the license. The date the license was issued and the license time limit is also shown. In the Application Server Details area, a status is shown if the system is activated or deactivated.



If the Outbound Email Settings are not configured, a message is displayed at the top of the licensing screen. Click the link to configure the [outbound email settings](#).

In order to receive email notifications when the license expires or the hardware key changes, you need to configure [Outbound Email Settings](#)

You can add additional user licenses or [optional features](#) after purchasing them from FileHold. To purchase additional licenses or features such as workflow, FastFind, Print-to-FileHold, or Microsoft SharePoint integration, contact [sales@filehold.com](mailto:sales@filehold.com).

The following table describes the server details of the licensing page.

Field	Description
Application Server Details	
System Version	The version of application server that is installed.
Build	The current build number of FileHold. See <a href="#">FileHold Software Versions</a> for more information.
Machine name	Name of the server that FileHold is installed on.
Domain name	Name of the domain(s) that is synchronized with FileHold. This is displayed only if this feature has been installed and configured.
Unique ID	A unique identifier given for each installation of FileHold.
Web Client System Details	
System Version	The version of web server that is installed.
Build	The current build number of FileHold. See <a href="#">FileHold Software Versions</a> for more information.
Machine name	Name of the server that FileHold is installed on.
Domain name	Name of the domain that is synchronized with FileHold. This is displayed only if this feature has been installed and configured.
License Details	

Field	Description
Registered to	The name of the company that the license is registered to.
License issued	The date the license was installed.
License time limit	The date and time the license expires. If the FileHold license has been fully paid, then the time limit will be "unlimited".
Description	A description of the license.
Concurrent sessions	The number of concurrent sessions. Concurrent access licenses determine how many users can log into the document management system at the same time (concurrently).
Available on-time use units	The number of one-time license units available for Courier.
Registered users	The number of named registered user accounts.
Guest concurrent sessions	The number of guest session packs. Each pack contains 50 concurrent guest sessions.
SharePoint client concurrent sessions	Enabled or Disabled – SharePoint integration is enabled or disabled in the system.
Workflow module	Enabled or Disabled – The workflow module is enabled or disabled in the system.
Active Directory module	Enabled or Disabled – The active directory module is enabled or disabled in the system.
Redaction	Enabled or Disabled – The redaction feature is enabled or disabled in the Brava viewer.
FastFind	Enabled or Disabled – The FastFind feature is enabled or disabled in the system.
Print-to-FileHold	Enabled or Disabled – The Print-to-FileHold feature is enabled or disabled in the system.
Multi-Document Repository	Enabled or Disabled – The Multi-document repository feature is enabled or disabled in the system.
Web Scanning	Enabled or Disabled – The web scanning (WebCap) feature is enabled or disabled in the system.
WebViewer	Enabled or Disabled – The web viewer feature is enabled or disabled in the system.
Custom Providers & Queries	Enabled or Disabled – When enabled, allows for lookups into file types other than databases.
OCR Module	Enabled or Disabled – The server side OCR feature is enabled or disabled in the system.
Automatic Document Importation	Enabled or Disabled – The ADI feature is enabled or disabled in the system.
Allow server plugins	Typically disabled.
Allow FDA plug-ins	Typically disabled.



Field	Description
External WF Interface Only	Typically disabled.
Allow rebranding of the Web Client	When enabled, the Web Client can be rebranded.
Allow rebranding of the FDA	When enabled, the FDA can be rebranded.
Document Viewer Licenses	
Number of PDF/Image Viewer named licenses	Number of viewer licenses for viewing of PDF and Image file formats.
Number of Brava Office Viewer named licenses (includes PDF/Image Viewer)	Number of viewer licenses for viewing of a number of file extension types.
Number of Brava Office Viewer With CAD Support named licenses (includes PDF/Image Viewer)	Number of viewer licenses for viewing of a number of file extension types including AutoCad formats.
Number of Brava Office Viewer (Engineering Edition) named licenses (includes PDF/Image Viewer)	Number of viewer licenses for viewing of a number of file extension types including several engineering file formats.

License information Request a license | Install a license | Manage one-time licenses

Application Server Details

System is ACTIVATED

System Version	FileHold 15.00.00
Build	FileHold15_20150825.1
Machine name	WIN-K0PAJ8ICQ8G
Domain name	
Unique Id	97a4c34e-f9e4-496a-a451-cd5e3ffa5609

Web Client System Details

System Version	FileHold 15.00.00
Build	FileHold15_20150825.1
Machine name	WIN-K0PAJ8ICQ8G
Domain name	

License Details

Registered to	Alfonso TEST
License issued	9/24/2015, 2:14 PM
License time limit	unlimited
Description	
Concurrent Sessions	35
Available one-time use units	0
Registered Users	100
Guest concurrent sessions	5
Sharepoint client concurrent sessions	enabled
Workflow module	enabled
Active Directory module	enabled
Redaction module	enabled
FastFind module	enabled
Print-to-FileHold	enabled
Multi Document Repository	disabled
Web Scanning	disabled
WebViewer	disabled
Custom Providers & Queries	enabled
OCR Module	enabled
Automatic Document Importation	enabled
Allow server plug-ins	enabled
Allow FDA plug-ins	enabled
External WF Interface Only	disabled
Allow rebranding of the Web Client	enabled
Allow rebranding of the FDA	enabled

Document Viewer Licenses

Number of PDF/Image Viewer named licenses	5 (for viewing of PDF and Image file formats)
Number of Brava Office Viewer named licenses (Includes PDF/Image Viewer)	5 (for viewing of MS Office, PDF and Image file formats only)
Number of Brava Office Viewer With CAD Support named licenses (Includes PDF/Image Viewer)	5 (for viewing of MS Office, PDF, Image file and AutoCAD formats)
Number of Brava Office Viewer (Engineering Edition) named licenses (Includes PDF/Image Viewer)	5 (for viewing of MS Office, PDF, Image file and All CAD formats)

FileHold software is activated by licensing the software. There are four steps to licensing FileHold.

1. Retrieve the unique signature (hardware key) of your FileHold server.
2. Request a new license file by sending the signature and information about your server to FileHold licensing. Use the [Request a License](#) button.
3. Receive a new license file by email from FileHold.
4. Apply the new license file to your FileHold server.

#### TO REQUEST A NEW LICENSE KEY

1. In the Web Client, go to [Administration Panel > System Management > License Information](#). The System Information displays your current license information.
  - From the FDA, go to [Administration > License Information](#). You are directed to the Web Client login page.

2. Click **Request a License**.
3. Fill out the following information in the Request a License form:
  - Select the reason for the license request in the “Please provide the reason you are requesting a new license file” list.
  - Enter any details for the license request in the “Please provide the reason details”.
  - Enter the name of your organization. This is a required field.
  - Enter the email address of the user who will be receiving the license. This will default to the currently logged in user’s address. This is a required field.
  - Enter the contact name. This will default to the currently logged in user’s name. This is a required field.
4. Select one of the following request methods:
  - Send the request directly to FileHold —Sends the email directly to [licensing@filehold.com](mailto:licensing@filehold.com). This is the preferred method if you have an internet connection available on the FileHold server.
  - Open email client to send request — Opens an email using the default email client with the license details and addressed to [licensing@filehold.com](mailto:licensing@filehold.com).
  - Copy the request to the clipboard — The text for the body of the email displays below. Copy and paste the contents into an email and send to [licensing@filehold.com](mailto:licensing@filehold.com).
5. Click **Cancel** to return to the License information page.

#### TO INSTALL A LICENSE KEY

1. In the Web Client, go to **Administration Panel > System Management > License Information**. The System Information displays your current license information.
  - From the FDA, go to **Administration > License Information**. You are directed to the Web Client login page.
2. Click **Install a License**.
3. Click **Choose File** and select the new license file provided.
4. Once the license file is located, click **Upload and Show License Information**. The new license key information appears and a message indicate the licensed is valid “*This is a valid license file. Click the Update system license button to replace the current license or click Cancel for no license changes.*”
5. Click **Update System License** to complete the process.
6. After a new license has been updated, you will be asked to reset the password for the **Outbound Email Settings** and the external database passwords for any metadata fields that are the type **drop down database** or **schema lookups** if configured. The message “*IMPORTANT: After you update the system license you should verify your connection with the outgoing mail server and external database connections configured in dropdown menus or schema lookups. It may be necessary to reenter the password(s) for those connections*” appears at the top of the screen.

**NOTE:** You do not need to reboot or restart the web server after a new license is added.

## 6.1. LICENSE EXPIRATION GRACE PERIOD

When a license expires or the hardware key is changed and does not match the current license file, an email entitled “*Attention Required: Your FileHold License has Expired*” will be sent automatically to the email addresses of the system administrators of FileHold. The content of the email includes the date when the 7 day grace period ends. The system continues to work normally until the grace period expires. If you receive the license expiration notification email, use the [Request a license](#) procedure to get a new license key.

The License information page will also display messages stating that the system is deactivated, the grace period is enabled, and the date and time in which the grace period expires. If you do not get a new license prior to the grace period expiring, then the system will be deactivated.

The screenshot shows the 'License information' page. At the top, there are three buttons: 'Request a license', 'Install a license', and 'Manage one-time licenses'. Below these is a red warning box stating: 'FileHold license no longer valid, grace period in effect until 9/3/2015 12:00:00 AM.' Underneath is a yellow box with the text: 'System is DEACTIVATED (grace period enabled) Request a license to activate your system.' Below this is a table of 'Application Server Details':

System Version	FileHold 15.00.00
Build	FileHold15_20150817.3
Machine name	WIN-K0PAJ6ICQ8G
Domain name	

If you experience a lot of hardware key changes and run a virtual machine environment that is set to automatically recover from hardware failures, please contact FileHold support for licensing options.

## 6.2. ONE-TIME LICENSES FOR COURIER

There are circumstances where a user needs exclusive rights to view or approve a single or small set of documents in FileHold. In these cases it may be impractical and excessively costly to assign these users a FileHold registered user license. Instead, a FileHold feature called Courier, can be used to route documents for review and/or approval to people outside of the FileHold system.

A license type called One-time Licenses is needed when documents are sent out through Courier. Customers can purchase these one-time licenses in “packs”. These one-time license packs contain the number of units purchased. Units are consumed when documents are sent out through a Courier transmission. The number of units consumed in a view or approve action depends on the action taken on a document. For example, viewing document consumes one unit and approving a document requires two units. Packs can be priced differently according to volume. Contact [sales@filehold.com](mailto:sales@filehold.com) for one-time license pricing.

One time usage is given to a specific user for a specific operation. Some examples of one-time license uses are:

- Five documents are transmitted to a construction sub-contractor (external user); 4 for viewing and 1 for approval. A total of 6 one-time units will be consumed for these license grants.
- One contract is transmitted to an outside property company and must be countersigned by the VP of operations (internal user). A total of 2 one-time units will be consumed.
- A corporate attestation document must be accepted by all 600 company employees. 50 employees are regular FileHold users. 1100 one-time units will be consumed.


One-time licenses observe the following rules:

- The license is perpetual as long as the main FileHold license is active and until explicitly cancelled or fully consumed.
- The license units are reserved for completing the viewing or approving action when a document is transmitted through Courier.
- The license for a view are fully consumed when the document is downloaded. A document can be viewed again even if the action is completed.
- The license units for approval are fully consumed when the document is approved or not approved.
- If changes are requested to the documents (approval postponed) units are not consumed.
- If a document is not approved, the actions for any other recipients are cancelled and units are returned if the action has not already completed.
- If the transmission expires before the user completed the activity, no usage units are consumed.
- One-time licenses have no inherent expiry, but the Courier template by impose an expiry. For example, if a user is asked to approve a document the one-time license will be fully consumed after the approval is complete. If the user is given a document to view, the document will remain viewable on the same license unless the right to view is explicitly removed in the workflow template. See the [Library Administration Guide](#) for more information on Courier templates.

**NOTE:** If a document is routed to a registered FileHold user, no one-time licenses are consumed. The Courier license is perpetual as long as the registered user is enabled. If a user is disabled their grants are suspended, but not cancelled. If the user is re-enabled the suspension is lifted.

Once the one-time license pack has been obtained, the license file will need to be installed in order to route documents. One-time licenses are managed from the Licensing page. Multiple packs can be installed in the system at one time. A license pack can be installed exactly once on exactly one FileHold server as identified by its unique id.

The following diagram is a high level overview for setting up and using Courier.



#### TO ADD ONE-TIME LICENSE PACKS

1. In the Web Client, go to **Administration Panel > System Management > License Information**. The System Information displays your current license information.
  - From the FDA, go to **Administration > License Information**. You are directed to the Web Client login page.
2. Click **Manage one-time licenses**.

- In the List of one-time licenses screen, click **Add license**.
- In the Upload a one-time license file screen, click **Choose file** to select the otlic license file that was sent to you from [licensing@filehold.com](mailto:licensing@filehold.com).
- Click **Upload and validate**. The message “The uploaded one-time license file is valid” is displayed.

**NOTE:** If the one-time license was already uploaded, a message “The uploaded one-time license file has already been added” is displayed. If the license file is not valid, a message “The uploaded one-time license file is not valid” is displayed.

- Click **Add license**. The license is added to the list of one-time licenses.

List of one-time licenses							Add license	Export to CSV	Back
Filter									
One-time license pack id	Status	Purchased units	Granted units	Available units	Issued date	Installed date			
0abc11a9-193d-4a1d-88be-9a705f752ef8	Closed	20	20	0	9/16/2015 2:07:24 PM	9/21/2015 2:52:58 PM			
383294a8-8fdb-4c69-8d81-e9eb8035bec5	Cancelled	10	0	10	9/16/2015 2:08:08 PM	9/21/2015 2:46:21 PM			
bfb6c7e3-daca-4553-9977-951f7a673173	Locked	50	0	50	9/16/2015 2:10:24 PM	9/21/2015 2:45:46 PM	<a href="#">Unlock</a>	<a href="#">Cancel</a>	

The following table describes the List of one-time licenses screen:

Column	Description
One-time license pack id	The ID code for the license. This is a unique code for each pack.
Status	Open – the license pack is available for consumption. Closed – the license pack has been fully consumed. Locked – the license pack is locked and units cannot be consumed. Cancelled – the license pack was cancelled and cannot be consumed or reinstated.
Purchased units	The total number of units in the pack.
Granted units	The number of units consumed in the pack.
Available units	The number of remaining units in the pack.
Issued date	The date the license was issued.
Installed date	The date the license was uploaded to FileHold.

#### TO VIEW ONE-TIME LICENSE PACK LOG DETAILS

- In the Web Client, go to **Administration Panel > System Management > License Information** and click **Manage one-time licenses**.
- In the List of one-time licenses, click the **View** icon to view the log details of a license pack.
  - Optionally, expand the Filter area (+) and select a status of the one-time license pack to narrow down the list.

List of one-time licenses							Add license	Export to CSV	Back
Filter									
<input type="checkbox"/> Status <span style="float: right;">Open</span>									
<input type="button" value="Apply filter"/> <input type="button" value="Clear filter"/>									
One-time license pack id	Status	Purchased units	Granted units	Available units	Issued date	Installed date			
0abc11a9-193d-4a1d-88be-9a705f752ef8	Closed	20	20	0	9/16/2015 2:07:24 PM	9/21/2015 2:52:58 PM			
383294a8-8fdb-4c69-8d81-e9eb8035bec5	Cancelled	10	0	10	9/16/2015 2:08:08 PM	9/21/2015 2:46:21 PM			
bfb6c7e3-dac-a-4553-9977-951f7a673173	Open	50	0	50	9/16/2015 2:10:24 PM	9/21/2015 2:45:46 PM	<a href="#">Lock</a>	<a href="#">Cancel</a>	

- The details for the usage of the one-time license pack is shown. Use any of the following filters:
  - One-time license pack id. This can be changed to another license pack ID.
  - Date range from <date> to <date>
  - User. This is the email address of the recipient of the Courier transmission.
- Click **Apply Filter**. The number of results and the report are shown below. The number of rows that are displayed in the report view can be adjusted to show 15, 30, or 60 rows at a time using the Page size drop down. Click on the column to sort in ascending or descending order.
- Click **Export to CSV** to export the results to a CSV file.

One-time usage log							Return
<input checked="" type="checkbox"/> One-time license pack id <span style="float: right;">0abc11a9-193d-4a1d-88be-9a705f752ef8</span>							
<input type="checkbox"/> Date range <span style="float: right;">From 9/22/2015 to 9/22/2015</span>							
<input type="checkbox"/> User <span style="float: right;"></span>							
<input type="button" value="Apply filter"/> <input type="button" value="Export to CSV"/>							
Search Results 1-22 of 22						Page size 30	
One-time license pack id	Action	Units	Action date	Transmission id	User		
0abc11a9-193d-4a1d-88be-9a705f752ef8	Consumed	1	9/22/2015 10:59:39 AM	08b2cc40-652d-4aea-928f-8e8def5ca6ff	@filehold.com		
0abc11a9-193d-4a1d-88be-9a705f752ef8	Consumed	1	9/21/2015 3:18:05 PM	ae298eb9-9b5f-4e26-bb5a-a2297287860b	@filehold.com		
0abc11a9-193d-4a1d-88be-9a705f752ef8	Consumed	1	9/21/2015 2:17:56 PM	ae298eb9-9b5f-4e26-bb5a-a2297287860b	@filehold.com		

The following table describes the List of one-time licenses screen:

Column	Description
One-time license pack id	The ID code for the license. This is a unique code for each pack.
Action	Reserved – the action has been assigned but not yet completed. The unit is held in reserve for the action. Consumed – the action has been completed and the unit was used. Returned – the unit has been returned because a document was marked as not approved by another user before another action could be completed.
Units	The total number of units in the pack.
Action date	The date the action was completed.

Column	Description
Transmission id	The unique transmission identifier for the Courier action.  If you click on the transmission ID, it will take you to the Courier transmission detail screen. See the <a href="#">Library Administration Guide</a> for more information on the Courier transmission log.
User	The email address of the person that the action was assigned to.

#### TO LOCK/UNLOCK ONE-TIME LICENSE PACKS

Locking a one-time license pack prohibits the consumption of the units. The pack can be unlocked when consumption needs to be resumed.

1. In the Web Client, go to **Administration Panel > System Management > License Information** and click **Manage one-time licenses**.
2. From the List of one-time licenses, click **Lock** for the license pack ID that is to be locked from consumption.
3. To free up the license pack, click **Unlock**. The pack units can now be consumed.

#### TO CANCEL ONE TIME LICENSE PACKS

You can only cancel a one-time license pack if it has not yet been consumed. A cancelled license can never be used again.

1. In the list of one-time licenses, click **Cancel** for the license pack you want to cancel / not use.
2. A message is displayed "Warning: You are about to permanently cancel a one-time license. Are you sure you want to continue?"
3. Enter a system administrator password to confirm the cancellation and click **OK**. The status of the license is changed to "Cancelled".

#### EXPORT LIST OF ONE-TIME LICENSES TO CSV

1. In the Web Client, go to **Administration Panel > System Management > License Information** and click **Manage one-time licenses**.
2. From the List of one-time license or in the One-time usage log, click **Export to CSV** to export the results to a CSV file. The csv file is downloaded.



## 7. ADMINISTRATION REPORTS

A number of reports are available for the system administrator to maintain and monitor the document management system.

### 7.1. USER ACTIVITY LOG

The User Activity log is a report that displays the user name, which client they logged into, and the time and date they logged in and out of the system. The User Activity log available filters include: user name (drop down list), full name, user logon name starts with, login date range, logout date range, and active sessions only (check box).

The following column information is displayed: full name, user login name including the internal ID number (the internal ID number is used to distinguish users with the same name), client (FDA, Web Client, Mobile, FH Instrumentation, Microsoft SharePoint, Custom), version and build number, connection pool (normal, guest, or SharePoint), client address, log in date and time, log out date and time.

The User Activity log is accessible only by system administrators. This log is never deleted or overwritten.

For more detailed reporting, FileHold uses Microsoft SQL Reporting Services integration. See the [Library Administration Guide](#) for more information.

#### TO VIEW THE ACTIVITY LOG

1. In the Web Client, go to [Administration Panel > Administration Report > User Activity](#).
2. Use any of the following filters:
  - Full Name
  - Full name starts with
  - User login name starts with
  - Login date from - to
  - Logout date from - to
  - Active sessions only – When enabled, displays only those users who are using a currently logged into the system.
3. Click [Apply Filter](#). The number of results and the report are shown below. The number of rows that are displayed in the report view can be adjusted to show 15, 30, or 60 rows at a time. Click on the column to sort in ascending or descending order.
4. To export the results, click [Export as CSV](#).

**User Activity Log**

Full name: Basie Pie (9)  
 Full name starts with:   
 User login name starts with:   
 Login date from:  To:   
 Logout date from:  To:   
 Active sessions only

Search Results 1-30 of 32 Page size 30

1 2

Full name	User login name	Client	Version	Connection pool	Client address	Logged In	Logged Out
sysadm	sysadm (1)\WebClient		14.2 (FileHold14.2_20141113.1)	Normal	192.168.4.136	11/24/2014 3:35:41 PM	
sysadm	sysadm (1)\WebClient		14.2 (FileHold14.2_20141113.1)	Normal	192.168.4.136	11/24/2014 2:23:17 PM	11/24/2014 2:55:05 PM
Basie Pie	Basie (9) FDA		14.2 (FileHold14.2_20141113.1)	Normal	192.168.4.136	11/24/2014 12:52:08 PM	
Basie Pie	Basie (9) FDA		14.2 (FileHold14.2_20141113.1)	Normal	192.168.4.136	11/24/2014 12:51:05 PM	11/24/2014 12:52:01 PM
sysadm	sysadm (1)\WebClient		14.2 (FileHold14.2_20141113.1)	Normal	fe80::5841:8b40:6315:4932%10	11/24/2014 12:49:12 PM	11/24/2014 11:22:06 PM
Basie Pie	Basie (9) FDA		14.2 (FileHold14.2_20141113.1)	Normal	192.168.4.136	11/24/2014 12:48:49 PM	11/24/2014 12:50:58 PM
sysadm	sysadm (1)\WebClient		14.2 (FileHold14.2_20141113.1)	Normal	fe80::5841:8b40:6315:4932%10	11/24/2014 9:29:53 AM	11/24/2014 10:00:06 AM

## 7.2. SYSTEM AUDIT LOG

The System Audit Log logs activities performed by a system administrator. This log is never deleted or overwritten.

The following information is recorded in the log:

- Adding local and domain users
- Deleting local users
- Adding and deleting FileHold groups
- Enable and disabling licenses
- Resetting passwords
- Adding and removing users to and from FileHold groups
- Additional repositories are added or existing repositories are modified
- License is updated. The unique license ID is included in the details.
- One-time licenses - When new license packs have been added, closed, locked, unlocked or cancelled.

The audit log can be filtered by user name, description, and to and from dates.

### TO ACCESS THE SYSTEM AUDIT LOG

1. In the Web Client, go to **Administration Panel > Administration Reports > System Audit Log**.
2. Use any of the following filters:
  - Username
  - Description contains – Enter a full or partial description such as "deleted folder" or "added"
  - From <date> to <date>
3. Click **Apply Filter**. The number of results and the report are shown below. The number of rows that are displayed in the report view can be adjusted to show 15, 30, or 60 rows at a time. Click on the column to sort in ascending or descending order.
4. Click **Export to CSV** to export to a CSV file.

### 7.3. INSUFFICIENT CONCURRENT SESSIONS LOG

To determine if there are enough concurrent user licenses for FileHold, you can run the Insufficient CAL Log to view which users were not able to log into the system due to there not being enough concurrent licenses. This report is accessible by system administrators.




#### TO RUN THE INSUFFICIENT CONCURRENT SESSIONS LOG

1. In the Web Client, go to **Administration Panel > Administration Reports > Insufficient Sessions**.
2. Enter a username and a date range, if applicable, and click **Apply Filter**. The results of the report are shown below. The number of results and the report are shown below. The number of rows that are displayed in the report view can be adjusted to show 15, 30, or 60 rows at a time. Click on the column to sort in ascending or descending order.
3. To export the results, click **Export as CSV**.

### 7.4. EFFECTIVE PERMISSIONS REPORT

The Effective Permissions report allows system administrators to view the permissions of users in the system and modify permissions. The report can be filtered by user, the object type (library, archive or schema), library location, schema name, the origin of the role (group, library or inherent), and enabled and disabled users.

This log is never deleted or overwritten. The following information is displayed in the effective permissions report:

Symbol	Column Header	Description
 Cabinet icon	-	Permissions at the cabinet level.
 Folder icon	-	Permissions at the folder level.
 Schema icon	-	Permissions at the schema level.
L	-	Library
A	-	Archive
S	-	Schema
	Full name	First and last name of the user
	User login name	The login name of the user including the unique ID number.
	Name	Name of the cabinet, folder, or schema. Click on the link to change the permissions at this level
	Location	The library location where the folder is located. This only contains a value when the object is a folder. The format of the location is the parent object's name followed by the parent object's ID. Multiple senior objects are separated by forward slash. Example, CabinetA (5) / DrawerB (1) / FolderGrpC (14).

Symbol	Column Header	Description
	Membership type	<p>Direct – The value is direct if the specific user, not group, is assigned directly to the object as a member or owner.</p> <p>Indirect – For all other cases the value will be indirect. This includes the situation for inherent permissions such as system administrators.</p> <p>If a user is directly assigned to an object and they are also indirectly assigned by a group, if both the highest implied role and highest assigned role match then the membership type is direct.</p>
	Effective role	<p>The resulting permission in that area:</p> <p>Member – Used with schemas.</p> <p>Owner – Owner of either a cabinet or folder.</p> <p>Disabled user – The user is disabled in the system.</p> <p>See <a href="#">Determining Effective Role</a> for more information.</p>
	Role origin	<p>Library – The role is set at the cabinet or folder level.</p> <p>Group – The role is set at the group.</p> <p>Inherent – The role is inherent such as senior library or system administrator</p> <p>See <a href="#">Role Origin</a> for more information.</p>
	Group	<p>Name of the group where the user has the highest level of permissions. If the role is Owner and the membership type is Direct there is no group. See <a href="#">Group Effective Role</a> for more information.</p>

#### TO VIEW THE EFFECTIVE PERMISSIONS REPORT

- In the Web Client, go to [Administration Panel > Administration Report > Effective Permissions](#).
- Use any of the following filters:
  - User Name – Select a user name from the list.
  - Object type – Select Library, Archive (library archive), or Schema.
  - Location – Click Select Location to select a specific area in the library.
  - Schema – Select a schema name from the list
  - Do not include disabled users – Select this option to leave any disabled users out of the report results. Only enabled users are shown.
  - Do not include enabled users – Select this option to leave any enabled users out of the report results. Only disabled users are shown.

- Role origin – Select Group (role is from the group membership), Library (role is assigned at a folder or cabinet), or Inherent (role is inherent such as senior library or system administrator).
3. Click **Apply Filter**. The number of results and the report are shown below. The number of rows that are displayed in the report view can be adjusted to show 15, 30, or 60 rows at a time. Click on the column to sort in ascending or descending order.
  4. To modify permissions at any level, click on the **Name** link. The properties for that level opens.
  5. To export the results, click **Export as CSV**.

Effective permissions

User name: Basic Pie (9)

Object type:  Library  Archive  Schema

Location: none [Select location](#)

Schema: Application

Do not include disabled users

Do not include enabled users

Role origin:  Group  Library  Inherent

[Apply](#) [Export as CSV](#)

Search Results 1-14 of 14 Page size 30

Full name	User login name	Name	Location	Membership type	Effective Role	Role Origin	Group
L Basic Pie	Basic (9)	<a href="#">Corporate</a>		Direct	Disabled User	Group	Editors, Human Resources
L Basic Pie	Basic (9)	<a href="#">Development</a>		Direct	Disabled User	Group	Editors, Human Resources
L Basic Pie	Basic (9)	<a href="#">Sales</a>		Direct	Disabled User	Group	Editors, Human Resources
L Basic Pie	Basic (9)	<a href="#">Designs - 1</a>	Development (4) / Project - 1 (7)	Direct	Disabled User	Group	Editors, Human Resources
L Basic Pie	Basic (9)	<a href="#">Requirements - 1</a>	Development (4) / Project - 1 (7)	Direct	Disabled User	Group	Editors, Human Resources
L Basic Pie	Basic (9)	<a href="#">AD Imports</a>	Development (4) / Project - 2 (8)	Direct	Disabled User	Group	Editors, Human Resources
L Basic Pie	Basic (9)	<a href="#">Customers</a>	Sales (8) / KC (15)	Direct	Disabled User	Group	Editors, Human Resources
L Basic Pie	Basic (9)	<a href="#">Demos</a>	Sales (8) / KC (15)	Direct	Disabled User	Group	Editors, Human Resources
L Basic Pie	Basic (9)	<a href="#">Leads</a>	Sales (8) / KC (15)	Direct	Disabled User	Group	Editors, Human Resources
L Basic Pie	Basic (9)	<a href="#">Price Quotes</a>	Sales (8) / KC (15)	Direct	Disabled User	Group	Editors, Human Resources
L Basic Pie	Basic (9)	<a href="#">Customers</a>	Sales (8) / KM (16)	Direct	Disabled User	Group	Editors, Human Resources
L Basic Pie	Basic (9)	<a href="#">Demos</a>	Sales (8) / KM (16)	Direct	Disabled User	Group	Editors, Human Resources
L Basic Pie	Basic (9)	<a href="#">Leads</a>	Sales (8) / KM (16)	Direct	Disabled User	Group	Editors, Human Resources
L Basic Pie	Basic (9)	<a href="#">Price Quotes</a>	Sales (8) / KM (16)	Direct	Disabled User	Group	Editors, Human Resources

### 7.4.1. Determining Effective Role

For library or archive objects the effective role is a combination of the groups they belong to and their library role assignments. The owner library role assignment is the effective role regardless of any other roles the user may have. When a user is directly assigned their effective role is the highest role they are assigned across all groups they are members of. When a user is assigned as part of one or more groups their effective role is the highest of their assigned groups taking into account advanced security reductions in role.

In the following table Library and Archive are synonymous.

Object	Role Assignment(s)	Effective Role
Schema	Any, user not disabled	Member
Schema	Organizer or lower and the user is disabled.	Disabled User
Library	Library admin or lower and the user is disabled.	Disabled User
Library	Any, user not disabled, assigned as owner	Owner
Library	Any, user not disabled, directly assigned, not modified	<i>highest implied role</i>
Library	Any, user not disabled, directly assigned, modified	<i>modified role</i>
Library	Any, user not disabled, indirectly assigned	<i>highest assigned role</i>

#### 7.4.2. Determining the Highest Implied Role

The highest implied role is used when a user is assigned directly to an option. As there is no group assignment the user's group membership must be checked. The user's effective role will be the highest role for all their group assignments.

For example, if the user is assigned to a group with the Organizer role and a second group with the Document Publisher role their highest role would be Organizer. For any object they are assigned to their effective role will be Organizer.

There is a special implied role when a cabinet administrator owns the cabinet, but not a folder in the cabinet, nor is a member of a folder in the cabinet. This case should be treated as though the cabinet administrator was directly assigned as a member of the folder.

#### 7.4.3. Determining a Modified Role

Modified roles are configured with the advanced security setting on a cabinet or folder. Modified roles are absolute. Regardless of the role normally assigned to the user or group the modified role can be any lower role. For example, this means that a group with a library administration role could be assigned to a cabinet as read only for that cabinet. System administrators and senior library administrators cannot have their roles modified.

#### 7.4.4. Determining the Highest Assigned Role

The highest assigned role is used when a user is indirectly assigned to an object by membership in a group. Their effective role will be the highest role of all groups they are members of that are assigned to the object. If this role of any group has been modified this must be taken into account when determining the highest role.

For example, assume a user is assigned as a member of GroupA (Organizer), GroupB (Document Publisher), and GroupC (Document Publisher). GroupA and GroupC have been assigned to Folder1. GroupA has a modified role to Publisher. The user's highest assigned role for Folder1 would be Publisher.

#### 7.4.5. Role Origin

The following table describes the role origin. In the table Library and Archive are synonymous.

Object	User or Group Role	Assignment	Role Origin
Schema	System administrator	None	Inherent

Object	User or Group Role	Assignment	Role Origin
Schema	Senior library administrator	None	Inherent
Schema	Library administrator	None	Inherent
Schema	Cabinet administrator	None	Inherent
Schema	All other roles	Member	Group
Library	System administrator	None	Inherent
Library	Senior library administrator	None	Inherent
Library	System administrator	Owner	Library
Library	Senior library administrator	Owner	Library
Library	Library administrator	Owner	Library
Library	Cabinet administrator	Owner	Library
Library	Organizer	Owner	Library
Library	Publisher	Owner	Library
Library	All assignable roles[1], not modified	Member	Group
Library	All assignable roles, modified	Member	Library

[1] All assignable roles include Library administrators and lower roles.

#### 7.4.6. Group Effective Role

List of groups matching effective role taken from list of groups used to compute highest role. If the role is Owner and the membership type is Direct there is no group.

Example 1, user is a member of GroupA (Document Publisher), GroupB (Organizer), and GroupC (Document Publisher). User is directly a member of Folder1. The effective role is Organizer and the group is GroupB.

Example 2, same user as example 1. GroupB is a member of Folder2 with reduced role to Document Publisher. The effective role is Document Publisher and the group is GroupB.

Example 3, same user as example 1. GroupA and GroupC are members of Folder3. Effective role is Document Publisher and the groups are GroupA and GroupC.

Example 4, user is a member of GroupD (Cabinet administrator). GroupD is owner of Cabinet1. Effective role for user is Cabinet administrator and the group is GroupD.

#### 7.5. SEARCH PERFORMANCE LOG

The search performance log is a way to record the searches that are being run in the system. Since FileHold does not restrict how users conduct their searches, this log can help the FileHold support team and customers pinpoint any search issues.

In order to see the search performance log results, it must first be enabled in [System configuration > Search settings](#). See [Search Engine Settings](#) for more information.

The search performance log includes a record of all search types performed in the document management software. This includes not only searches (full text, advanced, saved searches) in FileHold but also when the folder list, virtual folder, document tray, linked documents, my favorites, checked out documents, document alerts, document reminders, recently accessed, recently added, and workflow documents list is accessed since these are essentially different types of searches as well.

The log can be filtered for a particular user, the view type, and action dates. The search results display the full name and user name, the status, the view type, the search type, various time measurements, and the date and time the search was performed. The search results can be exported to a CSV file and used for further analysis.


The following information is displayed in the search results:

Column Name	Description
Full name	Full name of the user
User login name	Username of the user
Status	Success — executed search was successful Error — executed search was not successful. An error occurred during the search. Timeout — the search took too long to execute and timed out
View type	Folder list Search results Virtual folder Linked document list Document tray My favorites Checked out documents Document alerts Document reminders Recently accessed Recently added Workflow documents
Search type	Saved search — regular saved search Quick search — quick search AdHoc — empty saved search, adhoc advanced search, or full text search
FTS term	The search term used in the full text search. This is truncated if too long. The full term is available in the search details page.



Column Name	Description
ID	Relative to the view type: Folders and virtual folders — folder ID number Workflow documents — workflow GUID Linked documents — parent document ID Search results — saved search ID All other views — no ID (empty)
Total ms	The total time of execution of the GetDocumentsBySnapshot method (without the network time)
FTS ms	The time of execution of the full text search. If FTS is used. This will include the network time between LM and FTS services (which are on the same host so it is negligible).
FTS size	The total number of results from the full text search.  The full text search is the first stage in a search query so this number may be large, depending on the search query performed.
SQL create ms	The time of execution of the SQL query which performs the search and creates the snapshot. This will include the network time between the application server and database server.
SQL size	The number of results in the SQL database.  The SQL search is the second stage in a search query. This number takes into account the number of records in SQL found plus the permissions of the user.  If no SQL query was performed (only a full text search), then the SQL size will be the same as the FTS size minus permissions of the user.  For all other views, the SQL size is the number of documents displayed. For example, if there are 190 documents in a folder view, then the SQL size is 190.  The SQL size number is the total number of results seen by the user in the view.
SQL read ms	The time of execution of the SQL query which returns the first page of search results
Date/time	The date and time that the search was performed

### TO RUN THE SEARCH PERFORMANCE LOG

1. In the Administration Panel, go to **Administration Reports > Search performance log**.
2. Select any or none of the following filters:
  - User name — Select the name of the user from the list.
  - View type — Select one of the view types from the list. Options include: folder list, search results, virtual folder, document tray, linked documents, my favorites, checked out documents, document alerts, document reminders, recently accessed, recently added, and workflow documents.
  - Action date — Enter the from and to date from the date pickers.
3. Click **Apply**. The number of results are shown below. The number of rows that are displayed in the report view can be adjusted to show 15, 30, or 60 rows at a time. Click on the column header to sort in ascending or descending order.
4. To view the details of a search, click **Details** (magnifying glass icon)  next to the search record. The following table describes the details that are displayed for each view type. For more information on search details, see the API documentation.

View Type	Condition	Operator	Operand
Folder list	Library location	Equal	<name of folder>
	Only last version	Equal	True
Search results	File or metadata	Contains	<value entered for search>
	Only last version	Equal	True or False
	ReturnLastForBinaryVersion	Equal	True or False
	Include archive in search	Equals	True or False
	Saved search	Equal	<name of saved search>
	<metadata field name>	<operator selected for search>	<value of metadata>
Virtual folder	Virtual folder	Equal	<name of virtual folder>
Linked document list	IsLinkedWithDocument	Equal	<FileHold ID of the linked document>
Document tray	Tray	Equal	True
My favorites	IsStarredByUser	Equal	True
	Only last version	Equal	True
Checked out documents	Is checked out by user	Equal	<first and last name of user>
	Only last version	Equal	True
Document alerts	WithAlert	Equal	True
	Only last version	Equal	False

View Type	Condition	Operator	Operand
	ReturnLastForBinaryVersion	Equal	False
	IncludeDeleted	Equal	True
Document reminders	With reminder	Equal	True
	Only last version	Equal	True
	ReturnLastForBinaryVersion	Equal	False
Recently accessed	Document log action	InList	Downloaded, Viewed, Emailed
	LogActionPerformer	Equal	GUID of user Empty GUID indicates current user.
	Document Log Date	Greater or equal	<date>
	Only last version	Equal	False
	ReturnLastForBinaryVersion	Equal	True
Recently added	Document log action	InList	Add document, Checked in, Created by copy
	LogActionPerformer	Equal	GUID of user Empty GUID indicates current user.
	Document Log Date	Greater or equal	<date>
	Only last version	Equal	False
	ReturnLastForBinaryVersion	Equal	True
	Workflow documents	Workflow instance	Equal
Only last version		Equal	false

5. Click [Return to log report](#) to return to the list.
6. To permanently remove all displayed entries from the search log, click [Remove filtered log entries](#). This function is primarily used to allow for the control of privacy of searches as needed.
7. To export the results, click [Export as CSV](#).

## 7.6. ONE-TIME USAGE LOG


A FileHold feature called Courier, can be used to route documents for review and/or approval to people outside of the FileHold system. A license type called One-time Licenses is needed when documents are sent out through Courier. Customers can purchase these one-time licenses in “packs”. These one-time license packs contain the number of units purchased. Units are consumed when documents are sent out through a Courier process. The number of

units consumed varies for a view or approve action. For example, viewing a document consumes one unit and approving a document consumes two units.

The One-time usage log can be used to view the use and consumption of units in a one-time license pack. This log can also be viewed from the [list of one-time licenses in the licensing area](#).

**TO VIEW ONE-TIME LICENSE PACK LOG DETAILS**

1. In the Web Client, go to **Administration Panel > Administration Reports > One-time usage log**.
2. Use any of the following filters:
  - One-time license pack id. This is the license pack ID number. Each one-time license pack has a unique ID.
  - Date range from <date> to <date>
  - User. This is the email address of the recipient of the Courier transmission.
3. Click **Apply Filter**. The number of results and the report are shown below. The number of rows that are displayed in the report view can be adjusted to show 15, 30, or 60 rows at a time using the Page size drop down. Click on the column to sort in ascending or descending order.
4. Click **Export to CSV** to export the results to a CSV file.



The following table describes the List of one-time licenses screen:

Column	Description
One-time license pack id	The ID code for the license. This is a unique code for each pack.
Action	Reserved – the action has been assigned but not yet completed. The unit is held in reserve for the action. Consumed – the action has been completed and the unit was used. Returned – the unit has been returned because a document was marked as not approved by another user before another action could be completed.
Units	The total number of units in the pack.
Action date	The date the action was completed.
Transmission id	The unique transmission identifier for the Courier action.

Column	Description
User	The email address of the person that the action was assigned to.

## 8. SYSTEM CONFIGURATION: GENERAL SETTINGS

In the general settings for FileHold, you can set the storage path, default domain, set email settings, enable document and version control, set permissions, and enable schedule settings.

### 8.1. SETTING THE DEFAULT DOMAIN

Active Directory integration is an optional component of FileHold, and allows you to add Active Directory domain users to FileHold. When a domain user (user account that is synchronized with Active Directory) logs into FileHold, a domain needs to be selected so the system can check with the domain server (Active Directory) to verify your username and password. The default domain is automatically selected for a user at the login screen.

The screenshot shows the FileHold login interface. On the left, it says 'FileHold Document & Record Lifecycle Software.' To the right, there are three input fields: 'Login \*', 'Password \*', and 'Domain \*'. The 'Domain \*' dropdown menu is highlighted with a red box and shows 'FILEHOLD' selected. Below the fields is a 'Log In' button.

#### TO SET THE DEFAULT DOMAIN

1. Go to **Administration Panel > System Configuration > General**.
2. In the Select Default Domain area, select a domain from the list or leave the setting at “none selected” if Active Directory synchronization is not being used.
3. Click **Update**.




### 8.2. REMOVING LICENSES FROM DISABLED USERS IN THE DOMAIN

If a domain user (user account is synchronized with Active Directory) is disabled in Active Directory, then the FileHold license can be removed from the user.

#### TO REMOVE A LICENSE FROM A DISABLED DOMAIN USER

1. In the Web Client, go to **Administration Panel > System Configuration > General**.
2. In the Remove License from Users Disabled in the Domain area, select **Yes** to automatically remove a FileHold license from disabled Active Directory domain users.

When a user has been disabled in the domain, the user icon will appear as follows in the Users List:

Name	FileHold Account
 Osmany Santiesteban	Disabled
 Carter Satterfield	Enabled
 Keith Schneller	Enabled

### 8.3. SETTING OUTBOUND EMAIL SETTINGS

Setting the outbound email settings allows administrators to be notified of potential issues and users to receive alerts, reminders and workflow tasks via email. FileHold requires access to a SMTP server which is part of an Email server. FileHold uses the SMTP port / service to relay messages. Setting the outbound email settings allows user to receive alerts and reminders on folders and documents via email. Alert settings for users can be set in File > Preferences & Settings > Alert Preferences from the FileHold Desktop Application.

You may need to create an email account on your email server in order for FileHold to use this feature.

**NOTE:** SMTP ports are generally assigned to port 25. Please check with your email server, internal firewall and network system administrator(s) for more details.

#### TO SET THE OUTBOUND EMAIL SETTINGS

1. Go to **Administration Panel > System Configuration > General**.
2. In the Outbound Email Settings area, enter the **Reply-to email address**. This is the email account that FileHold uses to send outbound emails. This name has to be in the format of an email address such as filehold\_alerts@yourcompanyname.com. Your email administrators may need to create an email account for this if your email server requires authentication.
3. Enter the outgoing **SMTP server address**. Please check with your email administrator for this address.
4. Enter the **SMTP server port number**. The default is 25. Please check with your email server, internal firewall and network system administrator(s) for more details.
5. Select the **SMTP Server Requires Authentication** check box, if applicable. This is the username and password created for on the email server to use to send out alerts.
6. Enter the **username** for the server.
7. Enter the **password** twice.
8. Select the **SMTP server requires an encrypted connection** check box, if applicable.
9. Click **Update**.
10. To send a test email, enter the test email address and click **Send Test Email**.
  - If the outbound email settings are correct, a *“Test email message sent successfully”* message appears and an email is delivered to the recipient.
  - If the outbound email settings are not configured correctly, you will receive the message *“Failure sending mail. Check the mail account settings”*.
11. Click **Update** at the bottom of the page.

**Outbound Email Settings**

Reply-to email address: filehold.office@gmail.com

Outgoing Mail Server (SMTP): smtp.gmail.com

SMTP Server Port Number: 25

SMTP server requires Authentication

User Name: filehold.office@gmail.com

User Password: \*\*\*\*\*

User Password (Repeat): \*\*\*\*\*

SMTP server requires an encrypted connection

**Update**

Note: the above settings are for outbound email notifications from filehold server only. Filehold server does not accept inbound emails.

Test Email Address:  **Send Test Mail**

**NOTE:** You may need to authorize the FileHold server to send SMTP to the email server by changing SMTP security settings on your email server.

#### 8.4. ENABLING COURIER

Courier is a feature which allows documents to be viewed or approved by people outside of the FileHold document management system.

To allow your users to utilize Courier, click the **Enable Courier** check box. Once enabled, users will be able to initiate a Courier process on documents provided the feature has not been disabled at the group level.

See [One-time Licenses \(Courier\)](#) and the *Library Administration Guide* for more information on Courier.

#### 8.5. ENABLING THE DASHBOARD

See [System Administration Dashboard](#) for more information.

#### 8.6. ENABLING THE DOCUMENT AND VERSION CONTROL FIELDS

Document and Version Control Numbers are essentially special metadata fields that allow you to create a 3 letter prefix followed by a range of values. You are able to set up document control numbers and version control numbers to meet your requirements for numbering schemes. Numbering schemes may be based on specific industry requirements and for compliance, such as for ISO compliance and other quality management systems.

In order for the library administrator to set up document and version control numbers on document schemas, it first must be enabled by the system administrator. See the *Library Administration Guide* for more information.

##### TO ENABLE CONTROL FIELDS

1. Go to **Administration Panel > System Configuration > General > Document/Version Control Fields** area.
2. Select the **Enable Document Control Fields** check box, if applicable.
3. Select the **Enable Version Control Fields** check box, if applicable.
4. Click **Update**.



## 8.7. DOCUMENT SHORTCUTS

Shortcuts to documents can be created but can slow down the Search performance in FileHold. When you have several million documents with several shortcuts, it impacts the performance of the system.

The option of creating document shortcuts can be disabled in order to improve Search performance. Shortcuts will be automatically disabled in FileHold 12 for all new installations (but can be enabled if necessary). If you have existing shortcuts from previous versions of FileHold, this will still be active and enabled when you upgrade. Once shortcuts are created, they cannot be disabled again.

There are several workarounds for shortcuts such as:

- Virtual folders
- Document tray
- My Favorites
- Saved searches
- Linked documents

To read more about these features, see the [User Guide](#) or the [Knowledge Base](#).

### TO DISABLE/ENABLE DOCUMENT SHORTCUTS

1. In the Web Client, go to **Administration Panel > System Configuration > General**.
2. In the Document Shortcuts area, do one of the following:
  - To enable document shortcuts, select the check box.
  - To disable document shortcuts, clear the check box.

## 8.8. ENABLING THE PERMISSION SETTINGS

Permission settings allow certain users to do various functions such as convert between electronic documents and records, convert offline documents to electronic documents, archive and remove documents from the archive, and allow non-document owners to initialize workflows.

To learn more about converting to different types of records, archiving documents, and workflows, see the [User Guide](#).

### TO SET USER PERMISSION SETTINGS

1. Go to **Global Settings > General > Permission Settings** area.
2. Select the following options:
  - Enable converting between electronic documents and records – Allows library administrators or higher permissions to convert electronic records to electronic documents and vice versa in the metadata pane.
  - Enable converting offline documents to electronic documents – For library administrators or higher permissions to convert offline documents to electronic documents using the Check-In window. See the [Knowledge Base](#) for more information.
  - Enable converting electronic documents to offline documents – For library administrators or higher permissions to convert electronic documents to offline documents using the “convert

to offline” function in the context sensitive menu. See the [Knowledge Base](#) for more information.

- Enable manually archiving documents – For library administrators or higher permissions only. Manually send entire cabinets, drawers, folders, or document(s) to the Library Archive using the “send to archive” function in the context sensitive menu. See the [Knowledge Base](#) for more information.
- Enable manually unarchiving documents – For library administrators or higher permissions only. Manually move documents back to the Library using the “move” function. See the [Knowledge Base](#) for more information.
- Ignore document version ownership when initiating workflows or sending Courier transmissions – Allows users that are not owners of a document to initiate a workflow or Courier transmission. This permission setting is useful when the person who is adding the document, such as a scanning station worker, is not the person who is initiating the workflow, such as a user on the accounting team.
- Enable editing document metadata when a workflow or Courier approval transmission is active - Allows metadata to be edited for a document that is under the workflow or Courier process. This permission setting is useful when a metadata field, such as a status field, needs to be changed during the process.

Enable checking out documents when workflow is active — When enabled, the “Allow Check Out” option is available on the workflow template. This allows participants in a workflow to check out a document under the workflow. If disabled, users will not have the option to check out a document that is under the workflow process. See the [Library Administration Guide](#) for more information on workflow templates.

- Allow the creator of a document to modify the initial value of read-only fields – Allows the document creator (owner) to modify a read-only custom date or blank date metadata field after the document has been added to the Library. For more information, see the [Library Administration Guide](#) or the [Knowledge Base](#).

3. Click **Update**.

## 8.9. EVENT SCHEDULE SETTINGS

You can configure the system to automatically delete, archive, or convert documents to records for a particular schema. Users can also receive alerts and/or email notifications based on an important date which are called user defined events.

- Delete — “Soft” deletes a document based on the event schedule date. The document can still be recovered in the “soft” deletion state.
- Archive — The document is moved to the Library Archive in the hierarchy.
- Convert to Record — The document can no longer be edited (checked out and in) but remains in the library.
- User Defined Events — Allows email and/or document alerts to be sent to specific administrative groups or document owners to notify them of an important document date or event.

In order to use the events features, the system administrator must enable them. library administrators can then create and apply events to schemas. For more information on events, see the [Library Administration Guide](#).

### TO ENABLE EVENT SCHEDULES

1. In the Web Client, go to **Administration Panel > System Configuration > General**.
2. In the Event Schedule Settings area, select the following check boxes, if applicable:
  - Enable Convert to Record Events —Allow documents to be automatically converted to a record after a specified period of time.
  - Enable Archive Events —Allow documents to be automatically sent to the archive after a specified period of time.
  - Enable Delete Events — Allow documents to be automatically “soft” deleted after a specified period of time.
  - Enable User Defined Events — Allow email and/or document alerts to be sent to specific administrative groups or document owners to notify them of an important document date or event.
3. Click **Update**.

## 8.10. INSUFFICIENT CAL NOTIFICATION SETTINGS

Concurrent access licenses (CALs) determine how many users can log into the document management system at the same time. This number varies depending upon how many concurrent user licenses your organization has purchased. To see how many CALs you have, you can look at the User page or the License Information page.

An email notification can be sent to system administrators and/or library administrators when there are insufficient concurrent access licenses. The frequency of the emails can be sent daily or weekly.

### TO SET THE EMAIL NOTIFICATION OF INSUFFICIENT CALS

1. In the Web Client, go to **Administration Panel > System Configuration > General > Insufficient CAL Notification Settings**.
2. In the Notification Interval field, select **Daily** or **Weekly**.
3. In the Recipients field, select **None**, **System Administrators Only**, or **Library and System Administrators**. “None” indicates that no emails will be sent.

## 8.11. CENTRALIZED OPTIONS MANAGEMENT

The Centralized Options Management area allows system administrators to globally manage alert preferences, workflow preferences, FastFind preferences, FDA advanced settings, advanced search settings and other miscellaneous preferences for all users of the document management system.

To allow users with a role of library administration or higher to bypass the enforcement of the [centralized management options](#), select the **Exclude Administrators** check box.

When enabled, Administrators can set their own preferences regardless of what options are enforced in the global settings. See [Centralized Options Management](#) for more information.

## 8.12. SERVER SIDE OCR

The FileHold server side OCR feature can provide OCR (optical character recognition) for PDF and TIFF documents so that they can be indexed and searched. The OCR mechanism is located on the FileHold server. Once the mechanism completes the processes of OCR'ing the

document, the document is checked in as a new version that contains a text layer that allows the document to be indexed and searched within the document management system.


Server side OCR can be a time consuming mechanism; therefore, documents are added to a queue to be processed. All new documents, new versions, manually added or through an automatic import mechanism (such as watched folders or managed imports), are automatically added to the queue. Existing repository documents can be added manually to the queue.

You can enforce the priority for newly added documents or versions so that they will take a higher priority in the queue via a setting. They will be processed before any existing documents in the queue. If the setting is not enforced, documents are taken from the queue in the order they are added without taking priority into account.

The criteria for adding a document to OCR processing queue are:

- The document must be an “Electronic Document” format. Electronic records and offline documents will not be processed.
- Only PDF and TIF/TIFF type documents are processed. TIFF images are converted to searchable PDF documents.
- Only the latest version of the documents can be processed. This is because a new version is created once the document has been OCR’d. The owner of the original document remains the owner for the new OCR’d version.

If a document already contains searchable text, then it is removed from the queue.



#### TO ENABLE SERVER SIDE OCR

1. Go to **Administration Panel > System Configuration > General**.
2. Select the **Enable Server Side OCR** check box.
3. To enforce the priority for newly added documents or versions so that they take a higher priority in the queue, select the **Enforce a higher priority for newly added or checked in documents** check box. If the setting is not enforced, documents are taken from the queue in the order they are added without taking priority into account.
4. Click **Update**.

#### TO ADD EXISTING DOCUMENTS IN THE REPOSITORY TO THE QUEUE

1. Go to **Administration Panel > System Configuration > General**.
2. Click **Add existing documents to OCR queue**.
3. At the message prompt, click **OK** to continue with the process. This adds existing PDF and TIFF documents in the repository to the queue for processing. Only the last version of the document will be processed. They are added to the queue with a low priority and do not affect the position of existing documents in the queue.

## 9. SYSTEM CONFIGURATION: SECURITY


In the System configuration > Security area, you can set timeout value, logon attempt value, set the password policy for local users, and enable self-registration.

### 9.1. LOGON SECURITY

The logon settings allow the system administrator to manage the number of logon attempts allowed and the time-out settings for user sessions. If users exceed the number of login attempts, the user account is disabled and an email alert is sent to all system administrators. The system administrator will need to [enable the account](#) in the Users area and if the user is a local user, [reset their password](#).

The password security settings **only** apply to FileHold locally managed users and not domain users synchronized with Active Directory. Domain user policies are defined by the Active Directory security policy defined by your organizations IT group.

If [local users](#) (not domain users) forget their username or password, you can configure the Web Client login page or FDA login window to include links to recover their user ID and/or reset their passwords. If a user requests a password, a two-step verification process via a mobile phone can also be enabled with the use of a special plug-in. This will send a verification text message to the user's mobile phone. If you want to use the mobile phone verification feature, contact [sales@filehold.com](mailto:sales@filehold.com).




#### TO SET THE LOGON AND PASSWORD SECURITY SETTINGS

1. Go to **Administration Panel > System Configuration > Security > Logon**.
2. Enter the number of logon attempts allowed. The user will be locked out of the system after the number of login attempts has been exceeded. The system administrator will receive an email stating that the user account has been disabled due to the exceeded number of login attempts. You will need to [enable their account](#) in order to gain access to the system.
3. Enter the amount of time, in minutes, that the system automatically logs off inactive users. This is the amount of time that the system is idle and not in use. This frees up a concurrent session for other users.

**TIP:** There is an additional timeout for web client users to conserve memory. By default, after 15 minutes, the web client state will be purged from the server. The user will receive a message that they were timed out, but they can return to their session by clicking on the supplied link. They will not be required to login unless they have exceeded the inactivity time. The default value of the timeout can be changed on the server in the web client web.config file. The value to edit is ViewStateCacheLifetime, which is found in the <appSettings> section. As the view state cache requires memory on the server, increasing the value may increase the server memory usage.

4. In the Password Settings for Locally Managed Users area, enter the minimum number of characters for the password. This applies only to locally managed users.
5. Select one or more of the following options:
  - Must contain a number
  - Must contain a special character
  - Must contain at least one upper case letter
  - Must contain at least one lower case letter
  - Allow password re-use
6. Enter the number of days that the password expires. Enter 0 if the password is not to expire. This applies only to locally managed users.
7. In the Password reset options area, in the **Administrator password reset verification email expires after** field, enter the amount of time, in hours, that the verification email is valid for when setting a password from the Users list page. See [Resetting User Passwords](#) for more information. If the user does not use the link in the verification email within this time period, then the link expires. The minimum amount of time is 1 hour, the maximum time is 999 hours.
8. Select the **Allow users to request a forgotten user ID with only an email address** check box to allow users to request their user ID by clicking on the “I forgot my user ID” link on the login screen. If this option is not enabled, the “I forgot my user ID” link is not available for use.
9. Select the **Allow users to reset a forgotten password** check box to allow users to set a new password by clicking on the “I forgot my password” link on the login screen. If this option is not enabled, the “I forgot my password” link is not available for use.
10. In the **User password reset verification email expires after** field, enter the amount of time in minutes that the verification email expires after it is sent to the user requesting the password. If the user does not use the link in the verification email within this time period, then the link expires and the user will need to request the password again. The minimum time is 5 minutes, the maximum is 9999 minutes.
11. In the **Friendly system name** field, enter the partial subject line for the email that gets sent to the users when resetting a password. For example, the email subject is “<Friendly system name> forgotten password reset” where <Friendly system name> could be “FileHold”.



12. In the **Info email address** field, enter the contact email address for the person providing assistance if the user is experiencing issues with resetting a password. This email address is provided on the email sent to the user requesting a forgotten password. For example, “Please do not reply to this email. It is an unmonitored email address and your message will not be received. If you have any questions, please contact us at

<contactname@yourdomainname.com>.” where <contactname@yourdomainname.com> is the info email address.

13. Select the **Force users to verify their identity with their mobile phone** check box to enable a two-step verification process in order for users to reset their password. To enable, a plug in for this feature must be installed and configured. Contact [sales@filehold.com](mailto:sales@filehold.com) for information on enabling this feature. Users must also have a mobile phone number entered in their [user account details](#) or the two-step verification process will not work.
14. Select the **Force user to provide a mobile phone number when creating an account** check box to force mobile phone numbers to be entered in the Contact Information area when creating or modifying a local user account. This mobile phone number is required when using the two-step verification process. Any users without a mobile phone number will not be able to reset their password.

**Login security settings** ⓘ

Logon attempts allowed	<input type="text" value="3"/>	times
Log inactive users off after	<input type="text" value="30"/>	minutes

**Password security settings for locally managed users**

Minimum number of characters	<input type="text" value="8"/>	
<input checked="" type="checkbox"/> Must contain a number <input checked="" type="checkbox"/> Must contain a special character <input type="checkbox"/> Must contain at least one upper case letter <input type="checkbox"/> Must contain at least one lower case letter <input type="checkbox"/> Allow password re-use		
Password expires after	<input type="text" value="0"/>	days
<small>Please enter 0 (zero) in this field if you want the password to Never Expire            Note: password settings only apply to users that are not managed by a directory server (users of type locally managed).</small>		

**Password reset options**

Administrator password reset verification email expires after	<input type="text" value="24"/>	hours
<input checked="" type="checkbox"/> Allow users to request a forgotten user id with only an email address <input checked="" type="checkbox"/> Allow users to reset a forgotten password		
User password reset verification email expires after	<input type="text" value="15"/>	minutes
Friendly system name	<input type="text" value="FileHold - Password Reset"/>	
Info email address	<input type="text" value="support@filehold.com"/>	
<input type="checkbox"/> Force users to verify their identity with their mobile phone <small>If this option is checked, users who have not configured at least one mobile phone number will not be able to reset their password by email.</small> <input type="checkbox"/> Force users to provide a mobile phone number when creating an account		

15. Click **Update** to save any changes.

## 9.2. SELF-REGISTRATION

System administrators can allow users to self-register an account in the FileHold system. This allows users to register themselves in FileHold for an initial period of time. These users can enter their full name, user name, and other contact details (which is optional). Unlike regularly registered users, self-registered users are placed into a temporary area where they are assigned to a group that has no permissions or rights. The administrator re-assigns these users to a group that provides them with the access they need. Self-registered users are considered locally managed users and are managed as such after they have created an account.

The following are reasons for allowing self-registered accounts:


- The system is being deployed for the general public and user registration needs to be self-serve.
- The system is being used by an organization that does not have or plan to use Active Directory to manage the users. This provides access while limiting administrator burden to create user accounts.
- The system is occasionally accessed by casual users who may only logon a few times per year. On-demand access can be provided for these users who may spontaneously decide to access the system.

You will need to assign self-registered users to a group. This will control what the user has access to in the system. Groups, permissions, and roles can be modified by the System and library administrators once the user has registered.

Once you have enabled self-registration, a **Register** button will appear on the main log in page of the FileHold web client.

#### TO SET UP SELF-REGISTERED USERS

1. In the Web Client, go to **Administration Panel > System Management > Permissions > Groups**.
2. Create a new group for the self-registered users. See [Creating FileHold Groups](#) for more information.
3. Go to **Administration Panel > System Configuration > Security > Self-Registration**.



The screenshot shows a dialog box titled "User Self-Registration Settings". It contains two configuration options: "Allow User Self-Registration" with an unchecked checkbox, and "Place in FileHold Group" with a dropdown menu currently set to "Please Select". At the bottom of the dialog are "Update" and "Cancel" buttons.

4. Select the **Allow User Self-Registration** check box.
5. Select the FileHold Group to apply to the self-registered user.
6. Click **Update**. A register button will be visible on the logon page of the Web Client. You cannot self-register from the FileHold Desktop Application (FDA).

### 9.3. SEARCH ENGINE SETTINGS

Use the Search Engine settings to configure how you want the search feature to return data. The Search settings page has been split into basic and advanced settings. It is recommended that the advanced search settings be left at their default values as changing the search engine settings can dramatically affect system search performance. If you make any changes please note the previous settings and document your changes. Please read carefully all examples within this area. We recommend populating and using the system for a period of time before making major adjustments.

**NOTE:** Instead of enabling fuzzy, phonic, stemming, or synonym searching globally, you can perform these types of searches "on the fly" in a regular search. See [Search Request Types](#) for more information.



## TO CONFIGURE SEARCH ENGINE SETTINGS

1. Go to **Administration Panel > System Configuration > Search Settings**. The basic settings are shown.
2. In the Error Email Addresses area, select the groups of users that will receive a daily email with a summary of search engine warnings and errors.
3. In the Type of Errors to Send area, select the type of events that administrators want to be notified about:
  - [Index Errors Only](#) — documents that are not capable of being indexed, search criteria errors, and index access errors.
  - [Un-indexed Files Only](#) — files that are encrypted, digitally secured or damaged and cannot be indexed by the full text search engine.
  - Both Un-indexed and Index Errors
  - None
4. In order to log the searches conducted by users, select the **Is logging enabled** check box. Since FileHold does not restrict how users conduct their searches, this log can help the FileHold support team and customers pinpoint any search issues. This should only be enabled when troubleshooting for searches needs to occur. See [Search Performance Log](#) for more information on logging searches.
5. In the “Maximum number of search results” area, enter the number of files to return from a search. This is the maximum number of search results that are displayed in the search view. The default number is 5,000.
6. In the “Maximum number of intermediate search results” area, enter the number of to be assessed for relevance when a full text search is combined with a database search. The default number is 10,000. For example, if the maximum number of search results to return is set to 5,000 and the maximum number of intermediate search results is set to 10,000, the search will proceed until 10,000 files are found and the best matching of the 5,000 will be shown in the search results. We recommend that you set this number to 500,000 if you have a very large collection of documents.
7. In the Search Timeout area, enter the time, in seconds, to terminate a search. This limits users' ability to overload the server with unnecessarily complex searches. The default is 60 seconds.
8. Click **Advanced** to view the advanced search settings.
9. In the Search Result Metadata Weighting area, select the weighting of how strongly you want the metadata to influence the search results on a scale of 1 to 10. A selection of 1 puts more weighting on the content in the documents and a selection of 10 puts more weighting on the metadata. The suggested setting is 3 if you have strong metadata capture set in your schemas.
10. In the Stemmed Search area, select the check box if you want to use stemmed searching. Stemming finds other grammatical forms of the words in your search request. For example, a search for “applies” would also find “apply”.
11. In the Phonic Search area, select the check box if you want to use phonetically similar words. For example, Smith and Smythe.
12. In the Fuzzy Search Setting, select the check box if you want to enable fuzzy searching. Select a fuzzy search level from 1 to 10. Fuzzy search sifts through scanning and typographical errors. For example, a search for “alphabet” would find “alphaqet” with a fuzzy level of 1. A fuzzy level of 4 would find both “alphaqet” and “alpkaqet.” Fuzzy search requires additional computational overhead so it is suggested to keep this setting less than

5 unless the documents in the library and metadata have frequent spelling errors. The recommended level is 2.

**WARNING:** We do not recommend using Stemmed Search, Phonic Search, Fuzzy Searching, nor Synonym searching for the vast majority of customers. They may change your search results wildly and should only be enabled in consultation with FileHold support [support@filehold.com](mailto:support@filehold.com).

13. In the Synonym Searching area, select the check boxes to search for synonyms or related words.
14. In the Hyphen Searching area, you can set how hyphen characters are indexed and searched. Select from the following options:
  - Hyphen as ignore — Does not index the hyphen. For example, “first-class” will be indexed as “firstclass”.
  - Hyphen as a hyphen — Indexes the hyphen. For example, “first-class” will be indexed as “first-class”.
  - Hyphen as a space — Separates the hyphenated words into two words. For example, “first-class” will be indexed as “first” and “class”.
  - Hyphen all — Indexes a hyphen as all three of the above options.

**WARNING:** Changing hyphen settings will cause reinitialization of the full text search index and schedule reindexing of all documents. This should be done only after work hours as the search system will not function while this occurs.

15. In the Accent Support area, select the check box if you want indexing to be sensitive to accents. An accent-sensitive index converts characters, wherever possible, to a “base” character which is the letter A to Z or 0 to 9. Generally, accent-insensitive indexes are easier to use because they ensure that a document will be found even if the user omitted an accent when typing a word. In accent-sensitive indexes, each letter is converted to lower case where possible but otherwise characters re-indexed using their Unicode values. For example, e and é would be considered different letters and a search would not find the other.

**WARNING:** Changing accent settings will cause reinitialization of the full text search index and schedule reindexing of all documents. This should be done only after work hours as the search system will not function while this occurs. You generally do not need to use accent settings when managing English language documents.

16. In the Initialize Index area, click **Initialize Index** to start full-text search indexing.

**WARNING:** Use this feature only when absolutely necessary. This will wipe out the existing Full Text Search collection and create a queue for all documents in the system to be reindexed in the Microsoft SQL Databases. On large collections, this may also interfere with documents being added to the system by FileHold users. This task takes considerable time and is only recommended if there are significant reasons for re-indexing the entire system. We recommend this be run over the weekend. Before doing this you should ensure an IT Administrator is available in case server changes are needed. The scheduled task runs this process, and an IT server administrator can disable this scheduled task (Update FTS index) during business hours. This process may take minutes or hours or longer - it depends on whether you have tens of thousands, hundreds of thousands or in millions of documents in your collection. Contact FileHold support if you have any questions.

17. Click **Update** to update the search engine settings.
18. Click **Basic** to return to the basic search settings.
19. Click **Restore Default** to revert the settings to their default values.

### 9.3.1. Rebuilding the Full Text Search Index

Rebuilding the index means that all documents stored in the library will be re-indexed along with the metadata tags associated with them.

**WARNING:** Rebuilding the index can take several hours to complete. Please initiate this during a time of low / zero user activity. Under normal operating conditions (and depending on the average size of the documents stored in the library) you can expect documents to be re-indexed at a rate of 5,000 (or more) per hour or more.

#### TO REBUILD THE RE-INDEX YOUR LIBRARY

1. Go to **Administration Panel > System Configuration > Full Text Search Settings**.
2. In the Initialize Index area, click **Initialize Index** to start full-text search indexing.

**WARNING:** Use this feature only when absolutely necessary. This will wipe out the existing Full Text Search collection and create a queue for all documents in the system to be reindexed in the Microsoft SQL Databases. On large collections, this may also interfere with documents being added to the system by FileHold users. This task takes considerable time and is only recommended if there are significant reasons for re-indexing the entire system. We recommend this be run over the weekend. Before doing this you should ensure an IT Administrator is available in case server changes are needed. The scheduled task runs this process, and an IT server administrator can disable this scheduled task (Update FTS index) during business hours. This process may take minutes or hours or longer - it depends on whether you have tens of thousands, hundreds of thousands or in millions of documents in your collection. Contact FileHold support if you have any questions.

## 10. DOCUMENT VIEWER CONFIGURATION

You can configure the features of the viewer that is available to users when they are using the FileHold Desktop Application (FDA). Viewers have many user features and many benefits that increase productivity and save companies money. Viewers are purchased on a per user basis and assigned to registered users by the IT administrator.

There are 2 viewer types available:

1. PDF/Image Viewer
2. Brava Viewer - The following are the three levels of Brava viewers available:
  - Enterprise Office Viewer
  - Enterprise Office Viewer with CAD support
  - Enterprise Office Viewer Engineering Edition

For a complete list of file formats that are supported, see the [Knowledge Base](#).

#### TO CONFIGURE THE VIEWER SETTINGS

1. In the Web Client, go to **Administration Panel > System Configuration > Document Viewers (FDA)**.
2. Select a viewer type and select one or more of the following options. The type and level of viewer determines which settings are available. Not all settings are available in all viewer types.
  - Allow Users To Compare Documents

- Allow Users To Publish Documents As Adobe PDF Files
  - Allow Users To Publish Documents As TIFF Files
  - Allow Users To Publish Documents As CSF Files
  - Allow Users To Save View In JPEG Format
  - Allow Users To Print / Print Regions Of Documents
  - Allow Users To Create ISO Banners / Watermarks For Printing
  - Allow Users To Copy Text and Markups In A Document To The Clipboard
  - Allow Users To Copy Regions Of Image Files To The Clipboard
  - Allow Users To View / Create / Edit Markups
  - Allow Users To Publish Documents As Dwf Files
  - Allow Users To Show Or Hide Layers
  - Enable Measurement Tools For Users
  - CAD File Path References For Viewing Of CAD files
  - Enable Document Redaction (The redaction module is an optional feature. Contact [sales@filehold.com](mailto:sales@filehold.com) for more information)
3. To select all the options, click **Check All**.
  4. To remove the selections, click **Uncheck All**.
  5. Click **Save**.

## 11. DOCUMENT REPOSITORY LOCATIONS

The document repository can be split into multiple physical locations to improve scalability. This feature is controlled by a licensing option. If this optional feature has not been purchased, the Add Repository button will be disabled.

In order to balance the load of adding/downloading files between multiple locations and ensure that files are distributed in a sensible way between locations with different level of free space, a semi-random algorithm will be used to select the location for a new file. Repositories that have been marked as read only will not have files added to them; files can only be downloaded.

Once a repository location has been added, new files will be added to it immediately. Repositories containing files cannot be deleted.

When all locations reach the threshold, it is not possible to add any files to the system and all uploads fail with an error message. The system administrator will receive an email notification when the maximum storage space is reached in the repository. A new location should be added to the system or increase the amount of free space on one of the disk if using a virtual server environment.

**IMPORTANT #1:** Do not use File/folder compression on the FileHoldData directory, DocumentRepository folder structure, FullTextSearch folder structure, or the FHURMBackups folder structure.

**IMPORTANT #2:** The FH\_Service account must have full access to this location. If your collection is large, use Robocopy or another method to move the collection to the new location. Using Windows Explorer and "Move" is a recipe for disaster as files can be lost in the process. Always use the copy function. When the copy is complete, compare the original and new

locations for an exact/identical File/Folder count. Check and double-check this before doing anything else.

**VERY IMPORTANT:** End users should never have access to the document repository locations for any reason - this is a location that only domain / data backup / Server administrators should have access to, along with the FileHold service account that runs the entire FileHold system. It is the responsibility of each FileHold customer to secure the DocumentRepository path, along with the FileHoldData path so that end users are not able to directly modify documents. The Desktop Client and Web Client are to be used at all times. Failure to protect the document storage or other areas of the FileHoldData directory, including Full text search and FHURMBackup folder(s) may void FileHold warranty and result in consulting charges to attempt to repair damage. The FileHold data directory that typically contains DocumentRepository, FullTextSearch and FHURMBackup folders and file contents must be backed up nightly, along with the four (4) or five (5) SQL Databases and four (4) or five (5) SQL Log files that comprise the FileHold system. Please refer to the FileHold backup and recovery guide located here for more information on backups.

#### TO ACCESS THE REPOSITORY LOCATIONS

1. In the Web Client, go to **Administration Panel > System Configuration > Document Repository Locations**.

#### TO ADD A REPOSITORY LOCATION

1. Click **Add Repository**.
2. Enter the following information and click **OK** when finished:

Field Name	Description
Path	The path of the physical location.
Capacity	The total size of the disk in TB, GB, or MB. This will be automatically calculated by the system.
Free Space	The amount of free space on the disk in TB, GB, or MB. This will be automatically calculated by the system.
Threshold	The amount of reserved free space on the disk. The default value is 15% of the total disk capacity. You cannot set this limit to less than 10% of the remaining free space on the disk. This value needs to be in MB (1024 MB = 1 GB).
Read Only	When selected, documents cannot be added to this physical location. This option can be selected when the disk has reached its threshold.  When clear, documents can be added to this physical location. You cannot mark all locations as read only.  There must be at least one disk that is writable for the addition of files into the system

3. In the Repository Locations main page, you need to finalize the addition of the repository location by clicking **OK** or **Apply**. If necessary, the Full Text Search index is re-initialized after applying any changes such as a change in repository path.

### TO CHANGE THE THRESHOLD OF THE REPOSITORY

1. Go to **Administration Panel > System Configuration > Document Repository Locations**.
2. Click on the repository path link.
3. Enter a new amount in the **Threshold** field. This cannot be less than 10% of the total space of the repository and must be set in megabytes (1 GB= 1024 MB). The default is set to 15% of the total capacity. For example: For a repository that has the capacity of 39.90 GB, you can set the threshold to 4084 MB (1024 MB x 4 = 4 GB) which is approximately 10% of the total capacity.
4. Click **Refresh**. This will increase the amount of free space.
5. Click **OK**.

For example: For a 20% reserve in a repository that has the capacity of 39.90 GB, you can set the threshold to 8172 MB (39.90 GB x 20% x 1024 MB/GB).

**TIP:** The less data a disk has on it, the faster it will operate. This is because on a well defragmented drive, data is written as close to the outer edge of the disk as possible, as this is where the disk spins the fastest and yields the best performance. Disk seek time is normally considerably longer than read or write activities. As noted above, data is initially written to the outside edge of a disk. As demand for disk storage increases and free space reduces, data is written closer to the center of the disk. Disk seek time is increased in locating the data as the head moves away from the edge, and when found, it takes longer to read, hindering disk I/O performance. This means that monitoring disk space utilization is important not just for capacity reasons but for performance also. As a rule of thumb, work towards a goal of keeping disk free space between 20% to 25% of total disk space. If free disk space drops below this threshold, then disk I/O performance will be negatively impacted. (Source: [MSDN \(link is external\)](#))

## 12. CENTRALIZED OPTIONS MANAGEMENT

The Centralized Options Management area allows system administrators to globally manage alert preferences, workflow preferences, FastFind preferences, FDA advanced settings, advanced search settings and other miscellaneous preferences for all users of the document management system.

When the options are set globally by the administrator:

- They can be set as the default value and then changed by the end user if desired.
- They can be set and then “enforced” meaning that the end users cannot modify the option.

Administrators can set the default option values and update them at any time. Once the default options are set and saved, they will be pushed out to the end users if the option is enforced or if they have not have been already set by the end user. If end users have their own preferences set, they will not be overwritten upon saving the settings, unless the option is set to enforced.

Any changes made in the centralized options management area will be recorded in the system administrator [Audit Log](#).

**NOTE:** If any of the options are “enforced”, they can be enforced only for anyone who has a lower role than library administrators. Library and system administrators can still modify preferences even if they are enforced if enabled in the [General settings](#) page.

## 12.1. ALERT PREFERENCES

Set the alert preferences for all users of the document management system to determine when they receive email and alert notifications under the Document Alerts area of My FileHold.

Notifications can be sent when:

- Changes are made to documents or metadata
- Changes to documents within specific folders
- Specific date based events (user defined events)
- A reminder is set on a document

### TO SET THE GLOBAL ALERT PREFERENCES

1. In the Web Client, go to [Administration Panel > Centralized Options Management > Alert Preferences](#).
2. Use the following table to set the global alert preferences for the document management software:

Option	Values	Default Value
Notification when new documents/versions are Added to folders user has subscribed to	Enabled Disabled	Enabled
Notification when documents are Transferred To folders user has subscribed to	Enabled Disabled	Disabled
Notification when documents are Deleted from folders user has subscribed to	Enabled Disabled	Disabled
Notification when a new version of a document user has subscribed to is Checked-in	Enabled Disabled	Enabled
Notification when metadata values are updated for a document user has subscribed to.	Enabled Disabled	Disabled
In addition to notifying user on My FileHold send an email of the notification	Disabled Immediately Daily Weekly	Immediately
Send email when a document reminder is activated	Enabled Disabled	Disabled

3. Select the **Enforce** check box next to the preference you want to be imposed on all users. Users will not be able to modify this setting in their personal alert preferences. Administrators may be able to modify their personal alert preferences which are dependent upon the setting in [System Admin > Global Settings > General](#).
4. To reset the value for all users, click the **Reset** button next to the option name. At the prompt message, click **OK**. The settings will take effect the next time the user logs into FileHold.

5. To reset all alert preference options to their original default values, click [Reset All Settings](#).
6. Click [Save](#). The changes will be pushed out to all end users unless their alert preferences have been previously modified. If the option is set to “enforced” then their alert preferences will be changed and locked down (meaning they cannot be modified by the end user) except for [possibly library administrators or higher](#).

## 12.2. WORKFLOW PREFERENCES

Set the workflow preferences for users to determine when they receive emails notification about tasks and workflow changes.

### TO SET THE GLOBAL WORKFLOW PREFERENCES

1. In the Web Client, go to [Administration Panel > Centralized Options Management > Workflow Preferences](#).
2. Use the following table to set the global workflow preferences for the document management software:

Option	Values	Default Value
Notification when a task is assigned or delegated to user	Enabled Disabled	Enabled
Notification when a task assigned to user is overdue	Enabled Disabled	Enabled
Notification when a task assigned to user is overridden	Enabled Disabled	Enabled
Notification when a task assigned to me is reserved by another participant	Enabled Disabled	Enabled
Notification when a task assigned to user is cancelled	Enabled Disabled	Enabled
Notification when a task assigned to user is restarted	Enabled Disabled	Enabled
Notification when a document associated with a task assigned to user is added or removed	Enabled Disabled	Enabled
Notification when a document associated with a task assigned to user is checked out or checked in	Enabled Disabled	Enabled
Notification if tasks in workflow user is the initiator of are overdue	Enabled Disabled	Enabled
Notification when activity is completed for a workflow user initiated	Enabled Disabled	Enabled
Notification when workflow is restarted for a workflow user initiated	Enabled Disabled	Enabled



Option	Values	Default Value
Notification when document is added or removed from a workflow user initiated	Enabled Disabled	Enabled
Notification when workflow is completed for a workflow user is an observer of	Enabled Disabled	Enabled
Notification when workflow is restarted for a workflow user is an observer of	Enabled Disabled	Enabled
Notification when document is added or removed from a workflow user is an observer of	Enabled Disabled	Enabled
Notification when activity is completed for a document that user owns	Enabled Disabled	Enabled
Notification when transmission initiated by user is completed or completed. (This is a Courier notification)	Enabled Disabled	Enabled
Notification when transmission initiated by user is overdue. (This is a Courier notification)	Enabled Disabled	Enabled
Email Alerts Frequency	Immediately Daily Weekly	Immediately

3. Select the **Enforce** check box next to the preference you want to be imposed on all users. Users will not be able to modify this setting in their personal workflow preferences. Administrators may be able to modify their personal workflow preferences which are dependent upon the setting in [System Admin > Global Settings > General](#).
4. To reset the value for all users, click the **Reset** button next to the option name. At the prompt message, click **OK**. The settings will take effect the next time the user logs into FileHold.
5. To reset all workflow preference options to their original default values, click **Reset All Settings**.
6. Click **Save**. The changes will be pushed out to all end users unless their workflow preferences have been previously modified. If the option is set to “enforced” then their preferences will be changed and locked down (meaning they cannot be modified by the end user) except for [possibly library administrators or higher](#).

### 12.3. FASTFIND PREFERENCES

FastFind provides search capability from third party windows-based forms applications such as Windows applications such as accounting or GIS software. FastFind works in conjunction with the FileHold Desktop Application (FDA). Users can use keyboard shortcut shortcuts that perform searches directly from the chosen application in the document management system to find relevant data instantly.

The options for FastFind settings can be globally enabled through the centralized options management.

### TO SET THE GLOBAL FASTFIND PREFERENCES

1. In the Web Client, go to [Administration Panel > Centralized Options Management > FastFind Preferences](#).
2. Use the following table to set the global FastFind preferences for the document management software:

Option	Values	Default Value
Enable FastFind	Enabled Disabled	Disabled
Update FastFind templates when user logs in to FileHold	Enabled Disabled	Disabled
Enable mouse search	Enabled Disabled	Disabled
Enable selection search	Enabled Disabled	Disabled
Enable clipboard search	Enabled Disabled	Disabled
Enable screen OCR search	Enabled Disabled	Disabled

3. Select the **Enforce** check box next to the preference you want to be imposed on all users. Users will not be able to modify this setting in their personal FastFind preferences. Administrators may be able to modify their personal FastFind preferences which are dependent upon the setting in [System Admin > Global Settings > General](#).
4. To reset the value for all users, click the **Reset** button next to the option name. At the prompt message, click **OK**. The settings will take effect the next time the user logs into FileHold.
5. To reset all FastFind preference options to their original default values, click **Reset All Settings**.
6. Click **Save**. The changes will be pushed out to all end users unless their FastFind preferences have been previously modified. If the option is set to “enforced” then their preferences will be changed and locked down (meaning they cannot be modified by the end user) except for [possibly library administrators or higher](#).

## 12.4. MISCELLANEOUS PREFERENCES

There are some miscellaneous settings which can be configured globally. They are described in the table below.

### TO SET THE GLOBAL MISCELLANEOUS PREFERENCES

1. In the Web Client, go to [Administration Panel > Centralized Options Management > Misc Preferences](#).
2. Use the following table to set the global miscellaneous preferences for the document management software:

Option	Description	Values	Default Value
Default page in Web Client after log in	Sets the default screen for the <b>Web Client</b> only after a user logs in.  To the default screen in the FDA, see User Preferences.	Blank Simple Search Advanced Search Tasks	Blank
Edit metadata upon Check In action	When enabled, the metadata pane is displayed in edit mode after a new version is checked in. This allows the user to enter new metadata.  If disabled, the user can check the document back in without editing metadata.	Enabled Disabled	Disabled
Number of expanded drawers	The number of drawers that can be simultaneously expanded in the library tree.  The last number of drawers opened is preserved when the library is refreshed.  The lower number of expanded drawers allows for a faster page loading time since the lower number of permissions that needs to be calculated before displaying the library structure to the user.	1, 2, 3, 4, or 5	3

3. Select the **Enforce** check box next to the preference you want to be imposed on all users. Users will not be able to modify this setting in their User preferences. Administrators may be able to modify their personal User preferences which are dependent upon the setting in [System Admin > Global Settings > General](#).
4. To reset the value for all users, click the **Reset** button next to the option name. At the prompt message, click **OK**. The settings will take effect the next time the user logs into FileHold.
5. To reset all Misc preference options to their original default values, click **Reset All Settings**.
6. Click **Save**. The changes will be pushed out to all end users unless their User preferences have been previously modified. If the option is set to “enforced” then their preferences will be changed and locked down (meaning they cannot be modified by the end user) except for [possibly library administrators or higher](#).

## 12.5. FDA ADVANCED SETTINGS

The FDA Advanced settings area is some of the options that are set in the User Preferences in the FileHold Desktop Application (FDA). These are only for the FDA.

### TO SET THE GLOBAL FDA ADVANCED SETTINGS PREFERENCES

1. In the Web Client, go to **Administration Panel > Centralized Options Management > FDA Advanced Settings**.
2. Use the following table to set the global FDA Advanced Settings preferences for the document management software:

Option	Values	Default Value
Show Welcome Screen at Startup	Enabled Disabled	Enabled
Default screen at startup	Blank Simple Search Advanced Search Inbox Tasks Calendar <a href="#">Dashboard</a>	Blank
Maximum simultaneous transfers (This is the number of documents that can be uploaded or downloaded at a time)	This number can be any value but it is recommended to keep it at 1.	1
By default delete documents that a user Adds to FileHold	Enabled Disabled	Disabled
By default delete documents that a user Checks In to FileHold	Enabled Disabled	Disabled
Prompt for Download Location when a user Makes Copies of Files	Enabled Disabled	Enabled
Prompt for Download Location when a user Checks Out Files	Enabled Disabled	Enabled
Prompt user to remove files when sending them from the Inbox	Enabled Disabled	Enabled
Prompt to clean up the FileHold Working Folder when a user closes the FileHold Desktop Application	Enabled Disabled	Enabled
By default close documents that a user Adds/Checks In to FileHold	Enabled Disabled	Disabled
Auto-Send documents to Auto-Tagged folders	Enabled Disabled	Disabled
Auto-Send documents after completing metadata	Enabled Disabled	Disabled

Option	Values	Default Value
Move to recycle bin instead of permanently deleting	Enabled Disabled	Disabled
Automatically open in the Viewer selected document in Inbox	Enabled Disabled	Disabled
Automatically open in the Viewer selected document in folders and search results	Enabled Disabled	Disabled
Open documents in the Document Viewer using separate tabs	Enabled Disabled	Disabled
Allow opening one document in multiple tabs	Enabled Disabled	Disabled
Enable Smart Check In and Smart Check Out messages	Enabled Disabled	Enabled
Enable Click to Tag	Enabled Disabled	Disabled
Orientation of the thumbnail view - determines the location of the thumbnail position when using the PDF/Image viewer	Top Bottom Left Right	Bottom

3. Select the **Enforce** check box next to the preference you want to be imposed on all users. Users will not be able to modify this setting in their personal User preferences. Administrators may be able to modify their personal User preferences which are dependent upon the setting in [System Admin > Global Settings > General](#).
4. To reset the value for all users, click the **Reset** button next to the option name. At the prompt message, click **OK**. The settings will take effect the next time the user logs into FileHold.
5. To reset all User preference options to their original default values, click **Reset All Settings**.
6. Click **Save**. The changes will be pushed out to all end users unless their preferences have been previously modified. If the option is set to “enforced” then their preferences will be changed and locked down (meaning they cannot be modified by the end user) except for [possibly library administrators or higher](#).

## 12.6. ADVANCED SEARCH OPTIONS

The Advanced Search options management allows you to set the advanced search options so that they persist and can be enforced for each advanced search. These are the check box options that show in the Advanced search page.

#### TO SET THE GLOBAL ADVANCED SEARCH OPTIONS

1. In the Web Client, go to [Administration Panel > Centralized Options Management > Advanced Search Options](#).
2. Use the following table to set the global Advanced Search options for the document management software:

Option	Description	Values	Default Value
Search Metadata Only	Searches the metadata only and not the contents of a document (full-text search).	Enabled Disabled	Disabled
Include Archive in Search	Searches the documents in the Library archive and includes any matches in the results. FileHold will search only the Library (current documents) if this option is not selected.	Enabled Disabled	Disabled
Include All Document Versions	Searches all versions of the document. FileHold will only search the latest version if this option is not selected.	Enabled Disabled	Disabled
Search Using Historical Metadata Fields	If metadata field names and values have been changed over time, you can still search these "historical" items as FileHold keeps track of any changes that have been made.	Enabled Disabled	Disabled

3. Select the **Enforce** check box next to the preference you want to be imposed on all users. Users will not be able to modify this setting in their personal Advanced Search options. Administrators may be able to modify their personal Advanced Search options which are dependent upon the setting in [System Admin > Global Settings > General](#).
4. To reset the value for all users, click the **Reset** button next to the option name. At the prompt message, click **OK**. The settings will take effect the next time the user logs into FileHold.
5. To reset all advanced preference options to their original default values, click **Reset All Settings**.
6. Click **Save**. The changes will be pushed out to all end users unless their Advanced Search options have been previously modified. If the option is set to "enforced" then their options will be changed and locked down (meaning they cannot be modified by the end user) except for [possibly library administrators or higher](#).

## 13. SYSTEM ADMINISTRATION DASHBOARD

The system administration dashboard provides metrics about the operation and usage of the system. The elements or tiles in the dashboard displays a consolidated view of the following information


- System license
- Repository
- Full text search
- User sessions
- Library statistics
- One-time Courier licenses

The colour of the tiles depends on the status of the dashboard element:

- Problem — red
- Warning — yellow
- Normal — green
- No thresholds — blue

The dashboard is located under My FileHold in both the FDA and Web Client. The dashboard can be made viewable by all users by enabling a permission setting. When enabled, the dashboard elements are hyperlinked for a user who belongs to the corresponding system role:

- System license — Links to licensing page and accessible to System Administrators role only
- Repository — Links to document repository locations and accessible to System Administrators role only
- Full text search — Links to full text search status page and accessible to Library Administrators role and above
- User sessions — Links to users page and accessible to System Administrators role only
- Library — Links to library level statistics and accessible to Read only role and above
- One-time license — Links to list of one-time licenses and accessible to System Administrators role only



**TO ACCESS THE DASHBOARD**

1. In the FDA or Web Client, sign in as a system administrator. Note that the dashboard can be made viewable by all users by enabling a permission setting. See the following section.
2. Go to **My FileHold > Dashboard**. The following information is displayed:

Element	Description	Status/Threshold
System license	Status - Status of the license.	Activated (Green) Deactivated (Yellow) Disabled (Red)
	Time Limit- Date when the current license expires. Unlimited indicates that there is no date limit on license	
Repository	Available space – Percentage of total repository space (not including threshold) divided by the usable repository space (includes threshold) in bytes.	Normal threshold- greater or equal to 5%(Green) Warning threshold - between 1 to 5% (Yellow) Problem threshold - less than 1% (Red)
	Free space – Percentage of total repository storage space divided by the free storage repository space in bytes.	
Full text search	Queue size – Number of documents in the full text search queue.	Normal – less than or equal to 2 documents (Green) Warning – between 2 and 50 documents (Yellow) Problem – greater than or equal to 50 documents (Red)



Element	Description	Status/Threshold
	Number of words – Total number of words in the full text search index.	
User sessions	Remaining normal – Percentage of the number of licensed concurrent sessions divided by the actual concurrent sessions in use now. Guaranteed sessions count as in use.	Normal – greater than or equal to 10% (Green) Warning – between 2% and 10% (Yellow) Problem – less than or equal to 2% (Red)
	In use – Total number of concurrent sessions currently in use. Includes <a href="#">guaranteed sessions</a> .	
Library	Total documents – Total number of documents in library. Does not include library archive or previous versions.	No threshold (Blue)
	Total size – Total size of the documents in the library. Does not include library archive or previous versions.	
One-time license	Last pack remaining– Percentage of last added one-time pack size divided by the available one-time units	Normal – greater than or equal to 25% (Green) Warning – between 15% and 25% (Yellow) Problem – less than 15% (Red)
	Remaining units – Number of one-time units available across all license packs. Does not include locked or cancelled packs.	

#### TO ENABLE THE DASHBOARD FOR ALL USERS

1. In the Web Client, go to **Administration Panel > System Configuration > General**.
2. In the Dashboard Settings area, select the **Allow dashboard to be visible to non-administration users**. When enabled, the dashboard can be seen by all users in their My FileHold area.

## INDEX

- A**
- Active Directory, 1, 15, 57
  - activity log, 44
  - administration panel, 5
  - Allow non document version owners to initialize workflows, 61
  - Allow the creator of a document to modify the initial value of read-only fields, 61
  - audit log. *See* system audit log
- B**
- Brava viewer, 30
- C**
- cabinet administrator role, 21
  - CALs, 62, *See* licenses
  - centralized options management, 62, 73
    - advanced search options, 80
    - alert preferences, 74
    - exclude administrators, 62
    - FastFind preferences, 76
    - FDA advanced settings, 78
    - miscellaneous settings, 77
    - workflow preferences, 75
  - check out
    - checking out documents when workflow is active, 61
  - convert between electronic documents and records, 60
  - convert electronic documents to offline documents, 60
  - convert offline documents to electronic documents, 60
  - Courier
    - adding one-time licenses, 40
    - cancelling one-time licenses, 43
    - enabling, 59
    - exporting one-time licenses, 43
    - licenses, 39
    - locking and unlocking one-time licenses, 43
    - one time-usage log, 54
    - one-time licenses, 39
    - viewing one-time licenses, 41
- D**
- dashboard, 59, 82
    - accessing, 83
    - enabling for all users, 84
  - default domain, 57
  - document control fields
    - enabling, 59
  - document publisher + delete role, 19
  - document publisher role, 19
  - document shortcuts, 60
  - document viewer. *See* viewer
  - domain groups, 15
  - domain users, 2
- E**
- effective permissions report, 46
    - effective role, 48
    - group effective role, 50
    - highest assigned report, 49
    - highest implied role, 49
    - modified role, 49
    - role origin, 49
  - email
    - outbound mail settings, 58
  - event schedule, 61
    - archive, 61
    - convert to record, 61
    - delete, 61
    - enabling, 62
    - user defined events, 61
- F**
- FDA, 4
  - FileHold domain groups, 15
  - FileHold domain users, 15
  - FileHold groups. *See* groups
- G**
- global settings, 57
  - groups, 16
    - adding users, 22
    - creating, 17
    - deleting, 27
    - filtering, 17
    - permissions diagram, 23
    - user roles, 18
    - viewing properties, 25
  - guaranteed user access, 28, 29
  - guest user role, 19
- I**
- insufficient CALs, 62
    - notification settings, 62
  - insufficient sessions
    - log, 46
- L**
- library administrator, 1

library administrator role, 21  
 licenses, 34  
   adding additional licenses, 34  
   adding one-time licenses, 40  
   cancelling one-time licenses, 43  
   Courier, 39  
   exporting one-time licenses, 43  
   grace period, 39  
   installing licenses, 38  
   locking and unlocking one-time licenses, 43  
   one time-usage log, 54  
   one-time licenses, 39  
   removing from disabled domain users, 57  
   requesting licenses, 37  
   viewers, 30  
   viewing one-time licenses, 41  
 locally managed users, 2, 13  
   creating, 13  
 log in, 4  
   FDA, 4  
   Web Client, 4  
 log out  
   FDA, 4  
   Web Client, 4  
 logon security, 64  
   enabling, 64

## M

manually archiving documents, 61  
 manually unarchiving documents, 61  
 Microsoft Active Directory, 15  
 Microsoft SQL Reporting Services, 44

## O

OCR, 62  
   adding documents to the queue, 63  
   enabling, 63  
 organizer + delete role, 20  
 organizer role, 20

## P

password security, 64  
 passwords  
   resetting, 29  
   resetting multiple users, 30  
   resetting single user, 29  
 PDF/Image viewer, 30  
 permission settings, 60  
 publisher + delete role, 19  
 publisher role, 19

## R

read-only role, 19  
 reporting services, 33

report security, 33  
 reports  
   activity log, 44  
   effective permissions, 47  
   insufficient concurrent sessions, 46  
   one-time usage, 55  
   search performance, 53  
   system audit log, 45  
 repository locations, 71  
   add repository, 72  
   changing the threshold, 73  
 reset passwords, 29  
 responsibilities, 2

## S

search engine  
   configuring, 68  
   rebuilding full-text search index, 70  
   settings, 67  
 search performance log, 50  
 security, 3  
   problems, 3  
 self-registered users, 66  
   setting up, 67  
 senior library administrator role, 21  
 server side OCR. *See* OCR  
 shortcuts, 60  
 skills required, 1  
 solo mode, 5  
 synchronizing  
   domain users, 15  
 system administration dashboard. *See* dashboard  
 system administrator  
   responsibilities, 2  
   skills required, 1  
 system administrator role, 22  
 system audit log, 45

## T

time-out settings, 64

## U

user roles, 18  
 user self-registration, 9  
 users  
   adding domain users, 15  
   adding to groups, 22  
   concurrent sessions, 12  
   deleting, 27  
   disabling accounts, 31, 32  
   domain users, 9, 15  
   enabling accounts, 31, 32  
   guaranteed access, 28, 29  
   list, 11  
   locally managed users, 9, 13

- registered user, 12
- reset password, 29
- resetting local user passwords, 29
- resetting multiple user passwords, 30
- searching for, 26
- viewing properties, 25

users and groups

- example plan, 7
- flowchart, 8
- managing access, 8
- overview, 8
- setting up, 7

users list, 11

## V

version control fields

- enabling, 59

viewer

- Brava viewer, 70
- configuring, 70
- PDF/Image viewer, 70

viewers

- licenses, 14, 30
- setting licenses, 31

## W

WebCap scanning license, 14

workflows

- editing document metadata when workflow is active, 61