Document Management Software (DMS) Requirements	Standard	Optional	Comments
Key System Requirements			
The DMS is a highly available, scalable platform on which to support a library containing millions of files and documents.			
All Administrative functionality can be accessed remotely using a web browser over the			
internet or through the companies LAN or WAN. SSL and VPN support further secure			
remote user and administrator access. The network operating system under which the DMS runs must be Windows Server 2012 R2			
server or higher.			
The network operating system under which the DMS runs must be Windows-based.			
The DMS provides a web browser, a desktop client, and a mobile browser as standard features.			
The DMS desktop client is fully certified with Windows 7 or higher in a managed			
environment. The DMS web client is supported on popular web browsers, including Mozilla Firefox,			
Google Chrome, Microsoft Edge, and Safari.			
The mobile client is HTML 5-based and allows users to access documents, add files, and			
approve and review workflow tasks using a smartphone or tablet. The DMS allows for an enterprise licensing model.			
The DMS allows for concurrent and named user licensing.			
The DMS provides both full user licenses for users to add, edit, and delete documents in the			
system, as well as limited user licenses to restrict document access to read-only status. These limited licenses will also be restricted from processes such as workflow.			
The DMS must have a tool that checks server configuration and health settings to ensure			
the document repository is running properly and without errors.			
The DMS must provide the ability for a user to work offline.			
The system administrator can centrally control how the system works for users. A system administrator can set the default value for the end-users, which they may change, or the			
settings can be enforced.			
The DMS allows for easily resetting a user password.			
The system allows the configuration of multiple balanced storage repositories to allow scalable growth.			
The DMS allows definition of multiple storage repositories for specific areas of the			
document library.			
The DMS is capable of exporting documents out of a test system and importing them into a production system.			
The DMS is fully integrated with Microsoft Office applications (Word, Excel, PowerPoint,			
OneNote, Visio, Outlook). The DMS allows users to attach documents to outgoing e-mail using Microsoft Outlook.			
The DMS allows users to send documents as attachments or links using their email client of			
choice.			
The DMS will have an optional document portal, where anonymous or named users can access a web-accessible interface with extremely limited rights.			
The DMS provides a wide variety of out-of-the-box reports on system usage.			
Document Storage and Retrieval			
The DMS has multiple methods to import existing documents from existing third-party			
applications, desktops, network drives, and file servers. The DMS has a configurable server-side document importation feature to retrieve			
documents from other systems en masse.			
The DMS can store virtually any kind of document in its native file format and ensures it will not be altered when added to the system.			
The DMS offers the option of adding documents as "records", which cannot be altered or			
modified by users. The DMS is capable of importing audio content files (MP3, WAV, etc.) and launching			
appropriate media viewers for retrieval.			
The DMS is capable of importing video content files (MP4, MOV, AVI, etc.) and launching			
appropriate media viewers for retrieval. The DMS can capture, store, retrieve, and export irregular-sized documents - e.g., larger			
than 8 ½ x 11.			
The DMS allows users to add emails along with their attachments. Attachments can be added separately from emails if required.			
The DMS can track the location of hardcopy paper documents and physical records. Physical			
documents can be located via search. The DMS can "check-out" both electronic documents and physical records.			
The DMS provides check-in/check-out ability, preventing documents from being			
overwritten or deleted when updated. The DMS librarian can review the status of all			
documents checked out and check a document back in on behalf of another user.			
The DMS automatically places all documents under version control. The DMS will automatically increase the version number of the document upon check-in.			
Previous versions of documents are maintained by the system if a rollback is required.			
The DMS offers customizable version numbers for document release or legacy version			
numbers. The DMS can classify documents by use-type. These schemas will be customizable to match			
organizational needs, the number of which should be practically unlimited.			
The DMS can tag documents with metadata relevant to the use-type. The number of metadata tags should be practically unlimited.			
The DMS ensures some or all metadata fields are mandatory and must be completed before			
the document is added to the library. The DMS will allow users to define metadata with indexed information from a controlled			
vocabulary.			
,			

intercholoses, or from crops drown menus. The DMS can process bifercord two and any selectronic forms and automatically extract mendata values. The DMS can process bifercord two and any selectronic forms and automatically extract mendata values. The DMS can require metadata from document tax with violat book. The DMS can require metadata from document tax with violat book. The DMS can require remisdate and on document tax with violat book. The DMS can require and print secretary and require and automatically seg documents by disaging the documents into a folder; as used in high fillings. The DMS can creat and onthe secretary document and version control numbers on the contr			
The DMS can process from update a metadata field value upon checkin. The DMS can process Microsial Wide and and Definition of the metadata from a decimal value. The DMS can process to a value of the common of the process to a value of the common of the process to a value of the common of the process to a value of the process t	The DMS allows metadata to be configured as text, number, dates, URL, currency,		
The DMS on process Microsoft Word and PDF electronic forms and automatically entract metadata values. The DMS on appare metadata from document set with visual tools. The DMS of their shinked-centric lilling of the elitibit or automatically dag documents by dragaling the documents into a follow; as used in legal fillings. The DMS of their shinked-centric lilling of the elitibit or automatically dag documents by dragaling the documents into a follow; as used in legal fillings. The DMS of more are print secessitate document and viscorid naming conventions or standards. As documents are added to the bitrary, may are automatically returned according to the entire participate destinate by the bitrary Antimistrary. The DMS provides after the provides of the standard of the ship of the document and viscorid to the entire participate destinate by the bitrary Antimistrary. The DMS involves to subjective to be notified of elicit, changes, or version updated to the document and viscorid to the standard of the ship of the document of the standard of a fill is added to a folicy, the user receives email mortifications that the change has occurred, who has changed it, and a secure link to discrete			
metablish available. The DMS can explain embeddata from document text with visual tools. The DMS can explain embeddata from document text with visual tools. The DMS can explain embeddata from document text with visual tools. The DMS can explain embeddata from document and visions control numbers on emplaining or DMS documents. The DMS can explain embed be documents. The DMS can explain embed be the DMS vision and visions control numbers on emplaining or DMS documents are adole documents. The DMS can explain the determined by the DMS vision shared with the DMS can explain the properties of the DMS vision shared. The DMS can explain the determined by the Utbary Administration. When an existing subscribed the is updated or affers a stated on a Tolkin, the Utbary administration. When are existing subscribed the is updated or affers a stated on a Tolkin, the Utbary administration. When are existing subscribed the is updated or affers a stated on a Tolkin, the Utbary administration of the DMS can explain the Change has concern, who has changed it, and a secure his to directly access the document. The DMS can explain collidations for documents when specific dates are met. Retention politics for converting to a record, archiving, and detellation can be set on a document type and the outbary access the document. The DMS can explain the outbary access the state of the DMS can explain the outbary access the document type and the DMS can explain the outbary access to the Embeddate to "read-only it to user level. The DMS can explain the outbary access to the Embeddate to "read-only it to user level. The DMS can explain the outbary access to the Embeddate to "read-only it to user	<u> </u>		
The DMS effects "matter centric filling", or the ability to automatically tag documents by dispating the documents time a bidder, as used in least filling. The DMS can create and print specialised document and version control numbers on experiencing in R80 potentions. The DMS provides adherence to document and record animing conventions or standards. As documents are adealor to the library, brief are automatically repaired and record animing conventions or standards. As documents are adealor to the library, brief are automatically repaired according to the examining pattern determined by the Library Administrator. The DMS provides on the bioracy, brief and of selection of the examining pattern determined by the Library Administrator. The DMS provides that the change has pocured, who has added to a ridder, the scar receives examination of the pattern of the patt	metadata values.		
dragging the documents into a clother, as used in legal filings. The DMS can create and print specialized document and version control numbers on eigniering or RBD documents. The DMS provides abterment to document and record naming conventions or standards. As documents are added to the library, they are automatically renamed according to the manning pattern destromed by the busy administrators. The DMS provides are to subscribe to be inotified of edits, changes or version update to the continuous provides to the control of edits, changes, or version update to the control of edits, they are automatically control of edits, changes or version update to documents in delices they are automatically decided to a fine standard or added to the control of edits, changes or version update to documents and the change has occurred, who has changed it, and a secure link to directly access the document. The DMS control of the control of the control of edits o	The DMS can capture metadata from document text with visual tools.		
The DMS can create and print specialized document and version control numbers on engineering or RRD documents. The DMS provides adherence to document and record naming conventions or standards. As documents are added to the library, help are automatically resumed according to the earning pattern determined by the Library Administrator. The DMS allows standard to subscribe to be notified of edits, Changes, or version updates to document or robber they are automatically resumed according to the DMS allows standards. As documents or robber they are automatically based on a fine is added to a folder, the user receives earlier totalizations that the change has occurred, who has changed it, and asserted link to documents or robber they are watching. When an existing subscribed link is updated or a file is added to a folder, the user receives earlier totalizations that the change has occurred, who has changed it, and asserted link to documents they are considered to a secondard secondard to a secondard secondard to a document type and done automatically based on a fixed distinct on the activity of the DMS allows maying the option of archiving addication can be set on a document type and done automatically based on a fixed distinct on the activity of the DMS allows maying that access and expenditure, see, system, includes an object of the property of the post of the po	The DMS offers "matter-centric filing", or the ability to automatically tag documents by		
Intellegence of the About decomments and record naming conventions or standards. As documents are added to the library, they are automatically resumed according to the unaming pattern determined by the library Administrators. The DMS allows users to subscribe to be notified of edits, changes, or version updates to document or stoles they are watering. When an insking subscribed library subscribed in the supplicate or a file is added to a folder, the user receives the subscribed in the supplicate or a file is added to a folder, the user receives the subscribed in the supplicate or a file is added to a folder, the user receives the subscribed in the supplicate or a file is added to a folder, the user receives the subscribed in the supplicate or a file is added to a folder, the user receives the subscribed in the supplication of the su			
The DMS provides achievence to document and record naming conventions or standards. As documents are added to the library, they are automatically meaned according to the naming pattern determined by the Ubrary Administrator. The DMS allows users to subscribe to the conflict of edits, changes, or version updates to documents or folders they are watching. When an existing subscribed life is updated or a file is added to a folder, the user receives email motifications that the change has occurred, who has changed it, and a secure link to directly, alcoss to document. The DMS allows users conflictations for documents when specific dates are met. The DMS an issent conflictations for documents when specific dates are met. The DMS and issent converting to a record, archiving, and deletion can be set on a document type and done automatically based on a titled date, or from a metadata field value. The DMS allows any appropriate the option of archiving documents that can be accessed as needed. Document Security The DMS allows navigational security, with multiple jayers of user-definable security, to limit access at department, user, system, function, and document levels. The DMS has a role-based, granulus security model where access can be given to users from a released table of the partment, user, system, function, and document levels. The DMS has a role-based, granulus security model where access can be given to users from a released table of the partment, user, system administration. The DMS includes a role-based security model with the ability to establish exceptions. The DMS includes a role-based security model with the ability to establish exceptions. The DMS allows deministrators to block users from emailing a document as an attachment from the DMS. The DMS allows deministrators to block users from emailing a document as an attachment from the DMS. The DMS allows deministrators to block users from emailing a document as an attachment from the DMS. The DMS records a detailed permanent useful to get			
documents are added to the library, they are automatically renamed according to the naming pattern determined by the Library Administrator. The DMS allows users to subscribe to the notified of edits, changes, or version updates to discourants or folders they are watering. When an existing subscribed file is updated or a file is added to a folder, the user receives email notifications that the change has occurred, who has changed it, and a secure link to directly access the document. Betwenion policies for converting to a record, archiving, and deletion can be set on a document type and done automatically based on a fixed date; or from a metatate field value. The DMS can send done automatically based on a fixed date; or from a metatate field value. The DMS will provide the option of archiving documents that can be accessed as needed. Document Specially the multiple leaves of user's definibile security, to limit access at department, user, system, function, and document levels. The DMS allows avaignment accessing, with multiple leaves of user's definibile security, to limit access at department, user, system, function, and document levels. The DMS in the probability of the security of the second			
naming pattern determined by the Library Administrator. The DMS allows subscribed the to mortified of edits, changes, or version updates to documents or folders they are watching. When an oxisting subscribed file is updated or a file is added to a folder, the user receives email notifications that the change has occurred, who has changed it, and a secure link to didnerly access the document. The DMS can send notifications for documents when specific dates are met. Recention policies for converting to a recent, archiving, and deletion can be set on a document type and done automatically based on a fixed date, or from a metadata field value. The DMS allows novigational security, with multiple layers of user secretary. The DMS allows novigational security, with multiple layers of user definable security, to limit access and department, user, system, function, and document seven. **Document Security** The DMS allows novigational security, with multiple layers of user-definable security, to limit access and department, user, system, function, and document levels. **Document Security** The DMS allows novigational security with multiple layers of user-definable security, to limit access and department, user, system, function, and document levels. **Document Security** The DMS allows novigational security with multiple layers of user-definable security, to limit access and department, user, system, function, and document levels. **Document Security** The DMS allows novigational security with multiple layers of user-definable security, to limit access and the layer of user layers and definition of the layers of users from the DMS and the layers of the layers of users from the DMS and the layers of the layers of users from the layers of users			
documents or folders they are watching. When an existing subscribed file is updated or a file is added to a folder, the user receives email notifications that the change has occurred, who has changed it, and a secure link to directly access the document. The DMS can send notifications for documents when specific dates are met. Retention policies for conventing to a record, archiving, and deletion can be set on a document type and done automatically based on a fixed date, or from a metadata field value. The DMS will provide the option of archiving documents that can be accessed as needed. Document Security The DMS silvows navigational security, with multiple liveyes of user-definable security, to limit access a department, user, system, function, and document levels. In DMS allows navigational security, with multiple liveyes of user-definable security, to limit access a department, user, system, function, and document levels. In DMS allows navigational security with multiple liveyes of user-definable security, to limit access a department, user, system, function, and document levels. In DMS in Lord or or bloods security model where access can be given to users from a level of read-only to system administration. The DMS includes a rote based security model where access can be given to users from a level of read-only to system administration. The DMS records are only be used to the user level. Additionally, access can be limited to "read-only and the user level. Additionally, access can be limited to "read-only and the user level. Additionally, access can be limited to "read-only and the user level. Additionally, access can be limited to "read-only and the user level. Additionally, access can be limited to "read-only and the user level. Additionally, access can be limited to "read-only and the user level. Additionally, access can be limited to "read-only and the user level. The DMS increased a detailed permanent audit top of all actions performed on a document including user and time at level.	naming pattern determined by the Library Administrator.		
When an existing subscribed file is updated or a file is added to a folder, the user receives email notifications for bocurred, who has changed it, and a secure link to directly access the document. Retention policies for converting to a record, archiving, and deletion can be set on a document type and stone automatically based on a fixed date, or from a metadata field value. The DMS can send security and scurrity, with multiple layers of user decisions are set on a document type and stone automatically based on a fixed date, or from a metadata field value. The DMS will provide the option of archiving documents that can be accessed as needed. Document Security The DMS allows navigational security, with multiple layers of user-definable security, to limit access at department, user, system, function, and document levels. The DMS has a role-based, granular security model with the ability to establish exceptions. Additionally, access can be limited to "read-only" at the user level. The DMS includes a role-based security model with the ability to establish exceptions. Additionally, access can be limited to "read-only" at the user level. The DMS can send secure links to documents devictly to test members, partners, suppliers, or customers. If leacurity is mantained as only authorized users can retire the file by using the link. The DMS additionally, access can be limited to "read-only" at the user level. But DMS additionally is decisionally and access to the links of the individual user's a bility to destablish the date of the layer	The DMS allows users to subscribe to be notified of edits, changes, or version updates to		
email notifications that the change has occurred, who has changed it, and a secure link to directly access the document. The DMS can send notifications for documents when specific dates are met. Retention policies for converting to a record, archiving, and deletion can be set on a document type and done automatically based on a fixed date, or from a mediatal field value. The DMS will provide the option of archiving documents that can be accessed as needed. Document Security The DMS allows navigational security, with multiple layers of user-definable security, to limit access at department, user, system, function, and document seeds. Document Security with multiple layers of user-definable security, to limit access at department, user, system, function, and document seeds. The DMS has document security model where access can be given to users from a level of read-only to system administration. The DMS in such serior based, socially security model where access can be given to users from a level of read-only and the user level. The DMS can be accessed as the security of the user level. The DMS can send security is maintained as only authorized users can retrieve the file by using the link. In the DMS allows administrators be block users from emailing a document as an attachment from the DMS. The DMS records a detailed permanent sudit log of all actions performed on a document including user and interesting. The DMS records a detailed permanent sudit log of all actions performed on a document including user and interesting as the maintained as a record as a performed on a document including user and interesting as the properties of			
directly access the document. Retention policies for converting to a record, archiving, and deletion can be set on a document type and done automatically based on a fixed date, or from a metadata field value. The DMS and provide the option of archiving documents that can be accessed as needed. Document Security The DMS will provide the option of archiving documents that can be accessed as needed. Document Security The DMS allows navigational security, with multiple layers of user-definable security, to limit access at department, user, system, function, and document levels. The DMS allows navigational security model with the ability to establish exceptions. The DMS includes a role based security model with the ability to establish exceptions. The DMS includes a role based security model with the ability to establish exceptions. Additionally, access on the limited to "read only" at the user level. The DMS can send secure links to documents all evel to the user level. The DMS can send security is maintained as only authorized users can retrieve the file by using the link. The DMS allows administrators to block users from emailing a document as an attachment from the DMS. The DMS retrieves a detailed permanent audit log of all actions performed on a document including user and time stamp. These logs can be exported as reports as needed. Documents accidentally deleted by users (with delete permissional) can be easily recovered from a "needed land familiar to users (with delete permissional) can be easily recovered from a "needed land familiar to users (with delete documents in the system.) The DMS recovers and the stamp. These logs can be exported as reports as needed. Documents accidentally deleted by users (with delete permissional) can be easily recovered from a "needed land familiar to users (with delete documents in the system.) The DMS provide as tructured environment for documents. Documents accidentally deleted by users (with delete permissional) can be easily recovered from a "needed lan			
The DMS can send notifications for documents when specific dates are met. Retention policies for converting to a record, archiving, and deletion can be set on a document type and done automatically based on a fixed date, or from a metadata field value. The DMS will provide the option of archiving documents that can be accessed as needed. Document Security The DMS will provide the option of archiving documents that can be accessed as needed. Document Security The DMS allows navigational security will willing leyers of user-definable security, to limit access at department, user, system, function, and document levels. The DMS had solves an experiment of the security model with the ability to establish exceptions. Additionally, access at department, user, system, function, and document levels. The DMS includes access in the limited to 'Fread-only' at the user level. Additionally, access can be limited to 'Fread-only' at the user level. Additionally, access can be limited to 'Fread-only' at the user level. Additionally, access can be limited to 'Fread-only' at the user level. Additionally, access can be limited to 'Fread-only' at the user level. The DMS and send socure links to document directly to certain the commence of the commen			
document type and done automatically based on a fixed date, or from a metadata field value. The DMS will provide the option of archiving documents that can be accessed as needed. Document Security The DMS allows navigational security, with multiple layers of user-definable security, to limit access at department, user, system, function, and document levels. The DMS has a robe based, granular security model with the ability to establish exceptions. Additionally, access can be limited to "read-only" at the user level. The DMS can sed secure links to documents directly to team members, partners, suppliers, or customers. Filter of the security is maintained as only authorized users can retrieve the file by using the link. The DMS can sed secure links to documents directly to team members, partners, suppliers, or customers. Filter by using the link. The DMS allows administrators to block users from emailing a document as an attachment from the DMS. In DMS allows administrators to block users from emailing a document as an attachment from the DMS. In DMS allows administrators to block users from emailing a document including user and time stamp. These logs can be exported as reports as needed. User roles will be used to determine the individual user's ability to delete documents in the system. Documents accidentally deleted by users (with delete permissions) can be easily recovered from a "recycle bin". Interface The interface can be used with minimal mouse clicks and memu selection. The user will be able to trigger actions through contextual menus. that can be activated through non-screen buttons, system menus, or right-click contextual menus. The DMS provide the user interface in English, French, or Spanish. The DMS provide the user interface in English, French, or Spanish. The DMS provide the ability to personalize user preferences, views, alerts, workflow notification preferences, and foliaer can be shared with other users. The DMS allows users to combine and aggregate files into their own pers	The DMS can send notifications for documents when specific dates are met.		
document type and done automatically based on a fixed date, or from a metadata field value. The DMS will provide the option of archiving documents that can be accessed as needed. Document Security The DMS allows navigational security, with multiple layers of user-definable security, to limit access at department, user, system, function, and document levels. The DMS has a robe based, granular security model with the ability to establish exceptions. Additionally, access can be limited to "read-only" at the user level. The DMS can sed secure links to documents directly to team members, partners, suppliers, or customers. Filter of the security is maintained as only authorized users can retrieve the file by using the link. The DMS can sed secure links to documents directly to team members, partners, suppliers, or customers. Filter by using the link. The DMS allows administrators to block users from emailing a document as an attachment from the DMS. In DMS allows administrators to block users from emailing a document as an attachment from the DMS. In DMS allows administrators to block users from emailing a document including user and time stamp. These logs can be exported as reports as needed. User roles will be used to determine the individual user's ability to delete documents in the system. Documents accidentally deleted by users (with delete permissions) can be easily recovered from a "recycle bin". Interface The interface can be used with minimal mouse clicks and memu selection. The user will be able to trigger actions through contextual menus. that can be activated through non-screen buttons, system menus, or right-click contextual menus. The DMS provide the user interface in English, French, or Spanish. The DMS provide the user interface in English, French, or Spanish. The DMS provide the ability to personalize user preferences, views, alerts, workflow notification preferences, and foliaer can be shared with other users. The DMS allows users to combine and aggregate files into their own pers			
value. The DMS will provide the option of archiving documents that can be accessed as needed. Document Security The DMS allows navigational security, with multiple layers of user-definable security, to limit access at department, user, system, function, and document levels. The DMS has a role-based, granular security model where access can be given to users from a level of read-only to system administration. The DMS includes a role-based security model with the ability to establish exceptions. Additionally, access can be limited to "read-only" at the user level. The DMS includes a role-based security model with the ability to establish exceptions. Additionally, access can be limited to "read-only" at the user level. The DMS can send secure links to documents directly to team members, partners, suppliers, or customers. File security is maintained as only authorized users can retire whe file by using the link. The DMS was deministrators to block users from emailing a document as an attachment from the DMS. The DMS records a detailed permanent audit log of all actions performed on a document including user and time stamp. These logs can be exported as reports as needed. User roles will be used to determine the individual user's ability to delete documents in the system. Documents accidentally deleted by users (with delete permissions) can be easily recovered from a "excycle bin". Interface The interface must be easy to use and familiar to users of a Windows environment. The user will be able to trigger actions through contextual menus. that can be activated through on-screen buttons, system menus, or right-click contextual menus. The interface can be used with minimal mouse clicks and menu selection. The user will be able to trigger actions through contextual menus that can be activated through on-screen buttons, system menus, or right-click contextual menus. The interface can be used with minimal and gargagate files into their own personal "virtual" folders, or example, a Project Manager might	l		
Document Security The DMS allows navigational security, with multiple layers of user-definable security, to limit access at department, user, system, function, and document levels. The DMS has a role-based, granular security model where access can be given to users from a level of read-only to system administration. The DMS includes a role-based security model with the ability to establish exceptions. Additionally, access can be limited to "read-only" at the user level. The DMS can send secure links to documents directly to team members, partners, suppliers, or customers. File security is maintained as only authorized users can retrieve the file by using the link. The DMS allows administrators to block users from emailing a document as an attachment from the DMS. The DMS records a detailed permanent audit log of all actions performed on a document including user and time stamp. These logs can be exported as reports as needed. User roles will be used to determine the individual user's ability to delete documents in the system. The DMS will provide a structured environment for documents. Documents accidentally deleted by users (with delete permissions) can be easily recovered from a "recycle bin". Interface The interface must be easy to use and familiar to users of a Windows environment. The interface must be easy to use and familiar to users of a Windows environment. The interface must be easy to use and familiar to users of a Windows environment. The interface must be easy to use and familiar to users of a Windows environment. The interface must be easy to use and familiar to users of a Windows environment. The provide a structured environment provides and menu selection. The user will be able to trigger actions through contextual menus. The interface must be easy to use and familiar to users of a Windows environment. The provides the ability of the user interface in English, French, or Spanish. The provides the ability of personalize user preferences, views, alerts, workflow notification pref	value.		
The DMS allows navigational security, with multiple layers of user-definable security, to limital across at department, user, system, function, and document levels. The DMS has a role-based, granular security model where access can be given to users from a laced of read-only to system administration. The DMS includes a role-based security model with the ability to establish exceptions. Additionally, access can be limited to "read-only" at the user level. The DMS can send secure links to documents directly to team members, partners, suppliers, or customers. File security is maintained as only authorized users can retrieve the file by using the link. The DMS allows administrators to block users from emailing a document as an attachment from the DMS. The DMS records a detailed permanent audit log of all actions performed on a document including user and time stamp. These logs can be exported as reports as needed. User roles will be used to determine the individual user's ability to delete documents in the system. The DMS will provide a structured environment for documents. Documents accidentally deleted by users (with delete permissions) can be easily recovered from a "recycle bin". Interface The interface can be used with minimal mouse clicks and menu selection. The user will be able to trigger actions through contextual menus. The interface can be used with minimal mouse clicks and menu selection. The user will be able to trigger actions through contextual menus. The interface will provide help buttons to assist users with information relevant to what they are looking at onscreen. The system will provide the puttors to assist users with information relevant to what they are looking at onscreen. The system will provide help for the puttors of a size of the puttors of the puttors of a size of the puttors of the puttors to assist users with information relevant to what they are looking at onscreen. The puttor of the puttors of the puttors to assist users with information relevant to what they are	The DMS will provide the option of archiving documents that can be accessed as needed.		
The DMS allows navigational security, with multiple layers of user-definable security, to limital across at department, user, system, function, and document levels. The DMS has a role-based, granular security model where access can be given to users from a laced of read-only to system administration. The DMS includes a role-based security model with the ability to establish exceptions. Additionally, access can be limited to "read-only" at the user level. The DMS can send secure links to documents directly to team members, partners, suppliers, or customers. File security is maintained as only authorized users can retrieve the file by using the link. The DMS allows administrators to block users from emailing a document as an attachment from the DMS. The DMS records a detailed permanent audit log of all actions performed on a document including user and time stamp. These logs can be exported as reports as needed. User roles will be used to determine the individual user's ability to delete documents in the system. The DMS will provide a structured environment for documents. Documents accidentally deleted by users (with delete permissions) can be easily recovered from a "recycle bin". Interface The interface can be used with minimal mouse clicks and menu selection. The user will be able to trigger actions through contextual menus. The interface can be used with minimal mouse clicks and menu selection. The user will be able to trigger actions through contextual menus. The interface will provide help buttons to assist users with information relevant to what they are looking at onscreen. The system will provide the puttors to assist users with information relevant to what they are looking at onscreen. The system will provide help for the puttors of a size of the puttors of the puttors of a size of the puttors of the puttors to assist users with information relevant to what they are looking at onscreen. The puttor of the puttors of the puttors to assist users with information relevant to what they are	Document Security	l.	
limit access at department, user, system, function, and document levels. The DMS has a role based, granular security model where access can be given to users from a level of read-only to system administration. The DMS includes a role-based security model with the ability to establish exceptions. Additionally, access can be limited to "read-only" at the user level. The DMS can send secure links to documents directly to team members, partners, suppliers, or customers. File security in maintained as only authorized users can retrieve the file by using the link. The DMS can send secure links to documents directly to team members, partners, suppliers, or customers. File security in maintained as only authorized users can retrieve the file by using the link. The DMS allows administrators to block users from emailing a document as an attachment from the DMS. The DMS records a detailed permanent audit log of all actions performed on a document including user and time stamp. These logs can be exported as reports as needed. User roles will be used to determine the individual user's ability to delete documents in the system. The DMS will provide a structured environment for documents. The DMS will provide a structured environment for documents. Documents accidentally deleted by users (with delete permissions) can be easily recovered from a "recycle bin". Interface The interface must be easy to use and familiar to users of a Windows environment. The interface can be used with minimal mouse clicks and menu selection. The user will be able to trigger actions through contextual menus that can be activated through non-creen buttons, system menus, or right-click contextual menus. The interface will provide the puttons to assist users with information relevant to what they are looking at onscreen. The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS allows users to combine and aggregate files into their own personal "virtual" f			
a level of read-only to system administration. The DMS includes a role-based security model with the ability to establish exceptions. Additionally, access can be limited to "read-only" at the user level. The DMS can send secure links to documents directly to team members, partners, suppliers, or customers. File security is maintained as only authorized users can retrieve the file by using the link. The DMS allows administrators to block users from emailing a document as an attachment from the DMS. The DMS records a detailed permanent audit log of all actions performed on a document including user and time stamp. These logs can be exported as reports as needed. User roles will be used to determine the individual user's ability to delete documents in the system. The DMS will provide a structured environment for documents. Documents accidentally deleted by users (with delete permissions) can be easily recovered from a "recycle bin". Interface The interface must be easy to use and familiar to users of a Windows environment. The interface and be used with minimal mouse clicks and menu selection. The user will be able to trigger actions through contextual menus. that can be activated through on-screen buttons, system menus, or right-click contextual menus. The interface must be easy to use and familiar to users with information relevant to what they are looking at onscreen. The system will provide the user interface in English, French, or Spanish. The DMS growides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS allows users to combine and aggregate files into their own personal "virtual" folders. For example, a Project Manager might have a folder for project documentation, project legal contract documents, invoices, design documentation, and emails from their customer all in one "virtual" folders," can be shared with other users. The DMS allows users to combine and aggregate files into their own personal "virtual" folders, For	limit access at department, user, system, function, and document levels.		
The DMS includes a role-based security model with the ability to establish exceptions. Additionally, access can be limited to "read-only" at the user level. The DMS can send secure links to documents directly to team members, partners, suppliers, or customers. File security is maintained as only authorized users can retrieve the file by using the link. The DMS allows administrators to block users from emailing a document as an attachment from the DMS. The DMS records a detailed permanent audit log of all actions performed on a document including user and time stamp. These logs can be exported as reports as needed. User roles will be used to determine the individual user's ability to delete documents in the system. Documents accidentally deleted by users (with delete permissions) can be easily recovered from a "recycle bin": Interface The interface must be easy to use and familiar to users of a Windows environment. The user will be able to trigger actions through contextual menus. The interface can be used with minimal mouse clicks and menu selection. The user will be able to trigger actions through contextual menus. The interface will provide help buttons to assist users with information relevant to what they are looking at onscreen. The psystem will provide the user interface in English, French, or Spanish. The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, design documentation, and emails from their customer all in civil review of the propect documentation, project legal contract documents, invoices, design documentation, and emails from their customer all in civil review of the propect document	The DMS has a role-based, granular security model where access can be given to users from		
Additionally, access can be limited to "read-only" at the user level. The DMS can send secure links to documents directly to team members, partners, suppliers, or customers. File security is maintained as only authorized users can retrieve the file by using the link. The DMS allows administrators to block users from emailing a document as an attachment from the DMS. The DMS allows administrators to block users from emailing a document as an attachment from the DMS. The DMS records a detailed permanent audit log of all actions performed on a document including user and time stamp. These logs can be exported as reports as needed. User roles will be used to determine the individual user's ability to delete documents in the system. The DMS will provide a structured environment for documents. Documents accidentally deleted by users (with delete permissions) can be easily recovered from a "recycle bin". Interface The interface must be easy to use and familiar to users of a Windows environment. The interface must be easy to use and familiar to users of a Windows environment. The user will be able to trigger actions through contextual menus that can be activated through on-screen buttons, system menus, or right-click contextual menus. The interface must be user buttons to assist users with information relevant to what they are looking at onscreen. The system will provide help buttons to assist users with information relevant to what they are looking at onscreen. The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS alone of the user interface in English, French, or Spanish. The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS alone of the user interface in English, french, or Spanish. The DMS alone of th	a level of read-only to system administration.		
The DMS can send secure links to documents directly to team members, partners, suppliers, or customers. File security is maintained as only authorized users can retrieve the file by using the link. The DMS allows administrators to block users from emailing a document as an attachment from the DMS. The DMS records a detailed permanent audit log of all actions performed on a document including user and time stamp. These logs can be exported as reports as needed. User roles will be used to determine the inclividual user's ability to delete documents in the system. The DMS will provide a structured environment for documents. Documents accidentally deleted by users (with delete permissions) can be easily recovered from a "recycle bin". Interface The interface must be easy to use and familiar to users of a Windows environment. The interface can be used with minimal mouse clicks and menu selection. The user will be able to trigger actions through contextual menus. The interface will provide help buttons to assist users with information relevant to what they are looking at onscreen. The system will provide the user interface in English, French, or Spanish. The DMS provides the ability to personalize user preferences, views, alerts, workflow nonlification preferences, and folder colors. The DMS provides the ability to personalize user preferences, views, alerts, workflow nonlification preferences, and folder colors. The DMS provides the ability to personalize user preferences, views, alerts, workflow nonlification preferences, and folder colors. The DMS allows users to combine and aggregate files into their own personal "virtual" folders, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS allows users to combine and aggregate files into their own personal "virtual" folders, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS a	<u>'</u>		
or customers. File security is maintained as only authorized users can retrieve the file by using the link. The DMS allows administrators to block users from emailing a document as an attachment from the DMS. The DMS records a detailed permanent audit log of all actions performed on a document including user and time stamp. These logs can be exported as reports as needed. User roles will be used to determine the individual user's ability to delete documents in the system. The DMS will provide a structured environment for documents. Documents accidentally deleted by users (with delete permissions) can be easily recovered from a "recycle bin". Interface The interface must be easy to use and familiar to users of a Windows environment. The interface must be easy to use and familiar to users of a Windows environment. The interface can be used with minimal mouse clicks and menu selection. The user will be able to trigger actions through contextual menus. that can be activated through on-screen buttons, system menus, or right-click contextual menus. The interface will provide be the buttons to assist users with information relevant to what they are looking at onscreen. The system will provide the user interface in English, French, or Spanish. The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS almost users to combine and aggregate files into their own personal "virtual" folders. For example, a Project Manager might have a folder for project documentation, project legal contract documents, involces, design documentation, and emails from their customer all in one "virtual" folders, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS has document-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-	·		
using the link. The DMS allows administrators to block users from emailing a document as an attachment from the DMS. The DMS records a detailed permanent audit log of all actions performed on a document including user and time stamp. These logs can be exported as reports as needed. User roles will be used to determine the individual user's ability to delete documents in the system. Documents accidentally deleted by users (with delete permissions) can be easily recovered from a "recycle bin". Interface The interface must be easy to use and familiar to users of a Windows environment. The interface can be used with minimal mouse clicks and menu selection. The user will be able to trigger actions through contextual menus that can be activated through on-screen buttons, system menus, or right-click contextual menus. The interface will provide help buttons to assist users with information relevant to what they are looking at onscreen. The system will provide the user interface in English, French, or Spanish. The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS alms users to combine and aggregate files into their own personal "virtual" folders. For example, a Project Manager might have a folder for project documentation, project legal contract documents, invoices, design documentation, and emails from their customer all in one "virtual" folder, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS and contract document, invoices, design documentation, and emails from their customer all in one "virtual" folder, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS and create bookmarks to documents frequently accessed, such as a "My Favorite" list. The DMS and create bookmarks to documents frequently accessed, such as a "My Favorite" list.			
from the DMS. The DMS records a detailed permanent audit log of all actions performed on a document including user and time stamp. These logs can be exported as reports as needed. User roles will be used to determine the individual user's ability to delete documents in the system. Documents accidentally deleted by users (with delete permissions) can be easily recovered from a "recycle bin". Interface The interface must be easy to use and familiar to users of a Windows environment. The interface can be used with minimal mouse clicks and menu selection. The user will be able to trigger actions through contextual menus that can be activated through on-screen buttons, system menus, or right-click contextual menus. The interface will provide help buttons to assist users with information relevant to what they are looking at onscreen. The system will provide the user interface in English, French, or Spanish. The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS allows users to combine and aggregate files into their own personal "virtual" folders. For example, a Project Manager might have a folder for project documentation, project legal contract documents, invoices, design documentation, and emails from their customer all in one "virtual" folder, even though documents are stored in various locations throughout the library. These "virtual" folders" can be shared with other users. The DMS can create bookmarks to documents frequently accessed, such as a "My Favorite" list. The DMS has document-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-	using the link.		
The DMS records a detailed permanent audit log of all actions performed on a document including user and time stamp. These logs can be exported as reports as needed. User roles will be used to determine the individual user's ability to delete documents in the system. The DMS will provide a structured environment for documents. Documents accidentally deleted by users (with delete permissions) can be easily recovered from a "recycle bin". Interface The interface must be easy to use and familiar to users of a Windows environment. The interface can be used with minimal mouse clicks and menu selection. The user will be able to trigger actions through contextual menus that can be activated through on-screen buttons, system menus, or right-click contextual menus. The interface will provide help buttons to assist users with information relevant to what they are looking at onscreen. The System will provide the user interface in English, French, or Spanish. The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS allows users to combine and aggregate files into their own personal "virtual" folders. For example, a Project Manager might have a folder for project documentation, project legal contract documents, invoices, design documentation, and emails from their customer all in one "virtual" folder, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS and comment-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-	The DMS allows administrators to block users from emailing a document as an attachment		
including user and time stamp. These logs can be exported as reports as needed. User roles will be used to determine the individual user's ability to delete documents in the system. The DMS will provide a structured environment for documents. Documents accidentally deleted by users (with delete permissions) can be easily recovered from a "recycle bin". Interface The interface must be easy to use and familiar to users of a Windows environment. The interface can be used with minimal mouse clicks and menu selection. The user will be able to trigger actions through contextual menus that can be activated through on-screen buttons, system menus, or right-click contextual menus. The interface will provide help buttons to assist users with information relevant to what they are looking at onscreen. The post provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS allows users to combine and aggregate files into their own personal "virtual" folders. For example, a Project Manager might have a folder for project documentation, project legal contract documents, invoices, design documentation, and emails from their customer all in one "virtual" folder, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS has document-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-	from the DMS.		
User roles will be used to determine the individual user's ability to delete documents in the system. The DMS will provide a structured environment for documents. Documents accidentally deleted by users (with delete permissions) can be easily recovered from a "recycle bin". Interface The interface must be easy to use and familiar to users of a Windows environment. The interface can be used with minimal mouse clicks and menu selection. The user will be able to trigger actions through contextual menus that can be activated through on-screen buttons, system menus, or right-click contextual menus. The interface will provide help buttons to assist users with information relevant to what they are looking at onscreen. The system will provide the user interface in English, French, or Spanish. The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS allows users to combine and aggregate files into their own personal "virtual" folders. For example, a Project Manager might have a folder for project documentation, project legal contract documents, invoices, design documentation, and emails from their customer all in one "virtual" folder, even though documents are stored in various locations throughout the library. These "virtual" folders" can be shared with other users. The DMS can create bookmarks to document frequently accessed, such as a "My Favorite" list. The DMS has document-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-			
System. The DMS will provide a structured environment for documents. Documents accidentally deleted by users (with delete permissions) can be easily recovered from a "recycle bin". Interface The interface must be easy to use and familiar to users of a Windows environment. The interface can be used with minimal mouse clicks and menu selection. The user will be able to trigger actions through contextual menus that can be activated through on-screen buttons, system menus, or right-click contextual menus. The interface will provide help buttons to assist users with information relevant to what they are looking at onscreen. The System will provide the user interface in English, French, or Spanish. The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS allows users to combine and aggregate files into their own personal "virtual" folders, for example, a Project Manager might have a folder for project documentation, project legal contract documents, invoices, design documentation, and emails from their customer all in one "virtual" folder, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS can create bookmarks to documents frequently accessed, such as a "My Favorite" list. The DMS and covered the comments invoices, design documents are stored in various locations throughout the library. These "virtual" folders" can be shared with other users. The DMS can create bookmarks to documents frequently accessed, such as a "My Favorite" list. The DMS and comment-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-			
The DMS will provide a structured environment for documents. Documents accidentally deleted by users (with delete permissions) can be easily recovered from a "recycle bin". Interface The interface must be easy to use and familiar to users of a Windows environment. The interface can be used with minimal mouse clicks and menu selection. The user will be able to trigger actions through contextual menus that can be activated through on-screen buttons, system menus, or right-click contextual menus. The interface will provide help buttons to assist users with information relevant to what they are looking at onscreen. The system will provide the user interface in English, French, or Spanish. The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS allows users to combine and aggregate files into their own personal "virtual" folders. For example, a Project Manager might have a folder for project documentation, project legal contract documents, invoices, design documentation, and emails from their customer all in one "virtual" folder, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS can create bookmarks to documents frequently accessed, such as a "My Favorite" list. The DMS has document-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-	·		
Interface The interface must be easy to use and familiar to users of a Windows environment. The interface can be used with minimal mouse clicks and menu selection. The user will be able to trigger actions through contextual menus that can be activated through on-screen buttons, system menus, or right-click contextual menus. The interface will provide help buttons to assist users with information relevant to what they are looking at onscreen. The system will provide the user interface in English, French, or Spanish. The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS allows users to combine and aggregate files into their own personal "virtual" folders. For example, a Project Manager might have a folder for project documentation, project legal contract documents, invoices, design documentation, and emails from their customer all in one "virtual" folder, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS can create bookmarks to documents frequently accessed, such as a "My Favorite" list. The DMS has document-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-	The DMS will provide a structured environment for documents.		
Interface The interface must be easy to use and familiar to users of a Windows environment. The interface can be used with minimal mouse clicks and menu selection. The user will be able to trigger actions through contextual menus that can be activated through on-screen buttons, system menus, or right-click contextual menus. The interface will provide help buttons to assist users with information relevant to what they are looking at onscreen. The system will provide the user interface in English, French, or Spanish. The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS allows users to combine and aggregate files into their own personal "virtual" folders. For example, a Project Manager might have a folder for project documentation, project legal contract documents, invoices, design documentation, and emails from their customer all in one "virtual" folder, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS can create bookmarks to documents frequently accessed, such as a "My Favorite" list. The DMS has document-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-	Documents accidentally deleted by users (with delete permissions) can be easily recovered		
The interface must be easy to use and familiar to users of a Windows environment. The interface can be used with minimal mouse clicks and menu selection. The user will be able to trigger actions through contextual menus that can be activated through on-screen buttons, system menus, or right-click contextual menus. The interface will provide help buttons to assist users with information relevant to what they are looking at onscreen. The system will provide the user interface in English, French, or Spanish. The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS allows users to combine and aggregate files into their own personal "virtual" folders. For example, a Project Manager might have a folder for project documentation, project legal contract documents, invoices, design documentation, and emails from their customer all in one "virtual" folder, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS can create bookmarks to documents frequently accessed, such as a "My Favorite" list. The DMS has document-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-	from a "recycle bin".		
The interface can be used with minimal mouse clicks and menu selection. The user will be able to trigger actions through contextual menus that can be activated through on-screen buttons, system menus, or right-click contextual menus. The interface will provide help buttons to assist users with information relevant to what they are looking at onscreen. The system will provide the user interface in English, French, or Spanish. The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS allows users to combine and aggregate files into their own personal "virtual" folders. For example, a Project Manager might have a folder for project documentation, project legal contract documents, invoices, design documentation, and emails from their customer all in one "virtual" folder, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS can create bookmarks to documents frequently accessed, such as a "My Favorite" list. The DMS has document-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-	Interface		
The user will be able to trigger actions through contextual menus that can be activated through on-screen buttons, system menus, or right-click contextual menus. The interface will provide help buttons to assist users with information relevant to what they are looking at onscreen. The system will provide the user interface in English, French, or Spanish. The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS allows users to combine and aggregate files into their own personal "virtual" folders. For example, a Project Manager might have a folder for project documentation, project legal contract documents, invoices, design documentation, and emails from their customer all in one "virtual" folder, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS can create bookmarks to documents frequently accessed, such as a "My Favorite" list. The DMS has document-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-	The interface must be easy to use and familiar to users of a Windows environment.		
through on-screen buttons, system menus, or right-click contextual menus. The interface will provide help buttons to assist users with information relevant to what they are looking at onscreen. The system will provide the user interface in English, French, or Spanish. The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS allows users to combine and aggregate files into their own personal "virtual" folders. For example, a Project Manager might have a folder for project documentation, project legal contract documents, invoices, design documentation, and emails from their customer all in one "virtual" folder, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS can create bookmarks to documents frequently accessed, such as a "My Favorite" list. The DMS has document-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-	The interface can be used with minimal mouse clicks and menu selection.		
through on-screen buttons, system menus, or right-click contextual menus. The interface will provide help buttons to assist users with information relevant to what they are looking at onscreen. The system will provide the user interface in English, French, or Spanish. The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS allows users to combine and aggregate files into their own personal "virtual" folders. For example, a Project Manager might have a folder for project documentation, project legal contract documents, invoices, design documentation, and emails from their customer all in one "virtual" folder, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS can create bookmarks to documents frequently accessed, such as a "My Favorite" list. The DMS has document-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-	The user will be able to trigger actions through contextual menus that can be activated		
The interface will provide help buttons to assist users with information relevant to what they are looking at onscreen. The system will provide the user interface in English, French, or Spanish. The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS allows users to combine and aggregate files into their own personal "virtual" folders. For example, a Project Manager might have a folder for project documentation, project legal contract documents, invoices, design documentation, and emails from their customer all in one "virtual" folder, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS can create bookmarks to documents frequently accessed, such as a "My Favorite" list. The DMS has document-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-	1		
The DMS provides the user interface in English, French, or Spanish. The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS allows users to combine and aggregate files into their own personal "virtual" folders. For example, a Project Manager might have a folder for project documentation, project legal contract documents, invoices, design documentation, and emails from their customer all in one "virtual" folder, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS can create bookmarks to documents frequently accessed, such as a "My Favorite" list. The DMS has document-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-	The interface will provide help buttons to assist users with information relevant to what		
The DMS provides the ability to personalize user preferences, views, alerts, workflow notification preferences, and folder colors. The DMS allows users to combine and aggregate files into their own personal "virtual" folders. For example, a Project Manager might have a folder for project documentation, project legal contract documents, invoices, design documentation, and emails from their customer all in one "virtual" folder, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS can create bookmarks to documents frequently accessed, such as a "My Favorite" list. The DMS has document-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-	they are looking at onscreen.		
notification preferences, and folder colors. The DMS allows users to combine and aggregate files into their own personal "virtual" folders. For example, a Project Manager might have a folder for project documentation, project legal contract documents, invoices, design documentation, and emails from their customer all in one "virtual" folder, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS can create bookmarks to documents frequently accessed, such as a "My Favorite" list. The DMS has document-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-	The system will provide the user interface in English, French, or Spanish.		
The DMS allows users to combine and aggregate files into their own personal "virtual" folders. For example, a Project Manager might have a folder for project documentation, project legal contract documents, invoices, design documentation, and emails from their customer all in one "virtual" folder, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS can create bookmarks to documents frequently accessed, such as a "My Favorite" list. The DMS has document-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-	The DMS provides the ability to personalize user preferences, views, alerts, workflow		
folders. For example, a Project Manager might have a folder for project documentation, project legal contract documents, invoices, design documentation, and emails from their customer all in one "virtual" folder, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS can create bookmarks to documents frequently accessed, such as a "My Favorite" list. The DMS has document-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-			
project legal contract documents, invoices, design documentation, and emails from their customer all in one "virtual" folder, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS can create bookmarks to documents frequently accessed, such as a "My Favorite" list. The DMS has document-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-			
customer all in one "virtual" folder, even though documents are stored in various locations throughout the library. These "virtual folders" can be shared with other users. The DMS can create bookmarks to documents frequently accessed, such as a "My Favorite" list. The DMS has document-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-			
throughout the library. These "virtual folders" can be shared with other users. The DMS can create bookmarks to documents frequently accessed, such as a "My Favorite" list. The DMS has document-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-			
The DMS can create bookmarks to documents frequently accessed, such as a "My Favorite" list. The DMS has document-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-	throughout the library. These "virtual folders" can be shared with other users.		
The DMS has document-to-document linking to allow users to bundle files into logical groups and integrated viewing capability to display all linked files screen. Users can point-	The DMS can create bookmarks to documents frequently accessed, such as a "My Favorite"		
groups and integrated viewing capability to display all linked files screen. Users can point-	list.		
and ones on the ninear file to decess to the record sets	and-click on the linked file to access to the record set.		

Searching The DMS offers web-based, mobile-based, and destratory clients for document searching. The DMS search capability can search the metadata associated with the document as well as the content of the document. The DMS search capability can be configured to only search document metadata and exclude document content. The DMS search capability can be configured to only search document metadata and exclude document content. The DMS search capability can be recorded to the products. The DMS search capability can be recorded to the products of the DMS search capability can be recribed to a specific erace of the library (e.g., cabinet or docked). The DMS search capability can be recribed to a specific erace of the library (e.g., cabinet or docked). The DMS search capabilities usupport fuzzy, synonym, phonic, Boolean, wild card, photomatic and producing searches. The DMS search capability must index document file properties, including the date added to the splech, document owner, size, format, and file type. The DMS search possibility must index document file properties, including the date added to the splech, document owner, size, format, and file type. The DMS can search search results and import them into an analysis tool, such as indicated to be splech, document owner, size, format, and file type. The DMS can search sea	Document Management Software (DMS) Requirements	Standard	Optional	Comments
The DMS offers web based, mobile-based, and desktop clients for document searching. The DMS search capability can search the metadata associated with the document as well as the content of the document. The DMS search capability can be configured to only search document metadata and exclude document content. The DMS search capability can be configured to only search document metadata and exclude document content. The DMS search capability can index and search the content from several file types with the document several f		0.00	ориона.	
The DMS search capability can be configured to only search document as well as the content of the document. The DMS search capability can be configured to only search document metadata and exclude document content. The DMS search capability can be configured to only search document metadata and exclude document content. The DMS search capability can be configured to only search document metadata and exclude document content. The DMS search capability can be restricted to a specific area of the library (e.g. cabinet or lobder). The DMS search capability can be restricted to a specific area of the library (e.g. cabinet or lobder). The DMS search capability must indice document file properties, including the date added to the system, document owner, size, format, and file type. The DMS search capability must indice document file properties, including the date added to the system, document owner, size, format, and file type. The DMS can capability must indice document file properties, including the date added to the system, document owner, size, format, and file type. The DMS can save searches for and find (retrieve) find documents they are authorized to access. The DMS can save searches for re-use. These searches can be made public for use by only the user. Saved Searches allow the user to brandage one or more search criteria as needed to make the saved search a search template. The DMS must be able to search the library from third-party software by use of a shortcut key. To retart fields, the retrieval software should permit index searches based on exact or partial matches of specified field values. To retart fields, the retrieval software should permit index searches based on ranges of field values specified by the following relational expressions: equals, does not equal, greater than less than greater than no equal to, best shan or equal to, between, at least, and no older than. All the DMS can take than greater than or equal to, best shan or equal to, between, at least, and no older than. All t				
as the content of the document. The DMS search appability can be configured to only search document metadata and exclude document content. The DMS search appability can index and search the content from several file types with text layers, including PDF. 2IP, and Microsoft Office products. The DMS search capability can be restricted to a specific area of the library (e.g. cabinet or folder). The Full-text search capabilities support fuzzy, ynonym, phonic, Boolean, wild card, phrase, and proximity searches. The Full-text search capabilities support fuzzy, ynonym, phonic, Boolean, wild card, phrase, and proximity searches. The DMS search capability must index document file properties, including the data added to the system, document owner, size, format, and file type. The DMS cancer capability must index document file properties, including the data added to the system, document owner, size, format, and file type. The DMS cancer capability must index document they may be an analysis tool, such as Microsoft Excel. Users can only search for and find (retrieve) find documents they are authorized to access. The DMS can searches of the capability of the user. Swed Searches allow the user to change one or more search criteria as needed to make the seased search as beard the public of ruse by others or private for use by only the user. Swed Searches allow the user to change one or more search criteria as needed to make the seased search as based on the search the public with the search the public of the search search the public of the search search search the public of the search sea				
The DMS search capability can be configured to analy search document metadata and exclude document content. The DMS search capability can index and search the content from several file types with tect layers, including PDF. 21, and Microsoft Office products. The DMS search capability can be restricted to a specific area of the library (e.g. cabinet or folder). The full-text search capability can be restricted to a specific area of the library (e.g. cabinet or folder). The full-text search capability such search	1			
exclude document content. The DMS search capability can index and search the content from several file types with text layers, including PDF, 2IP, and Microsoft Office products. The DMS search capability can be restricted to a specific area of the library (e.g., cabinet or folder). The Low of the common search capability can be restricted to a specific area of the library (e.g., cabinet or folder). The Low of the common search capability searches. The DMS search capability must index document file properties, including the date added to the system, document owner, size, format, and file type. The DMS can export search results and import them into an analysis tool, such as Microsoft Excle. Libers can only search for and find (retrieve) find documents they are authorized to access. The DMS can save searches for re-use. These searches can be made public for use by others or private for use by only the user. Saved Searches allow the user to change one or more search criteria as needed to make the saved search as earch template. The DMS must be able to search the library from third-party software by use of a shortcut key. For tour fields, the retrieval software should permit index searches based on ranges of field values. For numeric fields, the retrieval software should permit index searches based on ranges of field values specified by the following relational expressions: equals, does not equal, greated train, less than greater than than greate				
The DMS search capability can index and search the content from several file types with test layers, including PPL ZPL, and Microsoft Office products. The DMS search capability can be restricted to a specific area of the library (e.g., cabinet or loblety). The DMS search capability can be restricted to a specific area of the library (e.g., cabinet or loblety). The DMS search capability must index document file properties, including the date added to the system, document owner, size, format, and file type. The DMS can capability must index document file properties, including the date added to the system, document owner, size, format, and file type. The DMS can sport search results and import them into an analysis tool, such as Microsoft Exel. Users can only search for and find (retrieve) find documents they are authorized to access. The DMS can save searches for re-use. These searches can be made public for use by others or private for use by only the user. Seaved Searches allow the user to change one or more search criteria as needed to make the saved search a search template. The DMS must be able to search the library from third-party software by use of a shortcut key. For text fields, the retrieval software should permit index searches based on exact or partial matches of specified filed values. For numeric fields, the retrieval software should permit index searches based on ranges of filed values permit filed values. For numeric fields, the retrieval software should permit index searches based on exact or partial matches of specified filed values. For the filed value specified by the following relational expressions: equals, does not equal, greater than, less than, greater than or equal to, less than or equal to, between, at least, and no older than, less than, greater than or equal to, less than or equal to, between, at least, and no older than. Ability to retrieve documents by document title, classification, type, address, customer name, number, or any other user-officient idex value. The DM				
test layers, including PDE, 2P, and Microsoft Office products. The DMS search capability can be restricted to a specific area of the library (e.g. cabinet or folder). In full-test search capability must index document file properties, including the date added to the system, document owner, size, format, and file type. The DMS search capability must index document file properties, including the date added to the system, document owner, size, format, and file type. The DMS can export search results and import them into an analysis tool, such as some construction of the system, document owner, size, format, and file type. Users can only search for and find (retrieve) find documents they are authorized to access. The DMS can save searches for re-use. These searches can be made public for use by others or private for use by only the user. Saved Searches allow the user to change one or more search criteria as needed to make the saved search as search template. The DMS must be able to search the library from third-party software by use of a shortcut key. For text fleids, the retrieval software should permit index searches based on exact or partial matches of specified field values. For numeric fields, the retrieval software should permit index searches based on ranges of field values specified by the following relational expressions; equals, does not equal, like sixth and requal to, like short or equal to, like short ore				
The DMS search capability can be restricted to a specific area of the library (e.g. cabinet or folder). The full test search capabilities support fuzzy, synonym, phonic, Boolean, wild card, phrase, and proximity searches. The DMS search capability must index document file properties, including the date added to the system, document owner, size, format, and file type. The DMS can sport search results and import them into an analysis tool, such as Microsoft Excel. Users can only search for and find (retrieve) find documents they are authorized to access. The DMS can sport search results and import them into an analysis tool, such as Microsoft Excel. Users can only search for and find (retrieve) find documents they are authorized to access. The DMS can save searches for re-use. These searches can be made public for use by others or private for use by only the user. Saved Searches allow the user to change one or more search criteria as needed to make the saved search a search template. The DMS must be able to search the library from third-party software by use of a shortcut key. For text fields, the retrieval software should permit index searches based on exact or partial matches of specified field values. For numeric fields, the retrieval software should permit index searches based on anages of field values permit index searches based on ranges of field values permit index searches based on search or agratial matches of specified by the following relational expressions: equals, does not equal, greater than, less than, greater than or equal to, less than or equal to, between, at least, and no older than. Ability to retrieve documents by document title, classification, type, address, customer name, number, or any other user defined index value. The DMS should allow a user to search for documents using terms from a controlled vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents and accessed directly in the search interface. The D				
The DMS search capabilities support fuzzy, synonym, phonic, Boolean, wild card, phrase, and proximity searches. The DMS search capability must index document file properties, including the date added to the system, document owner, size, format, and file type. The DMS can export search results and import them into an analysis tool, such as Microsoft Excel. Users can only search for and find (retrieve) find documents they are authorized to access. The DMS can save searches for re-use. These searches can be made public for use by others or private for use by only the user. Saved Searches allow the user to change one or more search criteria as needed to make the saved Search a search template. The DMS must be able to search the library from third-party software by use of a shortcut key. For text fields, the retrieval software should permit index searches based on exact or partal matches of specified field values. For text fields, the retrieval software should permit index searches based on ranges of field values specified by the following relational expressions: equals, does not equal, greater than, less than, greater than or equal to, less than or equal to, between, at least, and no older than. Ability to retrieve documents by document title, classification, type, address, customer name, number, or any other user-defined index value. The DMS should allow a user to search for documents using terms from a controlled vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can indightly search results in the viewer from the document text. The DMS can recognize PDF and TiF documents without a text layer and apply an optical character recognition (DCR) filter to them so that they are fully searchable. Ability to retrieve documents wish of the time of the part of the part of the search was of the body. The DMS can recognize PDF and TiF documents without a text layer and apply an				
The full-text search capabilities support fuzzy, synonym, phonic, Boolean, wild card, phrase, and proximity searches. The DMS search capability must index document file properties, including the date added to the system, document owner, size, format, and file type. The DMS can export search results and import them into an analysis tool, such as Microsoft Excel. Users can only search for and find (retrieve) find documents they are authorized to access. The DMS can save searches for re-use. These searches can be made public for use by the save searches allow the user to change one or more search criteria as needed to make the saved search as earch template. The DMS must be able to search the library from third-party software by use of a shortcut key. For text fields, the retrieval software should permit index searches based on exact or partial matches of specified field values. For numeric fields, the retrieval software should permit index searches based on ranges of field values specified by the following relational expressions: equals, does not equal, greater than, less than, greater than or equal to, between, at leest, and no older than. Ability to retrieve documents by document title, classification, type, address, customer name, number, or any other user-defined index value. The DMS should allow a user to search for documents using terms from a controlled wocabulary in the document medatata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed ongine PDF and Tife documents within a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. While using the search users should be able to perform the document text. The DMS can legality problems the search engine. The DMS can separthe form the full-text search engine and send notifications to administrators if there are any issues.				
phrase, and proximity searches. The DMS can capability must index document file properties, including the date added to the system, document owner, size, format, and file type. The DMS can export search results and import them into an analysis tool, such as Microsoft tacked. Users can only search for and find (retrieve) find documents they are authorized to access. Users can only search for and find (retrieve) find documents they are authorized to access. The DMS can save searches for re-use. These searches can be made public for use by others or private for use by only the user. Saved Searches allow the user to change one or more search criteria as needed to make the saved search a search template. The DMS must be able to search the library from third-party software by use of a shortcut key. To text fields, the retrieval software should permit index searches based on exact or partail matches of specified field values. For text fields, the retrieval software should permit index searches based on ranges of field values specified by the following relational expressions: equals, does not equal, greater than, less than, greater than or equal to, less than or equal to, between, at least, and no older than. Ability to retrieve documents by document title, classification, type, address, customer name, number, or any other user-defined index value. The DMS should allow a user to search for documents using terms from a controlled vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can highlight search results in the viewer from the document text. The DMS can picklight search results in the viewer from the document text. The DMS can picklight search results in the wiewer from the document text of the document surface recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously	,			
The DMS search capability must index document file properties, including the date added to the system, document owner, size, format, and file type. The DMS can export search results and import them into an analysis tool, such as Microsoft bacel. Users can only search for and find (retrieve) find documents they are authorized to access. The DMS can save searches for re-use. These searches can be made public for use by others or private for use by only the user. Saved Searches allow the user to change one or more search criteria as needed to make the saved search a search template. The DMS must be able to search the library from third-party software by use of a shortcut key. For text fields, the retrieval software should permit index searches based on exact or partial marches of specified field values. For numeric fields, the retrieval software should permit index searches based on ranges of field values specified by the following relational expressions: equals, does not equal, greater than, less than, greater than or equal to, less than or equal to, between, at least, and no older than. Ability to retrieve documents by document title, classification, type, address, customer name, number, or any other user-defined index value. The DMS sould allow a user to search for documents using terms from a controlled vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can highlight search results in the viewer from the document text. The DMS can highlight search results in the viewer from the document text. The DMS can bighlight search results in the viewer from the document was an adaptive document was an adaptive document from a controlled vocabulary in the document metadata. The DMS can bighlight search results in the viewer from the document was an adaptive document was an adaptive document from search results. The DMS can bighlight search results in the viewer from the docu				
to the system, document owner, size, format, and file type. The DMS can export search results and import them into an analysis tool, such as Microsoft Excel. Users can only search for and find (retrieve) find documents they are authorized to access. The DMS can save searches for re-use. These searches can be made public for use by others or private for use by only the user. Saved Searches allow the user to change one or more search criteria as needed to make the saved search a search template. The DMS must be able to search the library from third-party software by use of a shortcut key. For text fields, the retrieval software should permit index searches based on exact or partial matches of specified field values. For numeric fields, the retrieval software should permit index searches based on ranges of field values specified by the following relational expressions: equals, does not equal, greater than, less than, greater than or equal to, less than or equal to, less than or equal to, between, at least, and no older than. Ability to retrieve documents by document title, classification, type, address, customer name, number, or any other user-defined index value. The DMS should allow a user to search for documents using terms from a controlled wocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can highlight search results in the viewer from the document text. The DMS can highlight search results in the viewer from the document text. The DMS can legal thing search interface. The DMS can legal thing metadata, linking to other documents, or checking document menagement tasks, such as editing metadata, linking to other documents, or checking document management tasks, such as editing metadata, linking to other documents, or checking document sout, which can be performed in the other areas of the DMS. The DMS can report on the full-text search engine and send notification				
The DMS can export search results and import them into an analysis tool, such as Microsoft Excel. Users can only search for and find (retrieve) find documents they are authorized to access. The DMS can save searches for re-use. These searches can be made public for use by others or private for use by only the user. Saved Searches allow the user to change one or more search criteria as needed to make the saved search a search template. The DMS must be able to search the library from third-party software by use of a shortcut key. For text fields, the retrieval software should permit index searches based on exact or partial matches of specified field values. For numeric fields, the retrieval software should permit index searches based on ranges of field values specified by the following relational expressions: equals, does not equal, greater than, less than, greater than or equal to, less than or equal to, between, at least, and no older than. Mibility to retrieve documents by document title, classification, type, address, customer name, number, or any other user-defined index value. The DMS should allow a user to search for documents using terms from a controlled vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can highlight search results in the viewer from the document text. The DMS can highlight search results in the viewer from the document text. The DMS can leggiate DPF and TIFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The DMS can regord on the full-text search engine. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues.				
Microsoft Excel. Users can only search for and find (retrieve) find documents they are authorized to access. The DMS can save searches for re-use. These searches can be made public for use by others or private for use by only the user. Saved Searches allow the user to change one or more search criteria as needed to make the saved search as search template. The DMS must be able to search the library from third-party software by use of a shortcut key. Tor text fields, the retrieval software should permit index searches based on exact or partial matches of specified field values. For numeric fields, the retrieval software should permit index searches based on ranges of field values specified by the following relational expressions: equals, does not equal, greater than, less than, greater than or equal to, less than or equal to, between, at least, and no older than. Ability to retrieve documents by document title, classification, type, address, customer name, number, or any other user-defined index value. The DMS should allow a user to search for documents using terms from a controlled vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can injellight search results in the viewer from the document text. The DMS can recognize PDF and TIFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can report on the full-text search engine and send noti				
Users can only search for and find (retrieve) find documents they are authorized to access. The DMS can save searches for re-use. These searches can be made public for use by others or private for use by only the user. Saved Searchs allow the user to change one or more search criteria as needed to make the saved search a search template. The DMS must be able to search the library from third-party software by use of a shortcut key. For text fields, the retrieval software should permit index searches based on exact or partial matches of specified field values. For numeric fields, the retrieval software should permit index searches based on ranges of field values specified by the following relational expressions: equals, does not equal, greater than, less than, greater than or equal to, less than or equal to, between, at least, and no older than. Ability to retrieve documents by document title, classification, type, address, customer name, number, or any other user-defined index value. The DMS should allow a user to search for documents using terms from a controlled vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can recognize PDF and TIFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can report on the full-text search engine and send notifications to administrators if the DMS can report on the full-text search engine and search users	<u> </u>			
the DMS can save searches for re-use. These searches can be made public for use by others or private for use by only the user. Saved Searches allow the user to change one or more search criteria as needed to make the saved search as search template. The DMS must be able to search the library from third-party software by use of a shortcut key. For text fields, the retrieval software should permit index searches based on exact or partial matches of specified field values. For numeric fields, the retrieval software should permit index searches based on ranges of field values specified by the following relational expressions: equals, does not equal, greater than, less than, greater than or equal to, less than or equal to, between, at least, and no older than. Ability to retrieve documents by document title, classification, type, address, customer name, number, or any other user-defined index value. The DMS should allow a user to search for documents using terms from a controlled vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can highlight search results in the viewer from the document text. The DMS can provide office of the search interface. The DMS can recognize PDF and TIFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues.				
others or private for use by only the user. Saved Searches allow the user to change one or more search criteria as needed to make the saved search as earch template. The DMS must be able to search the library from third-party software by use of a shortcut key. For text fields, the retrieval software should permit index searches based on exact or partial matches of specified field values. For numeric fields, the retrieval software should permit index searches based on ranges of field values specified by the following relational expressions: equals, does not equal, greater than, less than, greater than or equal to, less than or equal to, between, at least, and no older than. Ability to retrieve documents by document title, classification, type, address, customer name, number, or any other user-defined index value. The DMS should allow a user to search for documents using terms from a controlled vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can highlight search results in the viewer from the document text. The DMS can preognize PDF and TIFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. The DMS can earch interface to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. The DMS can configure the search engine and send notifications to administrators if there are any issues. The DMS can configure the search engine and send notifications to administra	Josens can only search for and find frecheve) find documents they are authorized to access.			
others or private for use by only the user. Saved Searches allow the user to change one or more search criteria as needed to make the saved search as earch template. The DMS must be able to search the library from third-party software by use of a shortcut key. For text fields, the retrieval software should permit index searches based on exact or partial matches of specified field values. For numeric fields, the retrieval software should permit index searches based on ranges of field values specified by the following relational expressions: equals, does not equal, greater than, less than, greater than or equal to, less than or equal to, between, at least, and no older than. Ability to retrieve documents by document title, classification, type, address, customer name, number, or any other user-defined index value. The DMS should allow a user to search for documents using terms from a controlled vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can highlight search results in the viewer from the document text. The DMS can preognize PDF and TIFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. The DMS can earch interface to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. The DMS can configure the search engine and send notifications to administrators if there are any issues. The DMS can configure the search engine and send notifications to administra	The DMS can cave coarches for relies. These coarches can be read a right for the			
Saved Searches allow the user to change one or more search criteria as needed to make the saved search a search template. The DMS must be able to search the library from third-party software by use of a shortcut key. For text fields, the retrieval software should permit index searches based on exact or partial matches of specified field values. For numeric fields, the retrieval software should permit index searches based on ranges of field values specified by the following relational expressions: equals, does not equal, greater than, less than, greater than or equal to, less than or equal to, between, at least, and no older than. Ability to retrieve documents by document title, classification, type, address, customer name, number, or any other user-defined index value. The DMS should allow a user to search for documents using terms from a controlled vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can highlight search results in the viewer from the document text. The DMS can recognize PDF and TIFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues.				
the saved search a search template. The DMS must be able to search the library from third-party software by use of a shortcut key. For text fields, the retrieval software should permit index searches based on exact or partial matches of specified field values. For numeric fields, the retrieval software should permit index searches based on ranges of field values specified by the following relational expressions: equals, does not equal, greater than, less than, greater than or equal to, less than or equal to, between, at least, and no older than. Ability to retrieve documents by document title, classification, type, address, customer name, number, or any other user-defined index value. The DMS should allow a user to search for documents using terms from a controlled vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can highlight search results in the viewer from the document text. The DMS can recognize PDF and TFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can configure the search engine. The DMS can long all searches conducted in the system.				
The DMS must be able to search the library from third-party software by use of a shortcut key. For text fields, the retrieval software should permit index searches based on exact or partial matches of specified full values. For numeric fields, the retrieval software should permit index searches based on ranges of field values specified by the following relational expressions: equals, does not equal, greater than, less than, greater than or equal to, less than or equal to, between, at least, and no older than. Ability to retrieve documents by document title, classification, type, address, customer name, number, or any other user-defined index value. The DMS should allow a user to search for documents using terms from a controlled vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can lipslight search results in the viewer from the document text. The DMS can recognize PDF and TIFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues.				
key. For text fields, the retrieval software should permit index searches based on exact or partial matches of specified field values. For numeric fields, the retrieval software should permit index searches based on ranges of field values specified by the following relational expressions: equals, does not equal, greater than, less than, greater than or equal to, less than or equal to, less than or equal to, less than or equal to, between, at least, and no older than. Ability to retrieve documents by document title, classification, type, address, customer name, number, or any other user-defined index value. The DMS should allow a user to search for documents using terms from a controlled vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can highlight search results in the viewer from the document text. The DMS can recognize PDF and TIFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can report on the full-text search engine and send notifications to administrators (if there are any issues. The DMS can report on the full-text search engine and send notifications to administrators (if there are any issues.	,			
For text fields, the retrieval software should permit index searches based on exact or partial matches of specified field values. For numeric fields, the retrieval software should permit index searches based on ranges of field values specified by the following relational expressions: equals, does not equal, greater than, less than, greater than or equal to, less than or equal to, between, at least, and no older than. Ability to retrieve documents by document title, classification, type, address, customer name, number, or any other user-defined index value. The DMS should allow a user to search for documents using terms from a controlled vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can highlight search results in the viewer from the document text. The DMS can recognize PDF and TIFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues.	l .			
partial matches of specified field values. For numeric fields, the retrieval software should permit index searches based on ranges of field values specified by the following relational expressions: equals, does not equal, greater than, less than, greater than or equal to, less than or equal to, between, at least, and no older than. Ability to retrieve documents by document title, classification, type, address, customer name, number, or any other user-defined index value. The DMS should allow a user to search for documents using terms from a controlled vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can highlight search results in the viewer from the document text. The DMS can recognize PDF and TIFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can report on the search engine and send notifications to administrators if there are any issues. The DMS can log all searches conducted in the system.	·			
For numeric fields, the retrieval software should permit index searches based on ranges of field values specified by the following relational expressions: equals, does not equal, greater than, less than, greater than or equal to, less than or equal to, between, at least, and no older than. Ability to retrieve documents by document title, classification, type, address, customer name, number, or any other user-defined index value. The DMS should allow a user to search for documents using terms from a controlled vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can highlight search results in the viewer from the document text. The DMS can recognize PDF and TIFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can search directly in the Microsoft SQL database. The DMS can search directly in the Microsoft SQL database. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can configure the search engine and send notifications to administrators if there are any issues.				
field values specified by the following relational expressions: equals, does not equal, greater than, less than greater than or equal to, less than or equal to, between, at least, and no older than. Ability to retrieve documents by document title, classification, type, address, customer name, number, or any other user-defined index value. The DMS should allow a user to search for documents using terms from a controlled vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can recognize PDF and TIFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can search directly in the Microsoft SQL database. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can log all searches conducted in the system.				
greater than, less than, greater than or equal to, less than or equal to, between, at least, and no older than. Ability to retrieve documents by document title, classification, type, address, customer name, number, or any other user-defined index value. The DMS should allow a user to search for documents using terms from a controlled vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can highlight search results in the viewer from the document text. The DMS can recognize PDF and TIFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can search directly in the Microsoft SQL database. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can log all searches conducted in the system.				
Ability to retrieve documents by document title, classification, type, address, customer name, number, or any other user-defined index value. The DMS should allow a user to search for documents using terms from a controlled vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can highlight search results in the viewer from the document text. The DMS can recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can search directly in the Microsoft SQL database. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can log all searches conducted in the system.				
Ability to retrieve documents by document title, classification, type, address, customer name, number, or any other user-defined index value. The DMS should allow a user to search for documents using terms from a controlled vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can highlight search results in the viewer from the document text. The DMS can recognize PDF and TIFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can search directly in the Microsoft SQL database. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can log all searches conducted in the system.				
name, number, or any other user-defined index value. The DMS should allow a user to search for documents using terms from a controlled vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can highlight search results in the viewer from the document text. The DMS can recognize PDF and TIFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can search directly in the Microsoft SQL database. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can configure the search engine. The DMS can log all searches conducted in the system.				
The DMS should allow a user to search for documents using terms from a controlled vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can highlight search results in the viewer from the document text. The DMS can recognize PDF and TIFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can search directly in the Microsoft SQL database. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can configure the search engine. The DMS can log all searches conducted in the system.				
vocabulary in the document metadata. Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can highlight search results in the viewer from the document text. The DMS can recognize PDF and TIFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can search directly in the Microsoft SQL database. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can log all searches conducted in the system.				
Search results should be displayed in a simple list, with ranking by relevancy. Documents can be accessed directly in the search interface. The DMS can highlight search results in the viewer from the document text. The DMS can recognize PDF and TIFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can search directly in the Microsoft SQL database. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can log all searches conducted in the system.	<u> </u>			
can be accessed directly in the search interface. The DMS can highlight search results in the viewer from the document text. The DMS can recognize PDF and TIFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can search directly in the Microsoft SQL database. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can configure the search engine. The DMS can log all searches conducted in the system.				
The DMS can highlight search results in the viewer from the document text. The DMS can recognize PDF and TIFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can search directly in the Microsoft SQL database. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can configure the search engine. The DMS can log all searches conducted in the system.				
The DMS can recognize PDF and TIFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can search directly in the Microsoft SQL database. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can log all searches conducted in the system.	·			
character recognition (OCR) filter to them so that they are fully searchable. Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can search directly in the Microsoft SQL database. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can configure the search engine. The DMS can log all searches conducted in the system.				
Ability to retrieve documents using multiple index words, numbers, dates, etc., simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can search directly in the Microsoft SQL database. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can configure the search engine. The DMS can log all searches conducted in the system.				
simultaneously. The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can search directly in the Microsoft SQL database. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can configure the search engine. The DMS can log all searches conducted in the system.				
The system should accommodate the inclusion or exclusion of previous document versions and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can search directly in the Microsoft SQL database. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can configure the search engine. The DMS can log all searches conducted in the system.				
and archived documents from search results. While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can search directly in the Microsoft SQL database. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can configure the search engine. The DMS can log all searches conducted in the system.	·			
While using the search, users should be able to perform basic document management tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can search directly in the Microsoft SQL database. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can configure the search engine. The DMS can log all searches conducted in the system.				
tasks, such as editing metadata, linking to other documents, or checking documents out, which can be performed in the other areas of the DMS. The DMS can search directly in the Microsoft SQL database. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can configure the search engine. The DMS can log all searches conducted in the system.				
which can be performed in the other areas of the DMS. The DMS can search directly in the Microsoft SQL database. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can configure the search engine. The DMS can log all searches conducted in the system.				
The DMS can search directly in the Microsoft SQL database. The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can configure the search engine. The DMS can log all searches conducted in the system.				
The DMS can report on the full-text search engine and send notifications to administrators if there are any issues. The DMS can configure the search engine. The DMS can log all searches conducted in the system.	·			
if there are any issues. The DMS can log all searches conducted in the system.	·			
The DMS can configure the search engine. The DMS can log all searches conducted in the system.	,			
The DMS can log all searches conducted in the system.	·			
The DMS has the ability to set the maximum number of search results.	The DMS can log all searches conducted in the system.			
	The DMS has the ability to set the maximum number of search results.			

Document Management Software (DMS) Requirements	Standard	Optional	Comments
Workflow	Standard	Optional	Comments
The DMS provides a document review and approval workflow for documents needing to	Ī		
pass through several authors, reviewers, and approvers before being ready for general			
distribution.			
Workflow will be customizable to fit the specific document review and approvals processes required by the organization.			
Users can quickly create staging and collaboration areas for documents as they are being			
worked on. Once reviewed and approved, documents can be moved or linked to publishing			
folders for wider spread distribution.			
Workflow tasks can be sent to a single user, a group of users, or one of a group of users.			
Workflow tasks should allow users to make comments and attach feedback documents as required.			
Approvers can approve or reject the document. The DMS logs this as "Approved" or "Not			
Approved" accordingly.			
The DMS must keep a sign-off sheet for each document version so users can see who			
approved or rejected the document, and any feedback provided. The sign-off sheet should be available for export as required.			
Workflow tasks should be easily delegated if a participant is unable to complete the task.			
Delegation of a task and signing authority can be given to other users for individual tasks, or			
for all tasks over a given period.			
Individual document versions can be restricted from broader circulation until they have			
been approved by appropriate parties.			
The workflow allows specific users to act as observers of review or approval workflows. Observers can track the progress of documents as they proceed through the workflow and			
view any comments and feedback as provided.			
The status of a workflow (review, approved, not approved, pending approval, not submitted			
for approval) can be easily searched.			
The date of review or approval of a document can be easily searched.			
Users participating in review or approval workflows are provided with a personalized task			
list for all tasks assigned to them. Users can see at a glance their tasks, a description of the work to be done, who assigned the task and it needs to be completed.			
Assigned workflow tasks are sent as email notifications.			
Workflow allows user to define conditions, or be locked-down to prevent changes.			
Workflow must provide support for ad-hoc and rules-based workflows.			
Workflow can be automated for a specific document type and workflow template.			
Workflow creates an audit trail.			
Workflow includes electronic signature capabilities.			
The DMS workflow must integrate with Adobe Sign.			
Workflow tasks can be viewed in a calendar.			
The workflow can automatically start when a document is added.			
The workflow can be restarted automatically or manually.			
Administrators can clone a workflow template.			
The workflow participant may postpone the approval of a document. This could pause the			
workflow, send it to a previous task in the process for revision, or create a one-time review task for another user.			
The workflow allows a task to be assigned to a group of users where all participants must			
complete the task or only one in the group must complete the task.			
Tasks can have specific deadlines assigned to them, either the number of hours and/or days			
or a specific date and time. The workflow should alert users of upcoming deadlines and when tasks are overdue. These			
alerts can be repeated at defined intervals.			
A document under a workflow process can be checked out and modified by a participant in			
the active workflow activity.			
Several documents can be included in a single workflow and can be approved in a single			
step. The workflow should have the ability to insert an activity 'on the fly'.			
Any changes made to the workflow are recorded in a change log.			
The statuses of workflows should be viewable through a dashboard.			
The workflow history must be maintained for all document versions.			
The DMS must support an external workflow feature to allow documents to be sent to			
external users for viewing or approval. These approvals will be part of the audit trail for			
documents.			
Documents sent to external users to be sent via secure transmission links. These links can have a required viewing timeline, can be rescinded, and will record the time of document			
viewing, download, and review or approval.			
The DMS allows administrators to determine which users are permitted to send documents			
to external users via transmission.			
Documents sent to external users can be viewed and approved using web browsers, and do not require the recipient to install new software.			
Documents sent to external users for approval can require a recipient-defined password for			
a digital signature on documents.			
External recipients of transmitted documents can be restricted from downloading the			
document and be given a "view only" option. The web-based viewing platform for viewing or approving externally-transmitted			
The web based viewing platform for viewing of approving externally-transmitted			Ĭ
documents must be viewable easily on mobile devices.			
documents must be viewable easily on mobile devices. Documents that completed workflow can be converted to PDF or preserved so no further			

All elements of external transmission must be logged as part of the audit trail; user initiation, document transmission, successful receipt, and any steps performed must be logged with the date and time and recalled as part of the unalterable reporting record of activities.		
The workflow can be configured to allow the sign-off sheet, and other information about		
the document, to be appended as an attachment.		
Document transmission to external sources can be configured as a verified source through		
the nurchase of an SSI certificate		

Document Management Software (DMS) Requirements	Standard	Optional	Comments
Document Viewer Functionality			
The viewer allows users to look at certain image, PDF, and Microsoft Word documents files without having the native software installed.			
The viewer provides the ability to print out a document. This can be disabled for read-only viewers if required.			
The viewer can have multiple files open at the same time.			
Ability to manipulate image displays by scaling, magnifying, or panning.			
The viewer can add, remove, or move pages.			
The viewer provides the ability to save a document locally.			
The viewer can publish new documents or new versions into the library.			
The viewer can automatically show documents in folder and search results.			
The viewer can highlight search results.			
The viewer can assemble new PDF documents based on existing documents in the library and append or prepend pages to the new document.			
Assembled documents from the viewer can be PDF, PDF/A-1A, or PDF/A-1B format, with optional password protection for access.			
Assembled documents from the viewer can be transmitted to external users upon completion of the assembly task.			
The viewer must be available in both desktop and web versions of the client.			
The viewer allows a user to do markup annotations on documents without having to open them in native software. The annotated documents can be saved as a new version as a separate markup layer, or as a new version with the markups permanently marked onto the document.			
The viewer allows users to apply image-based markups to documents, including stamps, sticky notes, shapes, text, and highlights.			
The DMS allows users to create custom markup stamps that can included metadata values.			
The viewer allows watermarks to be applied to a printed document.			

Document Management Software (DMS) Requirements	Standard	Optional	Comments
Integration and Customization			
The DMS integrates with Microsoft SharePoint to give users access to documents in both			
locations.			
The DMS synchronizes users or groups from objects in Active Directory, LDAP, or NT			
Domain directory servers. Once integrated, both users and groups can then be assigned to			
functional roles.			
The DMS should have an industry-standard, fully-documented API that allows integration			
with third-party applications.			
The DMS integrates with Microsoft SQL Reporting Services to generate an infinite array of			
reports.			
The DMS interfaces a virtual printer to allow the adding of documents from any Windows-			
based application with the print function.			
The DMS allows for the expansion of document repositories while remaining seamless to			
the user.			
The DMS can be "localized".			
The DMS can be rebranded.			
The DMS can be customized so that appearance resembles that of an organization's unique			
look and feel.			
The DMS has a "portal" in which casual users can access specially designated information in			
the library without the need to log-in. These users would be restricted to "read-only"			
access.			
The DMS can take documents and file them into appropriate folders based on predefined			
values in customized scripts.			
The DMS can integrate with multiple data providers such as ODBC, OLE DB, Oracle, and SQL			
Server to single-source metadata.			
The system has schema level database lookups that allows a query to be executed on an			
external database to retrieve additional values that are mapped to the other metadata			
fields in the schema.			
The DMS has an importing tool that can perform server-side lookup of metadata or perform			
a lookup of metadata from another database.			
The DMS allows the export of metadata and version property information to other			
software.			
The DMS is fully integrated with installed Microsoft Office applications (Word, Excel,			
PowerPoint, OneNote, Visio, Outlook).			
The system can bring emails into the library automatically from Microsoft Outlook.			
The DMS can execute searches of the library while in third-party Windows applications			
through keystroke combinations.			
The DMS must support two-factor authentication.			
The DMS workflow must integrate with Adobe Sign.			
The DMS must be FIPS-140 (US Federal Information Processing Standards) compliant.			

Document Management Software (DMS) Requirements	Standard	Optional	Comments
Document Scanning			
The DMS provides either a built-in scanning tool or third-party scanning software that seamlessly integrates with the DMS.			
The DMS supports both simple and complex scanning.			
The DMS is configurable to watch for files created by the scanning process and streamline the indexing and addition of scanned files to the library.			
The DMS is compatible with desktop and production scanners.			
The DMS provides the ability to import images and indexes provided by third-party scanning software.			
Scanned documents with a searchable text layer are indexed and searchable.			
The DMS interfaces with a network facsimile system.			
The DMS can recognize PDF and TIFF documents without a text layer and apply an optical character recognition (OCR) filter to them so that they are fully searchable.			
The DMS can do web-based scanning.			
The web-based scanning software can zoom, rotate, de-skew, and move through document pages.			
The web-based scanning software can upload documents to the library.			
Documents scanned with third-party scanning software must have the ability to import documents into DMS along with any values that were zonally OCR'd to populate metadata field values.			
Supplied third-party scanning software must have the ability to automate the capture of data from documents.			
Supplied third-party scanning software must have the ability to manipulate document page layout, split documents, move pages, and perform image cleanup.			